

COUNTY	LEA	FIELD	Drinkard & Tubb	ST	NM
OPR	SHELL OIL CO.	AP	MN 06747	SERIAL	OWWO
NO	5	LEASE	Drill	MAP	
	Sec 22, T21-S, R-37-E	CO-ORD			
	1980' ESL, 660' FEL of Sec				
	RE-CMP 3-14-73	CLASS		ELEV	L & S
		FORMATION	DATUM	FORMATION	DATUM
	13 1/8" at 224' w/300 sx				
	8 5/8" at 2913' w/1955 sx				
	5 1/2" at 6450' w/500 sx				
		TD	6612'	PBD	6584'

(Tubb) Perfs 6024-6339' NO GRAB

1F (Drinkard) Perfs & OH 6396-6584' & 907 MFGED, 1st based on 24" test thru 18/64" ctk. GOR dry; Grav (gas) NR; STEP 700'

CONTR	OPRS ELEV	3411' DS	PD	6584'	TYPE	Wt
-------	-----------	----------	----	-------	------	----

Perf. 4-25-73

(Drinkard)

(Orig. Comp 9-10-49 from OH 6450-6612', OED 6612';

OWWO & Re-Cmp 12-16-52 thru (Tubb) Perfs

5512-5635' & from (Drinkard) OH 6450-6612', OED

6612'; OWWO & Re-Cmp 4-25-64 thru (Blin-bry)

Perf 5713-5871', OFs 6395'; OWWO & Re-Cmp 8-19-64

thru (Blin-bry) Perfs 5713-5871' & (Tubb)

Perf 6024-6339', OPR 6335'

TD 6612'; PBD 6584' COMPLETED

CO to 6584'

Perf (Drinkard) @ 6396', 6408', 6426

At 6396-6584' 1500 gal-

Frac (6396-6584') 20,000 gal- filled with +

30,000# sd

LEA
SHELL OIL CO.

Drinkard & Tubb NM Sec 22, T21S, R37E
5 Turner Page #2

4-23-73 Continued
(Blindbry) Perfs 5713-5871', Packed Off
4-28-73 COMPLETION REPORTED

COUNTY	LEA	FIELD	Blinebry	STATE	N.M.	OWWO
OPR	SHELL OIL COMPANY					MAP
5 Turner						
Sec. 22, T-21-S, R-37-E					CO-ORD	
1980' fr S Line & 660' fr E Line of Sec.						
Re-Spud 4-13-64				CLASS		
Re-Comp 4-25-64				owd 3411 E		
		FORMATION	DATUM	FORMATION		DATUM
CSG & SX - TUBING						
13 3/8" 210' 300						
8 5/8" 2902' 1800						
5 1/2" 6450' 500						
LOGS EL GR RA IND HC A						
		TD 6612' PBD 6395'				

IP Blinebry Perfs 5713-5871' Flwd 60 BOPD. Pot. Based on 24 hr test thru 12/64" chk., TP 1200#, CP 1300#, gravity 39.

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT.	PROP DEPTH	TYPE
DATE		

5-11-64 F.R.C. 5-14-64; OWWO, OTD 6612'
 Recomplete from Drinkard (OH 6450-6612')
 TD 6612', PBD 6395', COMPLETED.
 Set Pkr @ 6400' & capped w/cmt, PB 6395'
 Squeezed Blinebry Gas Perfs 5512-5635'
 Perf @ 5713', 5723', 5728', 5755', 5758', 5806',
 5809', 5846', 5847', 5855' & 5871' W/1 SPI
 Ac. 1500 gals.
 Frac 20,000 gals oil + 20,000# sd.