## NEW MEXICO OIL CONSERVATION COMMISSION SANTA FE, NEW MEXICO AFT'LICATION FOR MULTIPLE COMPLETION


Charte					
Choll Oil Company		County	Date	10-19-73	
Shell Oil Company Address		Lease	Well N	Well No.	
P. O. Box 1509, Midland, Texas 79701		Sarkeys		1	
		Township	Range		
of Well M	23	218		37E	
1. Has the New Mexico Oil Conservatio	n Commission heretofore	authorized the multiple complete	ion of a well	in these same pools or in the same	
zones within one mile of the subject		NO			
2. If answer is yes, identify one such in	istance: Order No. 1	MC-2027; Operator Leas	se, and Well N	No.: Shell Oil Company,	
Sarkeys No. 4					
3. The following facts are submitted:	Upper	Intermediat		T	
	Zone	Zone	.e	Lower Zone	
a. Name of Pool and Formation	Blinebry			Drinkard	
b. Top and Bottom of				DI IIII G	
Pay Section	5685-5832			6362 <b>-</b> 6520	
(Perforations)					
c. Type of production (Oil or Gas)	0i1			Oil	
d. Method of Production	Florina			D1 and a	
(Flowing or Artificial Lift)  4. The following are attached. (Please of the control of the contr	Flowing			Flowing	
diameters and setting    X	tes and location thereof, depth, location and type ation of all wells on applicant's such multiple completing the copies of the applicant well or other acceptable ach log is not available a on which this well is located.	quantities used and top of cemes of packers and side door chokes, licant's lease, all offset wells as lease.  on from each offset operator, or eation.  log with tops and bottoms of part the time application is filed it reated together with their correct	nt, perforated and such other on offset least in lieu thereo roducing zonshall be submailing address	meters and setting depths, central- intervals, tubing strings, including er information as may be pertinent. ses, and the names and addresses of, evidence that said offset opera- es and intervals of perforation in- mitted as provided by Rule 112-A.	
Acoma Oil Corp., 812 Continental Life Bldg., Fort Worth, Texas 76102					
Continental Oil Co., P. O.	Box 431, Midland	, Texas 79701	· · · · · · · · · · · · · · · · · · ·		
Gulf Oil Co.,- U. S., P. 0	. Box 1150, Midla	nd, Texas 79701			
Atlantic Richfield Co., P.	0. Box 1610, Mid	land, Texas 79701			
Getty Oil Co., P. O. Box 12	231, Midland, Tex	as 79701			
			The state of the s		
6. Were all operators listed in Item 5 ab date of such notification		ed a copy of this application?	YES <u>X</u> N	O If answer is yes, give	
CERTIFICATE: I, the undersigned,				- · ·	
under my supervision and direction and t	ompany), and that I am a nat the facts stated there	uthorized by said company to mal in are true, correct and complete	ke this report to the best o	; and that this report was prepared of my knowledge.	

\*Should waivers from all offset operators not accompany an application for administrative approval, the New Mexica Oil Conservation Commission will hold the application for a period of twenty (20) days from date of receipt by the Commission's Santa Fe office. If, after said twenty-day period, no protest nor request for hearing is received by the Santa Fe office, the application will then be processed.

NOTE: If the proposed multiple completion will result in an unorthodox well location and/or a non-standard proration unit in one or/more of the producing zones, then separate application for approval of the same should be filed simultaneously with this application.

## SHELL OIL COMPANY DUAL COMPLETE BLINEBRY & DRINKARD POOLS SARKEYS LEASE WELL NO. 1

660' FS & WL SEC. 23, T-21-S, R-37-E LEA COUNTY, NEW MEXICO



ORIGINAL COMPLETION DATE 12-24-47 ELEVATION: 3403' DF

TD, 6603'

PERF

BLINEBRY: 5685', 5690', 5691' 5702', 5717', 5723', 5733', 5762', 5775', 5797', 5820', 5822', 5827', 5830', 5832', (15 HOLES)

TUBB: 5960', TO 6015', 6020', TO 6050', 6120' TO 6160', 6170', TO 6200' W/4 SPF

DRINKARD: 6503' TO 6520' W/4 SPF & @ 6362', 6369', 6375', 6382', 6392', 63 99', 6411', 6423', 6438', 6450', 6458', 6465', & 6475' (13 HOLES) W/1 SPF.

CSG: 13 3/8" CEMENT CIRCULATED 8-5/8" CEMENT CIRCULATED 5-1/2" CALCULATED CEMENT TOP 4000"

> GEL TO BE PLACED ONLY TUBB ZONE AS PREVIOUS OPERATIONS (4 - 26 - 64 IN TURNER NO 3 AND ARGO "A" NO, 5) WHEN LOAD OIL RECOVERED