

Submit 3 Copies
to Appropriate
District Office

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-103
Revised 1-1-89

DISTRICT I
P.O. Box 1980, Hobbs NM 88241-1980

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION

P.O. Box 2088
Santa Fe, New Mexico 87504-2088

WELL API NO.	30-025-06764
5. Indicate Type of Lease	STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.	

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER	7. Lease Name or Unit Agreement Name Northeast Drinkard Unit
2. Name of Operator Shell Western E&P, Inc.	8. Well No. 814
3. Address of Operator P.O. Box 576, Houston, TX 77001 Attn: S.A. Galik-5239 WCK	9. Pool name or Wildcat North Eunice Blinebry-Tubb-Drinkard
4. Well Location Unit Letter <u>B</u> : <u>660</u> Feet From The <u>North</u> Line and <u>1980</u> Feet From The <u>East</u> Line Section <u>23</u> Township <u>21S</u> Range <u>37E</u> NMPM Lea County	10. Elevation (Show whether DF, RKB, RT, GR, etc.) 3406' GR

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐
CASING TEST AND CEMENT JOB ☐
OTHER: Repair Casing Leak. TA'd ☒

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

7/18 To 8/02/95

POOH w/Inj Equip. RIH w/RBP & PKR. Isolate csg leak from 4676 to 4861. Pmp 6 bbl cmt - well pressured up. Spot 5 BBL 15% acid across bad csg - no rate. Set RBP & PKR. Set RBP @ 4943'. Test tools - held ok. Spot 200# sand on RBP. Reset PKR @ 4892'. Spot 6 bbl cmt across bad csg. Reset PKR @ 4552' and pmpd until cmt left on top. Rel PKR & POH w/tbg and tools. Tag TOC @ 4691'. DO cmt to 4892'. RIH & tag cmt @ 4908'. DO to 4940'. Circ clean. RIH w/PKR and isolate bad csg from 4200-4892'. POH w/PKR and ret RBP. RIH w/CIBP and set @ 6400'. RIH w/2nd CIBP and set @ 5650. RIH w/3rd CIBP and set @ 4150'. Drop 2 sxs cmt. Left 2 jts prod tubing hanging. NU wellhead. Ran MIT chart for 30 min. @ 500# (chart attached). Well is TA'D.

This Approval of Temporary
Abandonment Expires 8-1-2000

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Shirley A. Galik TITLE Engineering Assistant DATE 3/4/96

TYPE OR PRINT NAME Shirley A. Galik TELEPHONE NO. 713/544-4219

(This space for State Use)

APPROVED BY DISTRICT ENGINEER TITLE DISTRICT ENGINEER DATE MAR 25 1996

CONDITIONS OF APPROVAL, IF ANY:

10

10





