	<u> </u>		<u> </u>					•••••	- ,				3	-;		Climited 1/1/82
	+-	+	-		þ -	+		_	-			NEW MOVE	co oil con	CPD V A TRAC	N 001	
	┢	+	+		╞	+		┝	4			NEW MEAN		New Mexic		MMISSION
 	_	+	+		_	+		┝	4				James PG			
	_	\downarrow	\downarrow		<u> </u>	4	_			1 1 1 Z .						
	 	4-	4		L	∔		<u> </u>	_	· · · · · · · · · · · · · · · · · · ·	111	D 24	WELL	RECORI	D	
			_			\perp										
	1		\downarrow				\square			Mail to	Dist	rict Office, Oil	Conservation (commission, to	which	Form C-101 was sent not
	<u> </u>				<u> </u>]	of the Co	a tw Kinina	inion. Submit i	completion of ward of a QUINTUPLI	ell. Follow ins CATE, If	suction State	s in Rules and Regulations Land submit 6 Copies
•	A) Cati															
•••••	•••••	*****	G	л <u>т</u>	<u>f</u> (Co) <u>i]</u>		or	port	ation			M	illiam A.	Rams	ev IIAII
					•										MB)	
ell is	6	60				fe	net f	fron]	North	******		1980			Castline
Section.	3	4-	21-	-3(5		~~~	Tf	State	Land the Oi	······	d Cas I assa Na		Icet I 732	rom /	lin
rilling Co	07010	énc	 e-d	, and a		1	-20	,	JUNE							, 1957
									4			0	ng was Complete Sminanw	a	********	, 195¥.
ddaese	71111	ug v			:0 r .	*****			Bo	x 695, Od	les	sa. Texas				
	L		1				•••••									
evation a	DOV	: 503	. lev	ela	ut T	op	of	ſub	ing H	lead			The i	nformation give	n is to	be kept confidential until
										A						
											011	SANDS OR Z	ONES			
. 1, from	ı	37	30.1	••••-	•••••	•••••	•••••	••••••	.to	38121	•••••	No. 4	, from	******	to	
. 2, from	I	•••••	•••••	•••••					.to			No. 5	, from		to	
). 2, from	•••••	•••••			•••••	•••••	•••••	•••••	••••••	to	•••••	••••••		feet		
															•••••	
. 4, irom	. ,		•••••		•	•••••	•••••	- • - • - • •	••••••	to	•••••		•••••	feet	••••••	
<u> </u>	1.	:									_ 0	ASING BECO	BD	· · · ·		
SIZE	Ι.		wei 'Er					USI		AMOUNT	T	KIND OF SHOE	CUT AND PULLED FROM	PERFORAT	TONS	DUBBOGD
8-5/8			2.1.#			╉		Ne		4051		Baker		I LAF VRAI		PURPOSE
5-1/2"	_		.1.#	_		上		Ne		38361		Baker		3730-3812	21	Surface Pipe Production Strin
						┢										
	<u> </u>			<u>, .</u> 		<u>.</u>				<u> </u>		1	1	آشتها ا		
		۰.			-					MUDDIN	G A	ND CEMENTI	NG RECORD	۰ بار د بار ا		•
SIZE OF HOLE	8	ize Asi	OF NG		V	VHI SE			T	NO. SACES	T	METHOD		MUD	1	AMOUNT OF
-1/ <u>L</u> "		-5/		+					ļ		+	USED		RAVITY	ļ	AMOUNT OF MUD USED
- <u>1/4"</u> -7/8"		·2/ ·1/		╋		41. 38.			<u> </u>	<u>325</u> 1696	-	<u>Pump & Plu</u> Pump & Plu		······································	┣	
				Ļ							Γ					
	L		<u>مر منتار</u>	<u> </u>					1							
									H	ECORD OF	' PB	ODUCTION A	ND STIMULAT	TION		
						(R	ecoi	rd t	he Pi	rocess used, N	No.	of Qts. or Gals	used, interval	treated or shot	L)	
otted	50	<u>0</u>	ga]	11											-	
eated	fo	rm	at:	ĹOI	<u>a</u> t	hr	u	pe	rfo	cations w	rit!	h 5000 gal	lons refin	d oil wi+		SPG. Pumped
	MIT M	.civi.	nQ		¥Q	1 G	1954	A	2442	<u>irvato</u>	SA)	<u>ormation</u>	rita 10,000	gallons :	refir	ed oil with
SPG.	•••••	•••••		•••••	•••••	•••••	•••••		•••••			•••••				
ult of Pro	oduc	tion	Stir	mul	atio	מי	•	<u>F1</u>	owec	<u>i 188 bbl</u>	.s (oil and 8 1	bls water	thru 2-3/	8" tu	bing 24 hours.
	•••••			•••••	••••••		۱		······	******	••••••					••••
•••••	••••••			•••••	••••••											

JOORD OF DBILL-STEM AND SPECIAL TA

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

			TOOLS U	SED	
Rotary tools we	ere used from	Qfee	t to 3850	feet, and from	feet tofeet.
Cable tools we	re used from	fee	t to	feet, and from	feet tofeet.
			PRODUC	TION	
Put to Produci	ng	6-11	, 19. 57		
OIL WELL:	The production	during the first 24	hours was	barrels o	f liquid of which
	was oil;	Q% wa	s emulsion;5.	% water; and	
	Gravity				
GAS WELL:	The production	during the first 24	hours was	M.C.F. plus	barrels of
	liquid Hydrocarl	oon. Shut in Pressu	rclbs.		
Length of Tin	ne Shut in		······		
					ACTADAT STORION OF STATES.

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE): Northwestern New Mexico Southeastern New Mexico

T	Anhy1530!	т	Devenion	т	Ojo Alamo
1.					-
Т.	Salt	Τ.	Silurian	Τ.	Kirtland-Fruitland
B .	Salt	Т.	Montoya	Т.	Farmington
Т.	Yates. 3021	Т.	Simpson	Т.	Pictured Cliffs
Т.	7 Rivers	Т.	McKee	Т.	Menefee
Т.	Queen	Т.	Ellenburger	Т.	Point Lookout
	Grayburg	Т.	Gr. Wash	Т.	Mancos
Т'.	San Andres	Т.	Granite	Т.	Dakota
Т.	Glorieta	Т.		Т.	Morriscn
Т.	Drinkard	Т.			Penn
Т.	Tubbs	Т.		Т.	
Т.	Abo	Т.		Т.	
Т.	Penn	Т.		Т.	
T.	Miss	Т.		Т.	

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	То	Thickness in Feet	Formation
0	9 235 660 1455 1648 2872 3872 3425 3540 3575 3850		Distance from Top Kelly Drive Bushing to Ground Surface Sand and Caliche Hed Bed Red Rock and Shale Anhydrite and Shale Anhydrite and Salt Anhydrite and Lime Lime Anhydrite and Lime Lime				DEVIATION - TOTCO SURVEY $1/2 - 400^{\circ}$ $3/4 - 820^{\circ}$ $1/4 - 1450^{\circ}$ 1/4 - 1800 1/4 - 2000 1/4 - 2400 $2-3/4 - 2875^{\circ}$ $2-3/4 - 3050^{\circ}$ 1-3/4 - 3250 1-3/4 - 3400 1-1/2 - 3670

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

August 19, 1957

	Company or Q	perator	Gulf Oil	Coppor	ation
Name ST - MIR		, <u>,</u>	~		

Address Box 2167, Hobbs, New Mexico Poster of Prod.