

X			

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office **Las Cruces**
Lease No. **LC 031741 b**
Unit **NMPU**

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	XX
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Hawk B-3

March 21, 19 **57**

Well No. **4-TB** is located **660'** ft. from **[N]** line and **660'** ft. from **[W]** line of sec. **3**

NW/4 Sec 3

(1/4 Sec. and Sec. No.)

21 S

(Twp.)

37 E

(Range)

NMPM

(Meridian)

Terry Blinebry

(Field)

Lea

(County or Subdivision)

New Mexico

(State or Territory)

The elevation of the derrick floor above sea level is _____ ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Spudded 3-12-57. Ran 8 joints 10 3/4" casing set at 259' with 250 sacks, cement circulated. Plug down 3-13-57. Thirty minute casing test: before drilling plug 900#-900#; after drilling plug 600#-250#.

Ran 104 joints 7 5/8" casing set at 3154' with 1500 sacks, top of cement 1525'. Plug down 3-19-57. Thirty minute casing test: before drilling plug 1000#-1000#; after drilling plug 500#-400#.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **Continental Oil Company**

Address **Box 68**

Sunice, New Mexico

By _____

Title **District Superintendent**

THE
UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

WATER RESOURCES DIVISION

WATER RESOURCES DIVISION
BUREAU OF LAND MANAGEMENT
WASHINGTON, D. C.
20090

WATER RESOURCES DIVISION
BUREAU OF LAND MANAGEMENT

WATER RESOURCES DIVISION
BUREAU OF LAND MANAGEMENT
WASHINGTON, D. C.
20090

WATER RESOURCES DIVISION
BUREAU OF LAND MANAGEMENT

X			

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office **Las Cruces**
Lease No. **LC 031741 b**
Unit **NMPU**

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	X	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Hawk 9-3

March 6, 19 **57**

Well No. **4-TB** is located **660** ft. from **[N]** line and **660** ft. from **[E]** line of sec. **3**

N 1/4 Sec 3
(1/4 Sec. and Sec. No.)

21 S 37 E
(Twp.) (Range)

NMPM
(Meridian)

Terry Blinobry
(Field)

Lea
(County or Subdivision)

New Mexico
(State or Territory)

The elevation of the derrick floor above sea level is ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

It is intended to drill this well with rotary tools at the above location to an estimated TD of 6000'. Casing will be cemented in accordance with U.S.G.S. standards and other special requirements will be complied with.

The following casing pattern is planned: 10 3/4" OD set at 250' with 250 sacks, cement to circulate; 7 5/8" OD set at 3150' with 1100 sacks, cement to return to 1250'; 5 1/2" OD set at 6000' with 500 sacks, cement to return to 3050'; actual amount of cement used to set intermediate and production casing to be determined by caliper survey.

Permission is requested to produce this well upon completion.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **Continental Oil Company**

Address **Box 68**

Sunice, New Mexico

By

Title **District Superintendent**