



OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

MISCELLANEOUS REPORTS ON WELLS

RECEIVED

APR 25 1951

OIL CONSERVATION COMMISSION
HOBBS OFFICE

Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below.

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON REPAIRING WELL	
REPORT ON RESULT OF SHOOTING OR CHEMICAL TREATMENT OF WELL		REPORT ON PULLING OR OTHERWISE ALTERING CASING	
REPORT ON RESULT OF TEST OF CASING SHUT-OFF	X	REPORT ON DEEPENING WELL	
REPORT ON RESULT OF PLUGGING OF WELL			

April 23, 1951

Hobbs, New Mexico

Date

Place

OIL CONSERVATION COMMISSION,
SANTA FE, NEW MEXICO
Gentlemen:

Following is a report on the work done and the results obtained under the heading noted above at the _____
Cities Service Oil Company State "NM" Well No. 4 in the

SW NW Company or Operator 15 Lease 21S 37E, N. M. P. M.,
of Sec. 15, T. 21S, R. 37E, N. M. P. M.,
Brunson Field, Lea County.

The dates of this work were as follows: April 17, April 18, & April 19, 1951

Notice of intention to do the work was (was/has) submitted on Form C-102 on April 20 19 51
and approval of the proposed plan was (was/has) obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

This well was drilled to a total depth of 8182' line. Ran 192-1/3 jts. of 5 1/2" OD 8R thd. casing (8017' set at 8030') and cemented with 400 sacks of cement. Plug was down at 8:50 P.M. April 17, 1951. The cement was allowed to set for 48 hours, 1000# pressure was applied with all valves closed with no drop in pressure during a 30 minute period. Test was made prior to and after drilling plug.

Witnessed by R. W. Ely Cities Service Oil Company District Superintendent
Name Company Title

Subscribed and sworn before me this _____

I hereby swear or affirm that the information given above is true and correct.

23 rd day of April 19 51

Name _____

Fred Lawson
Notary Public

Position District Superintendent

Representing Cities Service Oil Company

Company or Operator

My commission expires Feb. 8, 1954

Address Drawer G., Hobbs, New Mexico


Remarks:

APPROVED
Date APR 25 1951Roy Yankroff
Oil & Gas Inspector Name
Title

DUPLICATE

NEW XICO OIL CONSERVATION COMM
SANTA FE, NEW MEXICO

MISCELLANEOUS NOTICES



Submit this notice in triplicate to the Oil Conservation Commission or its proper agent before the work begin. A copy will be returned to the sender on which will be given the approval, with any modifications suggested, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of notice by checking below:

NOTICE OF INTENTION TO TEST CASING SHUT-OFF	<input checked="" type="checkbox"/>	NOTICE OF INTENTION TO SHOOT OR CHEMICALLY TREAT WELL	
NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING	
NOTICE OF INTENTION TO REPAIR WELL		NOTICE OF INTENTION TO PLUG WELL	
NOTICE OF INTENTION TO DEEPEN WELL			

Hobbs, New Mexico

April 20, 1951

Place

Date

OIL CONSERVATION COMMISSION,
Santa Fe, New Mexico

Gentlemen:

Following is a notice of intention to do certain work as described below at the
Cities Service Oil Company State **NM** Well No. **4** in **SW NW**
 Company or Operator **15** **21S** **37E** **Lea** **Brunson** Field.
 of Sec. **15**, T. **21S**, R. **37E**, N. M. P. M., **Lea** County.

FULL DETAILS OF PROPOSED PLAN OF WORK

FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS OF THE COMMISSION


This well was drilled to a total depth of 8182' lime. Ran 192-1/3 jts. of 5 1/2" OD 8 R thd. casing (8017' set at 8030') and cemented with 400 sacks of cement. Plug was down at 8:50 P.M. April 17, 1951. The cement will be allowed to set 48 hours before testing for shut-off.

APR 25 1951

Approved _____, 19_____
except at follows:

OIL CONSERVATION COMMISSION,
By *Roy Yunker* Oil & Gas Inspector
Title _____

Cities Service Oil Company
Company or Operator
By _____
Position **District Superintendent**
Send communications regarding well to
Name **R. W. Ely**
Address **Drawer G., Hobbs, New Mexico**



100-1000

100-1000