

OIL CONSERVATION COMMISSION

SANTA FE, NEW MEXICO

Miscellaneous Reports on Wells

RECEIVED

MAR 9 1951

OIL CONSERVATION COMMISSION
HOBB'S OFFICE

Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below.

| | | | |
|--|-------------------------------------|--|--|
| REPORT ON BEGINNING DRILLING OPERATIONS | | REPORT ON REPAIRING WELL | |
| REPORT ON RESULT OF SHOOTING OR CHEMICAL TREATMENT OF WELL | | REPORT ON PULLING OR OTHERWISE ALTERING CASING | |
| REPORT ON RESULT OF TEST OF CASING SHUT-OFF | | REPORT ON DEEPENING WELL | |
| REPORT ON RESULT OF PLUGGING OF WELL | <input checked="" type="checkbox"/> | | |

FEB. 22, 1951

Date

CORPUS CHRISTI, TEXAS

Place

OIL CONSERVATION COMMISSION,
SANTA FE, NEW MEXICO.
Gentlemen:

Following is a report on the work done and the results obtained under the heading noted above at the

GRIFFLE Well No. 1 in the
Company or Operator Lease
SW 5 ESE of Sec. 36, T. 21, R. 36, N. M. P. M.,
ARROWHEAD Field LEA County.

The dates of this work were as follows:

Notice of intention to do the work was (~~was not~~) submitted on Form C-102 on 19and approval of the proposed plan was (~~was not~~) obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

CEMENT PLUG AT BOTTOM
" " " SALT
" " " SURFACE

WORK PERFORMED BY HOBBS PIPE & SUPPLY

Witnessed by VERRIS ANTELL Name HOBBS PIPE SUPPLY Company OWNER Title

Subscribed and sworn before me this 6th

I hereby swear or affirm that the information given above is true and correct.

day of March, 1951Name R. E. GriddleF. F. Buell (FFBULLE)Position Owner

Notary Public

Representing

Company or Operator

My commission expires June 1st 1951Address 4416 DRUID LANE DALLAS TEXAS

Remarks:

APPROVED

Date

MAR - 6 1951

Reg. [Signature]
Oil & Gas Inspector

R. E. Griddle
Operator


Name

Title

DUPLICATE

JUN 30 1950

FORM C-105



AREA 640 ACRES
LOCATE WELL CORRECTLY

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE. FORM C-110 WILL NOT BE APPROVED UNTIL FORM C-105 IS PROPERLY FILLED OUT.

Company or Operator R.W. GRIBBLE Address 845 WILSON BUILDING DALLAS TEXAS
Lease GRIBBLE Well No. 1 in SE of Sec. 36, T. 21S
R. 36E, N. M. P. M., ARROWHEAD Field, LEA County.
Well is 330 feet N. of the SOUTH line and 990 feet west of the East line of SEC. 36
If State land the oil and gas lease is No. B7641 Assignment No. _____
If patented land the owner is _____, Address _____
If Government land the permittee is _____, Address _____
The Lessee is _____, Address _____
Drilling commenced 11-24-43 19____ Drilling was completed 1-28 1944
Name of drilling contractor RILEY COATS, Address MIDLAND TEXAS
Elevation above sea level at top of casing 3495 feet.
The information given is to be kept confidential until _____ 19____

OIL SANDS OR ZONES

No. 1, from _____ to _____ No. 4, from _____ to _____
No. 2, from _____ to _____ No. 5, from _____ to _____
No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole
No. 1, from _____ to _____ feet.
No. 2, from _____ to _____ feet.
No. 3, from _____ to _____ feet.
No. 4, from _____ to _____ feet.

CASING RECORD

| SIZE | WEIGHT PER FOOT | THREADS PER INCH | MAKE | AMOUNT | KIND OF SHOE | OUT & FILLED FROM | PERFORATED | | PURPOSE |
|--------------|-----------------|------------------|------------|-------------|--------------|-------------------|------------|----|---------|
| | | | | | | | FROM | TO | |
| <u>8 5/8</u> | <u>32</u> | | <u>NAT</u> | <u>316</u> | <u>NAT</u> | | | | |
| <u>5 1/2</u> | <u>17</u> | | <u>"</u> | <u>3704</u> | <u>"</u> | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

MUDDING AND CEMENTING RECORD

| SIZE OF HOLE | SIZE OF CASING | WHERE SET | NO. SACKS OF CEMENT | METHODS USED | MUD GRAVITY | AMOUNT OF MUD USED |
|---------------|----------------|-------------|---------------------|--------------------|-------------|--------------------|
| <u>12 1/2</u> | <u>8 5/8</u> | <u>316</u> | <u>100</u> | <u>HULLIBURTON</u> | | |
| <u>8 5/8</u> | <u>5 1/2</u> | <u>3704</u> | <u>170</u> | <u>"</u> | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth Set _____
Adapters — Material _____ Size _____

RECORD OF SHOOTING OR CHEMICAL TREATMENT

| SIZE | SHELL USED | EXPLOSIVE OR CHEMICAL USED | QUANTITY | DATE | DEPTH SHOT OR TREATED | DEPTH CLEANED OUT |
|------|------------|----------------------------|-------------|----------------|-----------------------|-------------------|
| | | <u>ACID</u> | <u>1000</u> | <u>1-19-44</u> | <u>3790</u> | |
| | | <u>"</u> | <u>3000</u> | <u>1-26-44</u> | <u>3790</u> | |
| | | | | | | |
| | | | | | | |

Results of shooting or chemical treatment _____

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet
Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

PRODUCTION

Put to producing _____, 19____
The production of the first 24 hours was _____ barrels of fluid of which _____% was oil; _____% emulsion; _____% water; and _____% sediment. Gravity, Be _____
If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____
Rock pressure, lbs. per sq. in. _____

EMPLOYEES

_____, Driller _____, Driller
_____, Driller _____, Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this _____ day of _____, 19____

Notary Public
My Commission expires _____
Place Santa Fe, New Mexico Date 6-27-50
Name R.W. Gribble
Position Owner
Representing _____
Company or Operator
Address 845 WILSON BLDG DALLAS

FORMATION RECORD

| FROM | TO | THICKNESS IN FEET | FORMATION |
|------|------|----------------------|------------------------|
| 0 | 250 | 250 | SURFACE SAND - CALICHE |
| 250 | 1060 | 810 | RED BEDS |
| 1060 | 1250 | 190 | SHALE - ANHY. |
| 1250 | 1700 | 450 | ANHY. - SALT |
| 1700 | 2850 | 1150 | SHELLS-SAND |
| 2850 | 3650 | 800 | LIME |
| 3650 | 3790 | 140 | BROWN LIME |