

COUNTY Lea FIELD Blinebry & Wantz-/ STATE N.M.
 OPR Aztec Oil & Gas Company /Abo MAP
 2 Gutman CO-ORD
 Sec. 11, T-21-S, R-37-E
 1980' fr S Line & 990' fr W Line of Sec.

		CLASS		EL. <u>3424'</u>	
Spudded 11-27-63		FORMATION	DATUM	FORMATION	DATUM
Comp. 1-11-64(B); 1-29-64		LOG:			
CSG & SX - TUBING (Abo)		Queen 3384			
13 3/8" 336' 330		SA 3922			
9 5/8" 3008' 900		Glor 5174			
7" 6000') 930		Padd 5350			
4 1/2" 6000-7200')		Bli 5634			
LOGS EL GR RA IND HC A		Drkd 6467			
		TD 7200', PB 7165'			

IP Blinebry Perfs 5690-5912' Flwd 45L BOPD. Pot. Based on 6 hr test of 113 BO thru 18/64" chk., GOR 4380, CP 625#, TP 450#.

IP Abo Perfs 6792-7158' Pmpd 98 BOPD + 32 BW. Pot. Based on 24 hr test, GOR 24.'

Distribution limited and publication prohibited by subscribers' agreement.
 Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. PROP DEPTH 7100' TYPE
 DATE

F.R. 29-63 Oper's Elev. 3426' GL
 12-3-63 Drlg. 2960' anhy.
 12-10-63 Drlg. 5012'.
 12-17-63 Drlg. 6678'.
 DST 5648-5858', open 2 hrs,
 GTS in 19 mins @ 66 MCFGPD,
 Rec 1860' gas in DP + 870' HO&GCM,
 1600' SIP 1474#, FP 229-372#,
 1602#.
 12-31-63 TD 7200', PB 7165', tstg.
 Perf (Abo) 6792-96', 6843-47' W/2 SPF; Perf 6860-
 94' W/1 SPF; Perf 6930-36', 6946-56', 6963-73',
 7003-07', 7010-12', 7014-16', 7018-20', 7097-
 7104', 7108-12', 7122-24', 7126-32', 7136-40',
 7152-58' W/2 SPF
 Ac. 15,000 gals (6792-7158')
 Swbd flwd 140 BAW + 6 BNO in 18 hrs.
 1-7-64 TD 7100', PB 7165', flwg load (Blinebry)

1-7-64

-cont.-

Swbd & flwd 74 BNO + 40 BAW/10 hrs (6792-7158')
Perf (Blinebry) 5690-5700', 5708-36', 5756-
84', 5818-24', 5900-12' W/1 SPF

Ac. 1500 gals

Frac 40,000 gals oil + 60,000# sd.

Flwd 248 BLO/20 hrs thru 15/64" chk., TP 500#.
(-881 BLO).

1-14-64

TD 7200', PB 7165', prep to dual complete.
(Blinebry Zone Completed)

1-21-64

TD 7200', PB 7165', prep to RU Pump (Abo)

1-28-64

TD 7200', PB 7165', prep to test on pump.

2-3-64

TD 7200', PB 7165', COMPLETED.

LOG TOP: Abo 6695'

SAMPLE TOP: San Andres 3940'.

COUNTY LEA FIELD Blinebry/Drinkard STATE NM OWWO
 OPR AZTEC OIL & GAS COMPANY MAP
2 Gutman CO-ORD
Sec. 11, T-21-S, R-37-E
1980' fr S Line & 990' fr W Line of Sec.
 Re-Spd 6-21-65 CLASS 3000' EL
 Re-Cmp 7-7-65

FORMATION	DATUM	FORMATION	DATUM

CSG & SX - TUBING

13 3/8"	336'	300
9 5/8"	3008'	890
7"	7200'	230

LOGS EL GR RA ND HC A

TD 7200', PBD 6764'

IP Drinkard Perfs 6467-6654' Flwd 38 BOPD + 12 BW. Pot. Based on 24 hr test thru 24/64" cnk., TP 300#, CP Pkr.

Blinebry Perfs 5690-5912' - NO CHANGE

Distribution limited and publication prohibited by subscribers' agreement.
 Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. PROP DEPTH TYPE
 DATE

F.R.C. 7-29-65; OWWO
 Orig. comp from Abo perfs 6792-7158' &
 Blinebry perfs 5690-5912', OTD 7200'.
 Elev. 3424' Df, Orig.
 7-26-65 TD 7200', PBD 6764', COMPLETED.
 Plugged back to 6764' to shut off perfs
 6792-7158'.
 Perf (Drinkard) @ 6467', 6495', 6505',
 6555', 6570', 6571', 6583', 6594', 6601',
 6604', 6607', 6610', 6623', 6625', 6654'
 W/1 SPI
 Ac. 1000 gals.,
 Frac 22,000 gals oil + 22,000# sd.,
 Would not flow
 Re-Ac. 5250 gals. 6467-6654'.