

COUNTY	Lea	FIELD	Wantz-Abo	STATE	N.M.	NO.
OPR.	Sunray DX Oil Company	MAP				
NO.	6	LSE.	State "15"			
SEC.	16	T.	21S	BLK.	37E	SUR.
LOC.	330' fr S Line & 1650' fr E Line of Sec.					
MI.		FROM		CLASS.		EL. 3748'
SPUD.	9-19-63	COMP.	10-18-63	FORMATION	DATUM	FORMATION DATUM
IRT.				LOG:		
				Queen	3346	
CSG. & SX.				Penr	3488	
13 3/8"	252'	300		Gryb	3680	
8 5/8"	2990'	665		SA	3972	
5 1/2"	7298'	1005		Glor	5112	
TBG.	DEPTH	SIZE		Clfk	5590	
LOGS	EL	GR	RA	IND	HC	A
				Tubb	6118	
				TD	7306'	PB 7250'
PROD INT.	(DAILY RATE)	BS&W	GH	GOR	GTY	C. P.
6808-7052'	Flwd 142 BO + 28 B	14/64"	1408	38.4		540# 24 hr
(Abo)		Load Wtr				
Distribution limited and publication prohibited by subscribers' agreement. Reproduction rights reserved by Williams & Lee Scouting Service, Inc.						
CONT.	Noble Drlg. Co.	PROP DEPTH	7300'	TYPE		
DATE						

F.R. 9-19-63
 PD 7300' - Abo
 Contractor - Noble Drlg. Co.
 9-22-63 Drlg. 2175' anhy.
 9-30-63 TD 4105', prep to DST.
 10-7-63 Drlg. 6360' lm.
 DST (SA) 4069-4105', open 40 mins,
 GTS in 27 mins @ TSTM
 Rec 484' O&GC Wtr,
 30 min ISIP 1508#, FP 86-245#
 1 hr FSIP 1512#.
 10-14-63 TD 7306', prep to perf.
 10-21-63 TD 7306', PB 7250', COMPLETED.
 DO to 7294', Perf 7271-73', 7275-77', 7280-82',
 & 7284-86' W/2 SPF, Ac. 1000 gals.
 Swbd 28 B Sul. Wtr/5 hrs.
 Set BP @ 7250'.

10-21-63 -continued-
Perf (Abo) 6808-10', 6816-18', 6823-25', 6845-
47', 6853-55', 6875-77', 6911-13', 6920-22',
6925-27', 7017-19', 7028-30', 7038-40', 7050-
52', Ac. 10,000 gals.
LOG TOPS: Drinkard 6390', Abo 6670', Montoya
7205'.

OWO

COUNTY LEA FIELD Drinkard STATE NM MN 20311

OPR SUN OIL CO. MAP

6 State Land "15"

Sec 16, T-21-S, R-37-E CO-ORD

330' FSL, 1650' FEL of Sec

Re-Spd 3-14-72 CLASS OWOF E 8

Re-Cmp 4-7-72

FORMATION	DATUM	FORMATION	DATUM
CSG & SX - TUBING			
13 3/8" at 252' w/300 SX			
8 5/8" at 2990' w/665 SX			
5 1/2" at 7298' w/1005 SX			
LOGS EL GR RA IND HC A			
	TD 7306'	PBD 6658'	

IP (Drinkard) Perfs 6490-6622' P 21 BOFD + 6 BW. Pot based on
24 hr test. GOR 4550; Grav 38

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT.
DATE

PROP DEPTH 6658' TYPE WO

5-8-72 F.R.C. 5-13-72; Opr's Elev. 3448' DF
PD 6658' WO (Drinkard)
(Orig. Sunray DX Oil Co., comp 10-18-63 thru
(Abo) Perfs 6808-7052', OTD 7306', OPB 7250')
TD 7306'; PBD 6658'; COMPLETE
PB to 6658'
Perf @ 6490', 6491', 6503', 6506', 6508',
6509', 6511', 6513', 6519', 6521', 6538',
6540', 6553', 6561', 6571', 6576', 6578',
6584', 6590', 6596', 6603', 6605', 6615',
6620', 6622' w/1 SPI
Acid (6490-6622') 3500 gals
Frac (6490-6622') 32,000 gals jelled brine +
45,000# sd
Ppd 21 BO + 6 BW in 24 hrs (6490-6622')
5-13-72 COMPLETION REPORTED