

COUNTY	LEA	FIELD Paddock	STATE	NM
OPR	GULF OIL CORPORATION			MAP
	4 Ramsay, W. A. (NCT-3)			
	Sec. 25, T-21-S, R-36-E			CO-ORD
	1650' FNL, 340' FEL of Sec.			
	Spd 1-14-66		CLASS	EL [REDACTED]
	Crp 2-23-66		FORMATION	DATUM
CSG & SX - TUBING				
8 5/8" 1310' 575				
4 1/2" 5225' 445				
LOGS EL GR RA IND HC A				
	TD 5225', PBD 5209'			

IP Paddock Perfs 5174-84' Pmpd 42 BOPD + 1 BW. Per. Based on 24 hr test, gravity 38.5.

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. John Drlg. Co.	PROP DEPTH 5200'	TYPE
DATE		

	F.R. 1-20-66
	PD 5200' - Paddock
	Contractor - John Drlg. Co.
1-18-66	TD 1312', WOC.
1-24-66	Drlg. 3611' 1m.
1-31-66	Drlg. 5033' 1m.
2-7-66	TD 5225', PBD 5209', RC Pump.
	Perf 5174-84' W/2 SPF
	Ac (5174-84') 500 gals 15% IR @ 4.5 FPM
	Swld 73 EO + 5 EAW in 7 hrs.
2-14-66	TD 5225', PBD 5209', R. Pump.
2-21-66	TD 5225', PBD 5209', tstg on pump.
	Pmpd 35 EO + 2 BW/24 hrs.
	Ac (5174-84') 2000 gals 15
	Pmpd 48 EO + 5 EAW/24 hrs.

LEA Page 208 Ser. 23-21S-36E
DUE OIL COFF. #. Ramsay W. A. (NOI-1) Page #2

18-66 FE 5225', PE 5209', COMPLETED.
10, FOPS Anhydrite 1219', Yates
2860', Queen 3-82', Garieta 5120'.

COUNTY LEA FIELD Penrose Skelly STATE NM MN 21620 OWWO
 OPR GULF OIL CORP. MAP
 4 Ramsay, W. A. (NCT-B)
 Sec 25, T-21-S, R-36-E CO-ORD
 1650' FNL, 330' FEL of Sec.

Re-Cmp 3-24-69	CLASS		EL	
	FORMATION	DATUM	FORMATION	DATUM
CSG & SX - TUBING				
8 5/8" at 1310' w/575 sx				
4 1/2" at 5224' w/445 sx				
LOGS EL GR RA IND HC A				
	TD 5225'; PBD 5100'			

IP (Grayburg) Perf 3718-89' F 102 BOPD. Pot based on 17 hr test thru 25/64" chk; GOR NR; Grav NR; CP 450#; TP 210#

Distribution limited and publication prohibited by subscribers' agreement.
 Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. PROP DEPTH 5100' TYPE WO
 DATE

F.R.C. 4-17-69
 PD 5100' WO (Grayburg)
 (Orig. comp 2-23-66 thru (Paddock) Perfs
 5174-84', OTD 5225', OPB 5209')
 4-14-69 TD 5225'; PBD 5100'; COMPLETE
 Set CIBP @ 5100'
 Perf 3787-89' w/4 SPF
 Perf 3718-20', 3760-62' w/2 SPF
 Acid (3718-89') 500 gals
 1 4-17-69 Frac (3718-89') 20,000 gals wtr + 41,670# sd
 COMPLETION REPORTED