

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

# NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103  
Supersedes Old  
C-102 and C-103  
Effective 1-1-65

5a. Indicate Type of Lease State <input checked="" type="checkbox"/> Fee <input type="checkbox"/>
5. State Oil & Gas Lease No. B-8268
7. Unit Agreement Name North Wilson Deep Unit
8. Farm or Lease Name
9. Well No. 3
10. Field and Pool, or Wildcat Osudo Morrow
12. County Lea

## SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.  
USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER <input type="checkbox"/>
2. Name of Operator Gulf Oil Corporation
3. Address of Operator Box 670, Hobbs, New Mexico 88240
4. Location of Well UNIT LETTER <u>I</u> , <u>3224</u> FEET FROM THE <u>North</u> LINE AND <u>660</u> FEET FROM THE <u>East</u> LINE, SECTION <u>6</u> TOWNSHIP <u>21-S</u> RANGE <u>35-E</u> NMPM.
15. Elevation (Show whether DF, RT, GR, etc.) 3649' GL

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data  
NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>

SUBSEQUENT REPORT OF:

REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
CASING TEST AND CEMENT JOB <input type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

11,655' TD.

Released tubing from Baker Model FA packer at 11,255' and POH. Set plugged seal assembly in packer at 11,255'. Loaded hole with plugging mud. Spotted 20 sack Class H cement plug from 11,220' to 10,945'. Cut 4-1/2" casing at 9310'. Could not pull casing. Could not circulate with 2000#. Cut casing at 7845'. Could not pull casing and could not circulate with 2000#. Cut casing at 6502'. Could not pull casing and could not circulate with 2000#. Cut and recovered 4-1/2" casing from 6033'. Spotted 30 sack Class H cement plug from 6089' to 5910', across 4-1/2" casing stub at 6033'. Spotted 30 sack Class H cement plug from 5490' to 5315', across 7-5/8" shoe at 5401'. Cut and recovered 7-5/8" casing from 3815'. Loaded hole with plugging mud. Spotted 40 sack cement plug from 3863' to 3740', across 7-5/8" stub at 3815'. Spotted 30 sack cement plug from 60' to surface. Installed dry hole marker and cleaned location. Plugged and abandoned May 15, 1973.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED H. J. Breazale TITLE Area Engineer DATE May 15, 1973  
APPROVED BY John W. Remyan TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
CONDITIONS OF APPROVAL, IF ANY: \_\_\_\_\_