



Petroleum Information

COUNTY LEA FIELD Paddock STATE NM
 OPR HANSON OPERATING API 30-025-2377
 NO 1 LEASE Kingwood MAP
 Sec 25, T21S, R36E CO-ORD 11-1-16 NM
 1780 FSL, 1650 FEL of Sec RE SPD 9-2-85 RE CMP 9-18-85
 2 mi NW/Eunice

CSC

12 3/4-316-300 sx
 8 5/8-2680-250 sx
 5 1/2-5998-450 sx
 3 1/2-1nr-5959-6890-50 sx

WELL CLASS: INIT DX FIN DO LSE CODE			
FORMATION	DATUM	FORMATION	DATUM
TD	6890 (DRKD)	PBD	5230

1P (Paddock) Perfs 5154-5200 P 19. BOPD + 13 BW. Pot based on 24 hr test. GOR TSTM; gty (NR)

OPRSELEV 3546 GR

10-28-85

F.R.C. 11-2-85 OWWO
 PD 6890 WO
 (Orig Cmp 4-14-71 thru (3)linebry)
 Perfs 5534-5943; OTD 6000; OPB 5992; OWWO &
 Re-Cmp 1-4-76 thru (Drinkard)
 Perfs 6636-6784; OTD 6890)
 TD 6890; PBD 5230; Complete
 CIBP @ 5230
 Perf (Paddock) 5154-5128, 5196-5200 w/2 SD
 Acid (5154-5200) 8000 gals

11-2-85

COMPLETION ISSUED

11-1-16 NM
 IC 30-025-70545-85

Copyrighted Reproduction

CORPORATION
A Division of AT & T World Service

COUNTY LEA FIELD Drinkard STATE NM

OPR HANSON OIL CORP. API MN 23711

NO 1 LEASE Kingwood SERIAL 2-2-18 NM

Sec 25, T21S, R36E MAP

1780' FSL, 1650' FEL of Sec CO-ORD

2 mi W/Eunice ELEV LBS

Re-5-10-75 Re-1-4-76 DD DD

SPD
CSG

FORMATION	DATUM	FORMATION	DATUM
12 3/4" at 316' w/300 sx			
8 5/8" at 2680' w/250 sx			
5 1/2" at 5998' w/450 sx			
3 1/2" lnr 5959-6890' w/50 sx			
TD 6890' (DRKD)		P80	

IP (Drinkard) Perfs 6636-6784' P 16 BOPD + 20 BW. Pot based on 24 hr test. GOR ISTM; Grav (NR)

CONTR Cactus OPR'S ELEV 3553' DF PD 6900' RT

F.R. 4-21-75 OWDD
(Drinkard)
(Orig. comp 4-14-71 thru (Blinbry) Perfs 5534-5943'; OED 6000'; OPB 5992')
5-20-75 Drlg 6648'
Sqzd 5534-5943 w/150 sx
5-27-75 Drlg 6710'
6-2-75 TD 6890'; Recg Ld
Deepened 6000-6890'
Ran lnr
Perf (Drinkard) 6636-38', 6644-46', 6676-78', 6682-84', 6691-93', 6730-34', 6737-40', 6746-54', 6773-76', 6782-84' w/2 SPF
Acid (6636-6784') 6000 gals
Frac (6636-6784') 22,400 gals + 5300# sd
2-2-18 NM

LEA
HANSON OIL CORP.

Drinkard
1 Kingwood
Sec 25, T21S, R36E

NM
Page #2

7-14-75	TD 6890'; Tstg
7-23-75	TD 6890'; Tstg
2-9-76	TD 6890'; Complete
2-14-76	COMPLETION ISSUED

2-2-18 NM

COUNTY	LEA	FIELD	Blinebry	STATE	NM	30-025-23711
OPR	HANSON OIL CO.			MAP		
	1 Kingwood					
	Sec 25, T-21-S, R-36-E			CO-ORD		
	1780' FSL, 1650' FEL of Sec					
	Spd 3-15-71			CLASS		
	Cmp 4-14-71			EL 35532		
		FORMATION	DATUM	FORMATION	DATUM	
CSG & SX TUBING						
12 3/4" at 316' w/300 sx						
8 5/8" at 2680' w/250 sx						
5 1/2" at 5998' w/450 sx.						
LOGS EL GR RA IND HC A						
		TD 6000'; PBD 5992'				

IP (Blinebry) Perfs 5534-5943' F 112 BOPD + 7 BW. Pot based on 24 hr test thru 8/64" chk. GOR NR; Grav 38; CP Pkr; TP 200#.

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Logging Service, Inc.

CONT.	Cactus	PROP DEPTH	6000'	TYPE	RT
DATE					

F.R. 2-23-71; Opr's Elev. 3546' CL
PD 6000' RT (Blinebry)
Contractor - Cactus

3-16-71 ID 316'; WOC
3-22-71 Drlg. 3900' 1m
3-30-71 Drlg. 5962'
4-5-71 TD 6000'; Prep Perf
4-12-71 TD 6000'; PBD 5992'; Flwg Load

Perf @ 5534', 5542', 5557', 5563', 5570', 5577',
5590', 5597', 5637', 5642', 5647', 5658', 5666',
5676', 5699', 5712', 5717', 5722', 5735', 5748',
5753', 5776', 5781', 5787', 5806', 5821', 5833',
5840', 5867', 5877', 5883', 5894', 5901', 5921',
5934', 5943' w/1 SPI

LEA
HANSON OIL CO.

Blinebry
1 Kingwood

NM Sec 25, T21S, R36E
Page #2

4-12-71 Continued
Acid (5534-5943') 2500 gals
Frac (5534-5943') 62,400 gals oil +
58,500# sd
4-19-71 TD 6000'; PBD 5992'; COMPLETE
LOG TOPS: Anhydrite 1200', Yates 2670',
Seven Rivers 2929', Queen 3422', Grayburg
3696', San Andres 4003', Glorieta 5118',
Paddock 5214', Blinebry 5507'
4-22-71 COMPLETION REPORTED