

COUNTY	LEA	FIELD	Blinebry	STATE	NM	30-025-24067
OPR	GULF OIL CORP.					MAP
	6 Ramsay, W. A. (NCT-B)					
	Sec 25, T-21-S, R-36-E					CO-ORD
	2310' FNL, 430' FEL of Sec					
	Spd 3-25-72					EL [REDACTED]
	Cmp 4-13-72					CLASS
		FORMATION	DATUM	FORMATION	DATUM	
CSG & SX - TUBING						
8 5/8" at 1255' w/400 sx						
5 1/2" at 5950' w/560 sx						
LOGS EL GR RA IND HC A						
	TD 5950'; PBD 5918'					
IP (Blinebry) Perfs 5513-5693' Swbd 214 BOPD. Pot based on 12 hr test. GOR NR; Grav NR						

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. Moran PROP DEPTH 6000' TYPE RT
DATE

F.R. 3-20-72; Opr's Elev. 3520' GL
PD 6000' RT (Blinebry)
Contractor - Moran
3-27-72 TD 1255'; WOC
4-3-72 Drlg. 4649' lm
Lost Circ @ 4505'
4-10-72 TD 5950'; PBD 5918'; MORT
4-17-72 TD 5950'; PBD 5918'; Swbg
Perf @ 5513', 5546', 5574', 5646', 5693'
w/4 SPI
Acid (5513-5693') 1000 gals
Frac (5513-5693') 25,000 gals wtr + 50,000# sd
Swbd 113 BO + 79 BLW in 10 hrs
4-24-72 TD 5950'; PBD 5918'; COMPLETE

LEA Blinebry NM Sec 25,T21S,R36E
GULF OIL CORP. 6 Ramsay, W. A. (NCT-B) Page #2

4-24-72 Continued
LOG TOPS: Anhydrite 1220', Yates 2644',
Queen 3392', San Andres 3975', Glorieta
5155', Blinebry 5495'
4-29-72 COMPLETION REPORTED

COUNTY LEA FIELD Drinkard STATE NM
 LEASE GULF OIL CORP. API MN 24067
 NO 6 LEASE Ramsay, W. A. (NCT-B) SERIAL 5-5-9 NS
 Sec 25, T21S, R36E
 2310' FNL, 430' FEL of Sec
 2 mi NW/Eunice
 Re- 4-2-76 Re- 5-15-76 WELL CLASS: DD FIN DD
 CSO

8 5/8" at 1255' w/400 sx
 5 1/2" at 5950' w/560 sx
 4" lnr 5832-6820' w/75 sx

FORMATION	DATUM	FORMATION	DATUM
TD <u>6822'</u> (DRKD)		PBD <u>6776'</u>	

IP (Drinkard) Perfs 6546-6754' P 60 BOPD + 30 BW. Pot based on 24 hr test. GOR TSTM; gty 38.6

CONTR Eunice Well Service OPR'S ELEV 3520' GL 3531' KR PD 6800' R

F.R. 3-29-76 OWDD
 (Drinkard)
 (Orig. comp 4-13-72 thru (Blinebry) Perf-
 5513-5693', OTD 5950', OPB 5918')
 4-5-76 TD 5950'; PBD 5918'; WOC
 Sqzd 5513-5693' w/50 sx
 4-12-76 Drlg 6335' lm
 4-19-76 Drlg 6696' lm
 4-26-76 TD 6822'; PBD 6776'; WOCU
 Deepened 5950' to 6822'
 Ran 4" lnr
 5-3-76 TD 6822'; PBD 6776'; SI
 Perf (Drinkard) 6546-49', 6585-88', 6626-29',
 6681-84', 6751-54' w/2 SPF
 Acid (6546-6754') 3600 gals
 Swbd 21 BO + 60 BW in 10 hrs (6546-6754')
 5-5-9 NM

JE
GULF OIL CORP.

Drinkard
6 Ramsay, W. A. (NCT-B)
Sec 25, T21S, R36E

NM
Page #2

5-10-76 TD 6822'; PBD 6776'; Tstg
Frac (6546-6754') 30,000 gals wtr +
45,000# sd
Swbd & Flwd 287 BO + 242 BLW in 72 hrs
(Flwg by Heads) (6546-6754')
5-17-76 TD 6822'; PBD 6776'; WOSP
Ppd 60 BO + 34 BW in 24 hrs (6546-6754')
5-24-76 TD 6822'; PBD 6776'; Complete
LOG RUN: CFD
5-29-76 COMPLETION ISSUED

5-5- 9 NM
IC 30-025-70086-76