

LEA
GULF OIL CORP.

Drinkard
16 Leonard, Harry (NCT-C)
Sec 36, T21S, R36E

NM
Page #2

5-17-76

5-24-76

6-1-76

6-7-76

6-12-76

TD 6815'; PBD 6773'; Swbg
Frac (6598-6741') 28,000 gals + 42,000# sd
Swbd 31 BO + 154 BW in 8 hrs (6598-6741')
TD 6815'; PBD 6773'; TOP
Ppd 95 BO + 187 BW in 72 hrs (6598-6741')
TD 6815'; PBD 6773'; WOSP
Ppd 44 BO + 82 BW in 24 hrs (6598-6741')
TD 6815'; PBD 6773'; Complete
LOG RUN: CFD
BHT 97 deg
COMPLETION ISSUED

6-2-20 NM
IC 30-025-70074-76

COUNTY	LEA	FIELD	Blinebry	STATE	NM 30-025-2410
OPR	GULF OIL CORP.				NAP
	16 Leonard, Harry (NCT-C)				
	Sec 36, T-21-S, R-36-E				CO-ORD
	1980' FSL, 2240' FWL of Sec				
	Spd 5-25-72		CLASS	EL	
	Cmp 6-17-72		FORMATION	DATUM	FORMATION DATUM
CSG & SX - TUBING					
8 5/8" at 1219' w/350 sx					
5 1/2" at 5900' w/470 sx					
LOGS EL GR RA IND HC A					
			TD 5990'; PBD 5857'		

IP (Blinebry) Perfs 5576-5802' P 47 BOPD + 137 BLW. Pot based on 24 hr test.

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT.	Moran	PROP DEPTH	6000'	TYPE	RT
DATE					

F.R. 5-29-72; Opr's Elev. 3519' GL
PD 6000' RT (Blinebry)
Contractor- Moran
7-8-72 AMEND FIELD NAME: Formerly reported as
Undesignated
5-30-72 Drlg. 3345' lm
6-6-72 Drlg. 4975' lm
6-12-72 TD 5900'; PBD 5857'; Prep Perf
6-19-72 TD 5900'; PBD 5857'; Swbg ld
Perf 5576-78', 5594-96', 5624-26', 5658-60',
5692-94', 5757-59', 5800-02' w/4 SPF
Acid (5576-5802') 1500 gals
Frac (5576-5802') 25,000 gals jelled brine +
50,000# sd

2A
GULF OIL CORP.

Blinebry NM Sec 36, T21S, R36E
#16 Leonard, Harry (NCT-C) Page #2

6-26-72

TD 5900'; PBD 5857'; RU Pmp
Swbd 44 BO + 104 BLW in 11 hrs

7-5-72

TD 5900'; PBD 5857'; COMPLETE
LOG TOPS: Anhydrite 1160', Yates 2652', Seven
Rivers 2908', Queen 3368', Grayburg 3644',
San Andres 3996', Glorieta 5170', Blinebry 5522
COMPLETION REPORTED

7-8-72