

REISSUES SEC 4 TWP 21S RGE 32E
PI# 30-T-0005 01/26/90 30-025-24374-0001 PAGE 1

IRREG SEC
4 MI SE HALFWAY, NM

PROJ FM CHGD FROM BONE SPRING
FIELD CHGD FROM HAT MESA
FIELD CHGD FROM UNNAMED

LNR 9 5/8 3252- 3524 W/ 35S
9 5/8 (TIE-BACK)

TBG @ 6850-NO OTHER DETAILS

IPF 148BOPD 201 MCFD 20EW 16/64CK 24HRS
DELAWARE PERF W/ 5/IT 6834- 6869 GROSS
TP 270 CP 20

IP 270 CP 20
FIELD /RESERVOIR
/DELAWARE
GTY, GOR-NO DETAIL

Copyright 1950
Reproduction
Prohibited

WRE-GE
FOLD NOTE

EB a company of
The Dun & Bradstreet Corporation

REISSUES
PI# 30-T-0005 01/26/90 SEC 4 TWP 21S RGE 32E
30-025-24374-0001 PAGE 2

STRATA PROD
1 NEW MEXICO "A" FED D X WSD

PRODUCTION TEST DATA

BONE SPG PERF 10082-10469 GROSS
PERF 10082, 10108, 0118, 10167, 10176, 10189, 10262, 10270
PERF 10275, 10286, 0305, 10312, 10334, 10342, 10348, 10358
PERF 10390, 10439, 0467, 10469
ACID 10082-10469 4000 GALS
15% NEFE
BRPG @ 9887 10082-10469

BONE SPG PERF w/ 11/IT 9471- 9585 GROSS
PERF 9471, 9493, 9496, 9500, 9504, 9512, 9562, 9569
PERF 9572, 9580, 9585
ACID 9471- 9585 2500 GALS
15% NEFE
BRPG @ 9100 9471- 9585
BRPG @ 6869

DELAWARE PERF w/ 5/IT 6834- 6869
PERF 6834, 6841, 6850, 6867, 6869
ACID 6834- 6869 1500 GALS
7 1/2% NEFE

DRILLING PROGRESS DETAILS

STRATA PROD
648 PETROLEUM BLDG
ROSWELL, NM 88201
505-621-1121
OWWO: OLD INFO FORMERLY AMINI OIL CORP 1 NEW
MEXICO-FEDERAL. ELEV 3653 GR. SPUD 2/9/73. 20 @
397 W 1000 SX, 9 3/8 @ 3350 W/3800 SX, 9 5/8 @
8951 W/1825 SX, 5 1/2 LNR 8805-14000 W/1385 SX.
LOG TOPS: ATOKA 12715, MORROW 13082, CHESTER
13857, OTD 14000. COMP 4/27/73. IPCAOF 16200
MCFGPI. PROD ZONE: MORROW 13640-13671. PLUGGED
PRODUCER 6/8/79.
05/03 LOC/1989/
09/26 14000 TD, PB 6869, WOPT
09/26 DO CMT PLUGS TO TOP OF 9 5/8
CSG STUB @ 3124
RAN 9 5/8 TIE-BACK LNR
DOC & CMT PLUGS TO 10656
10/10 14000 TD, PB 6869

CONTINUED

COUNTY LA
CTR AMMNT
NO 1
Sec 4
1683' FNS

SPD 2-9-73
CSS

20" at 397'
13 3/8" at 890'
9 5/8" at 890'
5 1/2" 1hr 88'

IP (Marrow)
(Gas) .618,

CONTR And

2-19-73

2-26-73

3-6-73

3-12-73

3-20-73

3-27-73

4-3-73

4-10-73

4-17-73

4-24-73

4-30-73

IEA
ANCONI OIL CO.

Salt Lake, S. NM. Sec. 4 T11S, R32E
New Mexico Federal Range #1

6-2-73

TD 14,000' W 1000' Pot
Per 14,000' - 2, 13,752-754', 13,761-763',
13,767-769' x 1 SPF
Natural
CAL 16,300' H FWD (13,640-812') + 75 E
Comp per 1000' Pot; Grav (Gas) NR, (Cond) -9.0
SI 16,300' H FWD, 216,300

6-4-73

TD 14,000' W 1000' Pot

6-12-73

TD 14,000' W 1000' Pot

7-30-73

TD 14,000' W 1000' Pot

8-6-73

TD 14,000' COMPLETE

Q. TEST FOUR POINT GAUGES:

F. 14,000' W 1000', 1.75" orifice, 1 hr, 13,752-754'

F. 14,000' W 1000', 1.75" orifice, 1 hr, 13,761-763'

F. 14,000' W 1000', 1.75" orifice, 1 hr, 13,767-769'

8-6-73

C. 14,000' W 1000'
F. 14,000' W 1000', 1.75" orifice, 1 hr, 13,752-754'
F. 14,000' W 1000', 1.75" orifice, 1 hr, 13,761-763'
F. 14,000' W 1000', 1.75" orifice, 1 hr, 13,767-769'
F. 14,000' W 1000', 1.75" orifice, 1 hr, 13,776-778'
W. 14,000' W 1000', Strawn 12,363', Acorn
A. 14,000' W 1000', 13,682', Chester 11,655'

8-11-73

C. 14,000' W 1000' REPORTED

REISSUES SEC 4 TWP 21S RGE 32E
PI# 30-T-0005 01/26/90 30-025-24374-0001 PAGE 3

STRATA PROD D X WSD
1 NEW MEXICO "A" FED

DRILLING PROGRESS DETAILS

10/10 COMP 9/18/89, IPF 148 BO, 201 MCFG, 20
01/25 BWPD, 16/64 CK, GOR (NR),
GTY (NR), FTP 270, FCP 20
PROD ZONE - DELAWARE 6834-6869
DELAWARE DISCOVERY - SHALLOWER POOL
REISSUED TO CORRECT FIELD
REPLACEMENT FOR CT ISSUED 10/13/89