

Name		Field		Date	
KINRAIL PRODUCTIONS		Undesignated		APR 30 1973	
Lease		Serial		Map	
Sec 1, T1N, R1E		1		CO-ORD	
60' x 120'		14,495'		ELEV	
FORMATION		DATUM		FORMATION	
13 3/8" at 1414'		14,495'		14,26'	
15 3/8" at 3941'					
17 3/8" at 3941'					
19 3/8" at 3941'					

(Morrow) Tests 13,700-14,000' CAOF 3766 MCEGPD. GOR 14,400'
 (gas) 14,400' AS, SIMHE 4975#

DATE	TIME	PD	14,400'	TYPE	RT
------	------	----	---------	------	----

WISCONSIN COMPLETION TICKET DATED 7-14-73
 ON THE LA COUNTY, UNDESIGNATED FIELD,
 KINRAIL PRODUCTIONS CO., #1 FEDERAL OIL,
 140' x 120' AS, 1480' FWL OF SEC 1, T1N-R1E-S.

10-3-73 R-3700
 1-3-73 (100' x 120')
 4-10-73 R-3700 TO SHOW CORRECTED AND ADDITIONAL
 INFORMATION
 4-17-73 D-13-73
 4-24-73 D-13-73
 5-1-73 T-13-73

LTA

KIMBA 1 1-2

Designated

1 Federal One

1, T21S, R32E

MM

Page #2

5-8-73

Drill 1, 200'

5-11-73

Drill 1, 200'

5-22-73

Drill 1, 200'

5-30-73

Drill 1, 200' Run Csg

Drill 1, 200'

Drill 1, 200'

6-5-73

Drill 1, 200' 14,267' WOCU

6-12-73

Drill 1, 200' 14,267' Tstg "Tight"

6-26-73

Drill 1, 200' 14,267' "Tight"

7-3-73

Drill 1, 200' 14,267' "Tight"

7-9-73

Drill 1, 200' COMPLETE

Drill 1, 200' 13,793', 13,921', 13,922', 13,940',

13,942', 13,944', 13,953', 13,957', 13,958',

14,001', 14,007', 14,008', 14,017', 14,018',

14,019', 14,061', 14,061', 14,063', 14,074',

14,075'

Area (14,074' - 14,075') 3500 gals

(YOL 400' 20' R. 0 VI GAUGES:

Flow 451' 20' R. 2.25" orifice, 1 hr, JP 3546#

Flow 451' 20' R. 2.25" orifice, 1 hr, TP 2003#

Flow 451' 20' R. 2.25" orifice, 1 hr, FP 2003#

Flow 451' 20' R. 2.25" orifice, 1 hr, TP 1471#

LOC 1003- A 1650', Salt 1690', Yates

377' 10' 1650' 3545', Bone Spring 8890'

377' 10' 1650' 3545', Bone Spring 8890'

377' 10' 1650' 3545', Bone Spring 8890'

7-14-73

Drill 1, 200'

COUNTY LEA and Undesignated
 OPER KIMBALL PRODUCTION CO STATE NM
 NO 1 LEASE Federal One API 30-025-24398
 Sec 1, T-21-S, R-32-E
 660' FSL, 198' FWL of Sec
 CLASS 3793 ELEV 3793 L & S
 SPD 3-27-73 CMP 6-9-73 FORMATION DATUM FORMATION DATUM
 CSG

13 3/8" at 1114' w/530 ex
 9 5/8" at 3945' w/2300 ex
 7 5/8" Inr 3120' - 14,495' w/2300 ex
 5 1/2" Inr 11,120' - 14,495' L
 14,495' PBD 14,267'

IP (Morrow) Perfs 13,700' - 14,267' @ 238 GPPD + 90 EC. Pot
 based on 24 in test. GOR 6771; w/2300' of FSL; 11,120' of

CONTR Ard SUPS FILE 3774 4,400' TYPE RT

F R. 3-19-73
 (Morrow)
 Drlg 4010'
 3-19-73 Drlg 6549'
 4-17-73 Drlg 10,300'
 4-24-73 TD 11,300'; WCC
 5-1-73 TD 11,300'; Fshg
 5-8-73 Drlg 13,200'
 5-14-73 Drlg 13,694'
 5-22-73 Drlg 14,154'
 5-30-73 TD 14,495'; Prep Run Gg
 No Tests or Cores
 Ran Logs to TD
 6-5-73 TD 14,495'; PBD 14,267' + 11,120'
 6-12-73 TD 14,495'; PBD 14,267' + 11,120'

Undesignated NM Sec 1, T21S, R32E
Page #2

7-8-73 ID 14,435' 110' 1,757' "11840"
7-9-73 ID 14,495' COMPLETE
Ref 13,79' 13,792' 13,921' 13,922' 13,940'
13,942' 13,951' 13,953' 13,957' 13,958'
14,005' 14,006' 14,008' 14,017' 14,018'
14,040' 14,057' 14,061' 14,062' 14,074'
14,075' 1500 gals
14,075' 1550' 1610 1690' Yates
12,775' Ref 3345' Bone Spring 8820'
12,775' 12,775' Alaska 12,187' Morrow 13,650'
14-73 14,730' REPORTED