

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPlicate
(one to District Office, one to re-
view side)Form approved
District Bureau No. 42 R1424
5. LEASE DESIGNATION AND SERIAL NO.

NM-25460 ✓

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

TSS Federal Comm.

9. WELL NO.

1

10. FIELD AND POOL, OR WILDCAT

Undesignated

11. SEC., T., R., S., AND
SURVEY OR AREA

Sec. 3, T-21-S, R-32-E

12. COUNTY OR PARISH 13. STATE

Lea New Mexico

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT" for such proposals.)

1. ☐ OIL WELL ☐ GAS WELL ☒ OTHER
2. NAME OF OPERATOR
Teal Petroleum Company
3. ADDRESS OF OPERATOR
P. O. Drawer 2358, Midland, Texas 79701
4. LOCATION OF WELL (Plot location clearly and in accordance with any State regulations.
Also space 17 for well.)
21 surface
666' FSL & 1930' FEL
14. PERMIT NO. 15. LEASE NO. (as shown on lease plat, or, etc.)
3746 Gr - 3768 KB

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NATURE OF INTENTION TO:

TEST WATER SHUT-OFF

PROCTURE TREAT

PROCTURE PLUGGING

REPAIR WELL

(Other)

WELL OR ALTER Casing

REPAIR OR REPLACE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

PROCTURE TREATMENT

SUSPENDING OR STOPPING

(Other)

REPAIRING WELL

ALTERING CASING

ARRANGEMENT*

Production Csg. Test

17. DESCRIBE PRODUCTION OR COMPLETION WORK IN DETAIL, including depth, and give pertinent data, including estimated date of starting any proposed work. If well is discontinuously drilled, give separate sections and record and true vertical depths for all markers and zones pertinent to this work.*

2-18-76

Ran 12 jts. 5 1/2" 23# N-80 LT&C (490.94'), 78 jts. 5 1/2" 20# N-80 LT&C (2835.29'), 129 jts. 5 1/2" 17# N-80 LT&C (5245.29'), & 144 jts. 5 1/2" 17# N-80 Potomac (5650.37') - Total jts. run 365 set @ 14,300' & cmt'd. w/250 sx Halliburton Lite, .6% Hallad 22-A, 5# KCL, & 1/4# folcele/sk, 2nd stage 250 sx Halliburton Class H cmt w/.8% Hallad 22-A, .4% CFB-2, 3# KCL, & 1/4# folcele/sk, pmp'd plug down w/2% KCL wtr w/corrosion inhibitor. Plug down @ 12:20 PM 2-18-76.

2-19-76

WOC 24 hrs. Tested 5 1/2" csg. w/2000 psi for 30 mins. Held OK.

18. I hereby certify that the foregoing is true and correct

SIGNED

Angela W. Rice

TITLE

District Engineer

DATE

2-20-76

(This space for Federal or State office use)

APPROVED BY

TITLE

CONDITIONS OF APPROVAL, IF ANY:

ACCEPTED FOR RECORD
FEB 23 1976U. S. GEOLOGICAL SURVEY
HOBBS, NEW MEXICO

*See Instructions on Reverse Side

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPPLICATE
(Other Instructions on
reverse side)

Form approved.
Bulldog Bureau No. 12 R1424.
5. LEASE DESIGNATION AND SERIAL NO.

NM-25460

6. IF INDIAN, A LUTITE OR TULSA NAME

7. UNIT ABBREVIATION NAME

8. FARM OR LEASE NAME

TSS Federal Comm.

9. WELL NO.

10. FIELD AND POOL, OR WELTPAT

Undesignated

11. SEC., T., R., M., OR B&C, AND
SURVEY OR AREA

Sec. 3, T-21-S, R-32-E

12. COUNTY OR PARISH 13. STATE
Lea New Mexico

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT" for such proposals.)

1. OIL WELL ☐ GAS WELL ☒ OTHER

2. NAME OF OPERATOR

Teal Petroleum Company

3. ADDRESS OF OPERATOR

P.O. Drawer 2358, Midland, Texas 79701

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.
See also space 17 below.)

At surface

660' PSL & 1980' TEL

14. PERMIT NO.

15. REVISIONS (If by weather DE, RE, OR, ETC.)

3746 Gr - 3768 KB

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

STOP OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

STOPPING OR ACIDIZING

(on an Intermediate Csg. Test

(Never Report results of multiple completion on Well
Completion or Re-completion Report and Log form.)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

1-14-76

T.D. 5628'. Ran 131 jts. 8 5/8" 28# & 32# csg. Set @ 5627' RDB. Cmt'd 1st stage w/750 sx Halliburton Lite w/ 1/4# flocele & 5# gilsonite per sack. Tailed in w/300 sx Class "C" w/ 1/4# flocele & 2% CaCl per sk. P.D. 12:05 A.M. 1-14-76. DV tool set @ 3388'. Circ thru DV tool 4 hrs. Circ. cmt. to surface. Cmt'd 2nd stage w/1800 sx w/Halliburton Lite w/15# salt & 5# gilsonite per sk + 100 sx Class "C" w/2% CaCl. 2nd stage P.D. 6:15 A.M. 1-14-76. WOC 24 hrs. Cmt did not circ. 8 yds. ready mix concrete filled annulus between 8 5/8" csg. & 12 1/4" hole as per USGS representative. Nipped up BOP stack. Pressure checked BOP stack to 2500#.

1-15-76

Drld. out DV tool. Pressure checked 8 5/8" csg to 2200# - held okay. Drld out from under 8 5/8" intermediate - pressured to 600# held okay.

18. I hereby certify that the foregoing is true and correct

SIGNED Douglas W. Rice

TITLE District Engineer

DATE 1-16-76

(This space for Federal or State office use)

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

TITLE

ACCEPTED FOR RECORD
JAN 20 1976

U. S. GEOLOGICAL SURVEY
HOBBS, NEW MEXICO

*See Instructions on Reverse Side

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPLICATE
(Other instructions
reverse side)Form approved.
Budget Bureau No. 42-R1424

5. LEASE DESIGNATION AND SERIAL NO.

NM-25450

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT" for such proposals.)

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

TSS Federal Comm.

9. WELL NO.

#1

10. FIELD AND POOL, OR WILDCAT

Undesignated

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

Sec. 3, T-21-S, R-32-E

12. COUNTY OR PARISH

Lea

13. STATE
New Mexico

14. PERMIT NO.

15. ELEVATION (Show whether DF, RT, CR, etc.)

3746 Gr - 3768 KB

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

Spud Date & Surface Csg. Test

(Note: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) *

12-21-75 Spudded 6:00 P.M. MST by Warton Drlg. Co.

12-22-75 T.D. 482' 17 1/2" hole. Ran 11 jts. of 13 3/8", 48# H-40 ST&C 8R casing. Set @ 480' & cmt'd w/350 sx Class "C" cmt. w/4% gel 2% CaCl, 1/4# Flocele/sk & 300 sx Class "C" 2% CaCl & 1/4# Flocele per sk. Plug Down @ 9:35 P.M. MST. Cmt. circulated.

12-23-75 WCC 18 hrs. Tested 13 3/8" csg. to 1200# for 30 mins. Held O.K.

18. I hereby certify that the foregoing is true and correct

SIGNED

Douglas W. Rice

TITLE

District Engineer

DATE

December 24, 1975

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

ACCEPTED FOR RECORD
DEC 30 1975U. S. GEOLOGICAL SURVEY
HOBBS, NEW MEXICO

*See Instructions on Reverse Side