

WRS COMPLETION REPORT

COMPLETIONS SEC 4 TWP 21S RGE 32E
PI# 30-T-0011 01/23/89 30-025-25751-0001 PAGE 1

NMEX LEA * 1980FNL 1980FEL SEC SW NE
STATE COUNTY FOOTAGE SPOT
STRATA PROD D X DO
OPERATOR NEW MEXICO "A" FEDERAL WELL CLASS INIT FIN
2
WELL NO. 3673GR HAT MESA
OPEP ELEV FIELD POOL AREA
API 30-025-25751-0001

10/27/1988 12/01/1988 WO-UNIT OIL-WO
SPUD DATE DATE TYPE TOOL STATUS

9700 BONE SPG NOT RPTD
PROF. DEPTH PROJ. FORM CONTRACTOR
DTD 14047 PB 9700 OTD 14047 FM/TD BARNETT
ORDERS TO PLUG BACK TO OLD TO FORM TD

LOCATION DESCRIPTION

4 MI SE HALFWAY, NM

TUBING DATA

TBG 2 7/8 AT 9414

INITIAL POTENTIAL

IPF 144BOPD 200 MCFD 95BW 16/64CK 24HRS
BONE SPG PERF W/ 16/IT 9475- 9514
PERF 9475- 9514
ACID 9475- 9514 2000GALS
7 1/2%
SWFR 9475- 9514 70000GALS 92000LBS SAND
2% KCL
TP 380
GTY 42.0 GOR 1389
FCP PKR

PRODUCTION TEST DATA

MORROW PERF 13314-13693
PERF 13314-13693
SQZD W/ 75S 13314-13693
CMT RET @ 12737

PTS 1UO 1 UG 145BW
STRAWN PERF W/ 12/IT 12614-12622
PERF 12614-12622

CONTINUED IC# 300257000589

COMPLETIONS SEC 4 TWP 21S RGE 32E
PI# 30-T-0011 01/23/89 30-025-25751-0001 PAGE 2

STRATA PROD D X DO
2 NEW MEXICO "A" FEDERAL

PRODUCTION TEST DATA

ACID 12614-12622 2000 GALS
15% NEFE
BRPG @ 11300 12614-12622
SWBD 145 BW W/SG&O
BRPG @ 9700

LOGS AND SURVEYS /INTERVAL, TYPE/

LOGS CBL

DRILLING PROGRESS DETAILS

STRATA PROD
648 PETROLEUM BLDG
ROSWELL, NM 88201
505-622-1127
OWWO: OLD INFO: FORMERLY CLEARY PETROLEUM #2
NEW MEXICO "A" FEDERAL. ELEV 3562 GR. SPUD
3/23/78. 13 3/8 @ 473 W/650 SX, 9 5/8 @ 5192
W/3250 SX, 5 1/2 @ 14047 W/525 SX. LOG TOPS:
ATOKA 12634, MORROW 13152, BARNETT SHALE 13907.
OTD 14047. PB 13710. COMP 8/9/78. IPF 1950
MCFD THRU 28/64 CK. PROD ZONE: MORROW
13314-13693.
OLD RECORDS SHOW ELEV 3562 GR
01/18 LOC/1989/
01/18 14047 TD. PB 9700
COMP 12/1/88. IPF 144 BO, 200 MCFG, 95
BWPD, 16/64 CK, GOR 1389,
GTY 42, FTP 380, FCP PKR
PROD ZONE - BONE SPRING 9475-9514
FIRST REPORT & COMPLETION

© Copyright 1999

[illegible]

13,710'

OPRSTLEV 3562' GL

F.R. 12-5-77
(Morrow)

9-3-25 NM

LEA
CLEARY PETROLEUM

Salt Lake, S.
2 New Mexico "A" Federal NM
Sec 4, T21S, R32E Page #2

6-20-78 TD 14,047'; Prep DST
EST (Morrow Sand) 13,730-740', op 3 hrs, 35 mins,
rec 20' brine wtr, 1 hr 32 min ISIP 1988#, FP
47-31#, 18 hr FSIP 4713#
6-26-78 TD 14,047'; PBD 13,796'; Swbg
DST (Lower Morrow) 13,823-842', op 3 hrs, 30 mins.
rec 60' SW, 1 hr 32 min ISIP 167#, FP 45-59#,
15 hr, 48 min FSIP 1513#
Perf (Lower Morrow) 13,823-830', 13,834-842'
w/1 SPF
Set CIBP @ 13,796' (w/2 sx cmt on top)
Perf (Morrow Sand) 13,730-740' w/1 SPF
Acid (13,730-740') 2150 gals;
7-5-78 TD 14,047'; PBD 13,710'; Tstg
PB to 13,710'
Perf (Morrow Sand) 13,546-693'

Flwd @ 700 MCFGPD, 20/64" chk, TP 500# in 24
hrs (13,546-693')
7-11-78 TD 14,047'; PBD 13,710'; SI/WOPL
Perf (Morrow Sand) 13,314-318' w/1 SPF
Acid (13,314-693') 3150 gals
9-11-78 TD 14,047'; PBD 13,710'; Complete
LOG TOPS: Rustler 1384', Yates 3422', Capitan Reef
3410', Delaware 5222', Bone Spring 8400', Wolfcamp
10,900', Strawn 12,482', Atoka 12,634', Morrow
13,152', Barnett Shale 13,907'
LOGS RUN: ACSL, NEUT, VEL, FRXL, GRDL, MICL, GRL, CCL
9-16-78 COMPLETION ISSUED

9-3-25 NM
IC 30-025-70347-77