

COPIES RECEIVED	
TRIBUTION	
FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

# NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103  
Supersedes Old  
C-102 and C-103  
Effective 1-1-65

## SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.  
USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. <input type="checkbox"/> OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER-		5a. Indicate Type of Lease State <input type="checkbox"/> Fee <input checked="" type="checkbox"/>
2. Name of Operator <b>Kern Co.</b>		5. State Oil & Gas Lease No. <b>N. A.</b>
3. Address of Operator <b>250 Mid America Building, Midland, Texas 79701</b>		7. Unit Agreement Name <b>None</b>
4. Location of Well UNIT LETTER <b>J</b> <b>1980</b> FEET FROM THE <b>South</b> LINE AND <b>1980</b> FEET FROM <b>East</b> <b>7</b> LINE, SECTION <b>21S</b> TOWNSHIP <b>37E</b> RANGE <b>37E</b> NMPM.		8. Farm or Lease Name <b>M. L. Golias</b>
		9. Well No. <b>11</b>
		10. Field and Pool or Wldns <b>Eumont Yates 7 Rivers Queen (Gas)</b>
15. Elevation (Show whether DF, RT, GR, etc.) <b>3485 OL</b>		12. County <b>Lee</b>

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input checked="" type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input checked="" type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

2/22/78 Spudded 12 1/4" hole @ 7:00 p.m. 2/22/78.  
2/23/78 Drilled 12 1/4" hole to 588' in red beds. Ran 14 joints 28" H-40 casing and cemented at 588' with 325 sx. cement. Plug down @ 5:50 a.m. 2/23/78.  
Circulated trace of cement.  
2/24/78 Tstd. casing and BOP to 1000#, OK, started drilling @ 7:00 a.m.  
2/25/78 Drilling 7 7/8" hole in anhydrite at 1388'.  
2/26/78 Drilling 7 7/8" hole in anhydrite and salt at 2338'.  
2/27/78 Drilling 7 7/8" hole in anhydrite at 2670'.  
2/28/78 Drilling 7 7/8" hole in lime and shale at 3050'.  
3/1/78 Drilling 7 7/8" hole in lime at 3270'.  
3/2/78 Drilling 7 7/8" hole in lime and shale at 3485'.  
3/3/78 Drilling 7 7/8" hole in lime and shale at 3685'.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED *William P. Kern* TITLE Engineer DATE 3/3/78  
APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
CONDITIONS OF APPROVAL, IF ANY:

RECEIVED

MAR 6 1978

OIL CONSERVATION COMM.  
HOBBS, N. M.