

COUNTY LEA FIELD Drinkard STATE NM
 OPR AMOCO PRODUCTION CO. API 30-025-26491
 NO 2 LEASE State "E" Tr. 27 MAP
Sec 18, T21S, R37E CO-ORD
330' FSL, 880' FWL of Sec 8-3-31 NM
4 mi NW/Eunice SPD 10-19-79 CMP 3-28-80

CSC 9 5/8" at 1230' w/450 sx 7" at 6900' w/2200 sx 2 3/8" at 6769'	WELL CLASS: INIT D FIN DO LSE CODE			
	FORMATION	DATUM	FORMATION	DATUM
	TD 6902' (DRKD)		PBD	6863'

IP (Drinkard) Perfs 6714-70' P 3 BOPD + 15 BW. Pot based
 on 24 hr test. GOR (NR); gty (NR)

CONTR Verna #11 OPRSELEV 3527' GL, 3541' KB PD 6900' RT

F.R. 10-8-79
 (Drinkard)
 4-16-80 AMEND FIELD: Formerly reported as Undesignated
 10-26-79 Drlg 3500' lm
 11-2-79 Drlg 5620' lm
 11-13-79 TD 6902'; MORT
 12-26-79 TD 6902'; PBD 6863'; Swbg
 Perf (Drinkard) 6714-18', 6730-34', 6744-50',
 6758-70' w/2 SPF
 Acid (6714-70') 3000 gals (15%)
 Swbd 2 BO + 14 BLW in 9 hrs 30 mins (6714-70')
 1-14-80 TD 6902'; PBD 6863'; SI
 2-27-80 TD 6902'; PBD 6863'; TOP
 Ppd 10 BLW w/NS in 24 hrs (6714-70')
 3-17-80 TD 6902'; PBD 6863'; SI
 3-18-80 TD 6902'; PBD 6365'; Swbg
 Set BP @ 6365'
 Perf (Drinkard) 5756-60', 5792-5802', 5850-54',
 8-3-31 NM

LEA
AMOCO PRODUCTION CO.

Drinkard
2 State "E" Tr. 27
Sec 18, T21S, R37E

NM
Page #2

3-18-80 Continued
5924-32', 5980-86', 6040-48'
Acid (5756-6048') 10,000 gals (15%)
Swbd 5 BO + 37 BLW in 10 hrs (5756-6048')
3-28-80 TD 6902'; PBD 6365'; TOP
Frac (5756-6048') fluid + 19,000# sd
Ppd 3 BO + 36 BLW w/tr Gas in 24 hrs
(5756-6048')
4-3-80 TD 6902'; PBD 6365'; TOP
Ppd 1 BO + 7 BLW in 24 hrs (5756-6048')
4-9-80 TD 6902'; PBD 6365'; SI
Ppd 5 BLW in 24 hrs (5756-6048')
6-13-80 TD 6902'; PBD 5686'; Prep Perf
Sqzd 5756-6048' w/100 sx & DOC to 5686'
8-3-31 NM

6-23-80 TD 6902'; PBD 5686'; TOP
Perf (Glorieta) 5342-46', 5374-78', 5406-10',
5428-34', 5466-74', 5480-86', 5500-05', 5510-
15', 5524-30', 5536-41', 5543-58', 5566-78',
5586-96', 5610-32', 5634-40', 5644-50', 5660-
72' w/2 SPF
Acid (5342-5672') 44,000 gals (15%)
Ppd 206 BLW + 44 BW in 24 hrs (5342-5672')
6-26-80 TD 6902'; PBD 5686'; SI
Ppd 400 BW w/NS in 24 hrs (5342-5672')
8-11-80 TD 6902'; PBD 6863'; Complete
CC to 6863'
(Glorieta) Perfs 5342-5672' Pk'd off
LOG TOPS: Glorieta 5170', Base Salt 5730',
Tubb 6352', Drinkard 6400'
LOG RUN: GRL
BHT 115 deg
Rig Released 11-13-79 8-3-31 NM
8-16-80 COMPLETION ISSUED IC 30-025-70363-79

WRS COMPLETION REPORTCOMPLETIONS
PI# 30-T-0008 02/06/89 SEC 18 TWP 21S RGE 37E
30-025-26491-0001 PAGE 1

NMEX LEA * 330FSL 880FWL SEC SW SW
STATE COUNTY FOOTAGE SPOT
PENROC OIL D X
OPERATOR WELL CLASS INIT FIN
2 STATE "E" TR 27
WELL NO. LEASE NAME
3527GR PENROSE-SKELLY
OPER ELEV FIELD/POOL/AREA
API 30-025-26491-0001
LEASE TYPE/NO. PERMIT OR WELL I.D. NO
02/01/1989 WO-UNIT AB-LOC
SPUD DATE COMP. DATE TYPE TOOL STATUS
3800 GRAYBURG
PROJ. DEPTH PROJ. FORM CONTRACTOR
OTD 6902
DRILLERS T.D. LOG T.D. PLUG BACK TD OLD T.D. FORM T.D.
LOCATION DESCRIPTION

4 MI NW EUNICE, NM

DRILLING PROGRESS DETAILS

PENROC OIL
BOX 5315
HOBBS, NM 88240
505-397-3596
OWWO: OLD INFO: FORMERLY AMOCO PROD #2 STATE
"E" TR 27. ELEV 3527 GR. SPUD 10/19/79. 9 5/8
@ 1230 W/450 SX, 7 @ 6900 W/2200 SX. OTD 6902.
PB 6863. COMP 3/28/80. IPP 3 BO, 15 BWPD.
PROD ZONE: DRINKARD 6714-6770. PLUGGED PRO-
DUCER 2/4/81.
02/11 LOC/1988/
02/02 ABND OWWO

IC# 300257006088