

COUNTY **LEA** FIELD **Gramma Ridge, E.** STATE **NM**
 OPR **GETTY OIL CO.** API **30-025-26705**
 NO **2** LEASE **Getty "35" State Com.** MAP
Sec 35, T21S, R34E (COORD)
1980 FNL, 660 FEL of Sec **2-4-43 NM**
20 mi SE/Halfway Re SPI **8-12-81** Re MAP **8-19-81**

CSG	WELL CLASS: INIT DX FIN DG LSE. CODE			
	FORMATION	DATUM	FORMATION	DATUM
13 3/8-1010-1200 sx				
9 5/8-5547-2700 sx				
7-11,063-1850 sx				
5 1/2-1nr-10,727-13,297-350	SX			
	ID 13,297 (MRRW)		PBD 13,210	

IP (Morrow) Perfs 12,929-13,120 F 1485 MCFGPD. Pot based on
24 hr test thru 15/64 chk. GOR Dry; gty (Gas) (NR); CP 800;
TP 800

CONTR **OPRSELEV** **3658 GL** **sub-s**

F.R.C. 2-20-82 OWWO
 PD 13,210 WO (Morrow)
 (Orig. cmp 6-12-80 thru (Morrow) Perfs 13,094-120,
 OTD 13,297; OPB 13,210)
 2-15-82 TD 13,297; PBD 13,210; Complete
 Acid (13,094-120) 1900 gals + 198,000 SCF N₂
 Perf (Morrow) 12,929-946, 13,045-047
 Natural
 2020-82 COMPLETION ISSUED
 2-4-43 NM
 IC 30-025-70143-82

Handwritten marks at the top of the page, possibly a signature or initials.

Handwritten marks at the top right of the page.

Handwritten mark, possibly a letter 'C'.

Handwritten mark, possibly a letter 'C'.

Handwritten mark, possibly a letter 'C'.

Handwritten mark, possibly a letter 'C'.

Handwritten mark, possibly a letter 'C'.

Handwritten mark, possibly a letter 'T'.

COUNTY LEA FIELD Grama Ridge, E. STATE NM
 OPR GETTY OIL CO. API 30-025-26705
 NO 2 LEASE Getty "35" State Com. MAP
Sec 35, T21S, R34E CO-ORD
1980' FNL, 660' FEL of Sec 6-4-39 NM
20 mi SE/Halfway SPD 2-22-80 CMP 6-12-80

	WELL CLASS: INIT D FIN DG LSE. CODE			
	FORMATION	DATUM	FORMATION	DATUM
13 3/8" at 1010' w/1200 sx				
9 5/8" at 5547' w/2700 sx				
7" at 11,063' w/1850 sx				
5 1/2" lnr 10,727-13,297' w/350 sx				
2 3/8" at 12,616'				
	TD 13,297' (MRRW)		PBD 13,210'	

IP (Morrow) Perfs 13,094-120 CAOF 13,182 MCFGPD. GOR 106,629;
 gty (Gas) (NR); (Cond) (NR); SIWHP 5475#;

CONTR Sharp #36 OPRSELEV 3658' GL PD 13,500' RT

F.R. 3-3-80
 (Morrow)
 2-29-80 Drlg 3285'
 3-7-80 Drlg 5472'
 3-17-80 Drlg 8530'
 3-21-80 Drlg 9950'
 3-28-80 TD 11,063'; NU BOPS
 4-7-80 TD 11,810'; Prep Core
 4-14-80 Drlg 11,911'
 4-22-80 Drlg 12,477'
 5-5-80 TD 12,910'; Circ & Cond Mud
 Cored "Tight"
 5-19-80 TD 13,297'; PBD 13,210'; Prep Test
 Perf (Morrow) 13,094-120 w/24 shots (overall)
 Acid (13,094-120') 300 gals (10%)
 6-16-80 TD 13,297'; PBD 13,210'; WOSP
 6-23-80 TD 13,297'; PBD 13,210'; Complete
 (Morrow) FOUR POINT GAUGES: 6-4-39 NM
 Flwd 1281 MCFGPD 6/64" chk, 30 mins, TP 5400#
 Flwd 1836 MCFGPD 8/64" chk, 30 mins, TP 5300#

LEA
GETTY OIL CO.

Gramma Ridge, E.
2 Getty "35" State Com.
Sec 35, T21S, R34E

NM
Page #2

6-23-80

Continued

Flwd 2664 MCFGPD, 10/64" chk, 45 mins, TP 5150#
Flwd 3732 MCFGPD, 14/64" chk, 45 mins, TP 4880#
LOG TOPS: Rustler 1705', Yates 2760', Cherry
Canyon 5860', Brushy Canyon 6129', Bone Spring
8388', 1st Bone Spring Sand 9551', 2nd Bone
Spring Sand 10,092', Wolfcamp 11,196', Pennsylvanian
11,520', Strawn 11,700', Atoka 11,986', Atoka
Lime 12,125', Morrow Lime 12,638', Morrow Clastics
12,816'

LOGS RUN: CNDL, SONL, DILL, NEUT, DI, CBND

Rig Released 5-23-80

6-4-39 NM

6-28-80

COMPLETION ISSUED

IC 30-025-70110-80