## COPY TO O. C. C.

Form 9-331 Dec. 1973 Form Approved. UNITED STATES Budget Bureau No. 42-R1424 5. LEASE DEPARTMENT OF THE INTERIOR 032099 (6) GEOLOGICAL SURVEY 6. IF INDIAN, ALLOTTEE OR TRIBE NAME SUNDRY NOTICES AND REPORTS ON WELLS 7. UNIT AGREEMENT NAME (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.) . . NMFU 8. FARM OR LEASE NAME well LOCKHART B well other 9. WELL NO. 2. NAME OF OPERATOR CONOCO INC. 10. FIELD OR WILDCAT NAME ADDRESS OF OPERATOR P. O. Box 460, Flobbs, N.M. 88240 EUMONT QUEEN GAS 11. SEC., T., R., M., OR BLK. AND SURVEY OR 4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 SEC. 13, 7-215 R-36E AT SURFACE: 1980 FSL & 660 FWL 1.2. COUNTY OR PARISH 13. STATE AT TOP PROD. INTERVAL: AT TOTAL DEPTH: LEA 16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, 14. API NO. REPORT, OR OTHER DATA 15. ELEVATIONS (SHOW DF, KDB, AND WD) REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF: TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL PULL OR ALTER CASING (NOTE: Report results of multiple completion or zone MULTIPLE COMPLETE change on Form 9-330.) CHANGE ZONES ABANDON\* (other) spud & set surface csq 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\* Reached surface csg. TD of 1375 on 7-16-80. Ron 85/8", 24\$, K-55 csg., set @ 1374. Cat'd W JUL 2 2 1980 U. S. GEOLOGICAL SURVEY HOBBS, NEW MEXICO Subsurface Safety Valve: Manu. and Type \_\_\_ \_ Set @ \_\_\_ 18. I hereby certify that the foregoing is true and correct SIGNED Win O. Butterfield TITLE Administrative Supervisor DATE \_ (This space for Federal or State office use) ACCEPTED FOR RECORD APPROVED BY \_ TITLE \_ CONDITIONS OF APPROVAL, IF ANY: MSGS -5 NAFU-4 U.S. GEOLOGICAL SURVEY \*See Instructions on Rever