

District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Avenue, Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural
ResourcesOil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505Form C-105
Revised March 25, 1999

WELL API NO.

30-025-26804

5. Indicate Type of Lease

STATE ☐FEE ☒

State Oil & Gas Lease No.

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well:

OIL WELL ☒ GAS WELL ☐ DRY ☐ OTHER _____

b. Type of Completion:

NEW ☐ WORK ☐ DEEPEN ☒ PLUG ☐ DIFF.
WELL OVER BACK RESVR. ☐ OTHER

2. Name of Operator

Finley Resources, Inc.

3. Address of Operator

1308 Lake Street, Ste. 200
Fort Worth, Texas 76102

7. Lease Name or Unit Agreement Name

McQuatters Com.

8. Well No.

4

9. Pool name or Wildcat

Hardy Blinbry

4. Well Location

Unit Letter G : 1650 Feet From The North Line and 2310 Feet From The East LineSection 11 Township 21S Range 36E NMPM Lea County

10. Date Spudded

7-2-80

11. Date T.D. Reached

7-28-80

12. Date Compl. (Ready to Prod.)

8-20-80

13. Elevations (DF& RKB, RT, GR, etc.)

3,565' KB, 3,549' GL

14. Elev. Casinghead

3,549'

15. Total Depth

6,940'

16. Plug Back T.D.

6,870'

17. If Multiple Compl. How Many Zones?

18. Intervals

Drilled By

Rotary Tools

Cable Tools

19. Producing Interval(s), of this completion - Top, Bottom, Name

5,728'-5,845' OA, Blinbry

20. Was Directional Survey Made

No

21. Type Electric and Other Logs Run

None

22. Was Well Cored

No

23. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
13 3/8"	54.5	1,225'	17 1/2"	800	None
9 5/8"	40 & 47	4,850'	12 1/4"	3000	None
7"	26 & 23	6,940'	8 1/2"	475	None

24.

LINER RECORD

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN

25.

TUBING RECORD

SIZE	DEPTH SET	PACKER SET
2 3/8		

26. Perforation record (interval, size, and number)

5,837 - 45', 5,744 - 52', 5,808 - 16', 5,728 - 36', 5,791 - 99', 5,762 - 70'
1 SPF, 48 holes

27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.

DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED

5,728'-5,845'

Acidized and fracture 1500 gal 15% NE HCL acid

followed with 12600 gal slickwater and 4 stages of 4600

gal 10# gel and 150lb/gal 20/40 brady

28. PRODUCTION

Date First Production

3-19-02

Production Method (Flowing, gas lift, pumping - Size and type pump)

Pumping - Lufkin Unit

Well Status (Prod. or Shut-in)

Producing

Date of Test

3-21-02

Hours Tested

24

Choke Size

full open

Prod'n For Test Period

19

Oil - Bbl

13

Gas - MCF

122

Water - Bbl

684

Gas - Oil Ratio

Flow Tubing Press.

Casing Pressure

Calculated 24-Hour Rate

Oil - Bbl

19

Gas - MCF

13

Water - Bbl

122

Oil Gravity - API - (Corr.)

29. Disposition of Gas (Sold, used for fuel, vented, etc.)

sold

Test Witnessed By

Cam Robbins

30. List Attachments

Plat and well bore

31. I hereby certify that the information shown on both sides of this form as true and complete to the best of my knowledge and belief

Signature

Zabrina Z. Rios

Printed

Name Zabrina Z. Rios

Title Engineer Technician

Date 5/01/02

K2

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depth shall also be reported. For multiple completions, items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

Northwestern New Mexico

T. Anhy _____
T. Salt _____
B. Salt _____
T. Yates _____
T. 7 Rivers _____
T. Queen _____
T. Grayburg _____
T. San Andres _____
T. Glorieta _____
T. Paddock _____
T. Blinbry _____
T. Tubb _____
T. Drinkard _____
T. Abo _____
T. Wolfcamp _____
T. Penn _____
T. Cisco (Bough C) _____

T. Canyon _____
T. Strawn _____
T. Atoka _____
T. Miss _____
T. Devonian _____
T. Silurian _____
T. Montoya _____
T. Simpson _____
T. McKee _____
T. Ellenburger _____
T. Gr. Wash _____
T. Delaware Sand _____
T. Bone Springs _____
T. _____
T. _____
T. _____
T. _____

T. Ojo Alamo _____
T. Kirtland-Fruitland _____
T. Pictured Cliffs _____
T. Cliff House _____
T. Menefee _____
T. Point Lookout _____
T. Mancos _____
T. Gallup _____
Base Greenhorn _____
T. Dakota _____
T. Morrison _____
T. Todilto _____
T. Entrada _____
T. Wingate _____
T. Chinle _____
T. Permian _____
T. Penn "A" _____

T. Penn. "B" _____
T. Penn. "C" _____
T. Penn. "D" _____
T. Leadville _____
T. Madison _____
T. Elbert _____
T. McCracken _____
T. Ignacio Otzte _____
T. Granite _____
T. _____
T. _____
T. _____
T. _____
T. _____
T. _____
T. _____
T. _____

OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....
No. 2, from.....to.....

No. 3, from.....to.....
No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.

No. 2, from.....to.....feet.

No. 3, from.....to.....feet.

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology

From	To	Thickness In Feet	Lithology

McQuatters #4

1650' FNL, 2310' FEL, Unit G, Sec 11

T21N, R36E Lea Co., NM

Hardy/Oil Center Fields completion Date: 8/20/80

KB 3565' (16' to GL)

API # 30 025 26804

NM ID 180387

