N MEXICO OIL CONSERVATION COMMIS: 4 WELL LOCATION AND ACREAGE DEDICATION PLAT

Form C-102 Supercoder C-128 factorive 1-1-65

All distances must be from the outer boundaries of the Section.

		All distances must be from			· ····································
Operator GET	TY OIL COMPAN	· · · ·	Getty 32 State Com		Well No.
Unit Letter	Section	Township	Range	County	
G	32	21 South	32 East	Lea	
Actual Footage Loc		.			
1980	feet from the	North line and	1980 fee	t from the East	line
Ground Level Elev. 3757	Producing For	Morrow P	ool Wildcat		Dedicated Acreage; 320 Acres
1. Outline th	e acreage dedica	ted to the subject well	by colored pencil o	r hachure marks on t	· · · · · · · · · · · · · · · · · · ·
	an one lease is	dedicated to the well,	outline each and ide	ntify the ownership t	hereof (both as to working
		ifferent ownership is de nitization, force-pooling		have the interests o	f all owners been consoli-
X Yes	No If an	iswer is "yes;" type of	consolidation Com	munitization	
this form i	f necessary.)				ated. (Use reverse side of
					nmunitization, unitization, approved by the Commis-
	ļ 1		 		CERTIFICATION
			! !	SK I	certify that the information con-
		-,086	f 1	B 1	erein is true and complete to the ny knowledge and belief.
	1	6		Nel	2 Dordos
	+				le R. Crockett
			† 	11 +	perintendant
	} ; ;	φ	——————————————————————————————————————	Get	ty Oil Company
			 	8-1	1-80
	1				
	1		 	shown or	certify that the well location this plat was plotted from field
				under my	supervision, and that the some
· 	+		OF NEW	knowledg	and correct to the best of my
	1		HERSCHE L JONES	Date Surve	yed 8-5-80
	, ,		3640	Registered	Professional Engineer
	 		LAND S	OR STATE OF THE ST	le Con
				Certificate	No.

Petroleum Incrmation.		RE-ISSUED COMPLETION				
COUNTY	LEA FIED	Wildcat		STATE]	M	
OPR	GETTY OIL CO.				-025-26986	
3		State Com.		MAP		
	Sec 32, T21S, R32E			CO-ORD		
	1980 FNL, 1980 FEL of	f Sec]	-5-43 NM	
	8 mi SE/Halfway	SP	p 9-13-	80 CMP 2	2-19-81	
csc		WELL CLASS: INIT WF FIN WFD LSE. CODE				
13 3/8-1047-1200 sx 9 5/8-4700-1750 sx		FORMATION	DATUM	FORMATION	DATUM	
4	12,930-2220 sx 1/2-1nr-12,644-15,000-	-410 sx				
2 .	3/8-13,901	15,000	(BRNT)	PBD 1	4,958	

IP (Morrow) Perfs 14,394-567 CAOF 3703 MCFGPD. GOR (NR); gty (Gas) .6204; (Cond) 48.2; SIWHP 4950; SIBHP 6765

P.L.C. El Paso Natural Gas Co.

CONTR OPRSHIEV 3757 GL PD 15,000 RT

```
F.R. 8-18-80
            (Morrow)
9-19-80
            Drlg 3275
9-23-80
            Drlg 4450
            Drlg 7625
10-1-80
10-10-80
            Drlg 10,882
10-13-80
            Drlg 11,775
            Drlg 13,205
10-24-80
10-27-80
            Drlg 13,335
11-6-80
            Drlg 13,780
            Cored (Atoka) 13,660-720, rec 53 FT, No descr
11-10-80
            Drlg 13,901
12-1-80
            Drlg 14,657
            Cored (Morrow) 14,379-406, rec 27 FT, No descr
            Cored (Morrow) 14,419-451, rec 29 FT, No descr
12-8-80
            TD 15,000; Rng Logs
4-20-81
            TD 15,000; PBD 14,958; Complete
```

1-5-43 NM

LEA GETTY OIL CO. Wildcat NM 1 Getty "32" State Com. Page #2 Sec 32, T21S, R32E

1-5-43 NM

4-20-81

Continued
Perf (Morrow) 14,394-415, 14,425-435 w/1 SPF & 14,473-477, 14,524-527, 14,563-567 w/2 SPF Natural

(Morrow) FOUR POINT GAUGES:

Flwd 770 MCFGPD, chk (NR), 45 mins, TP 4600
Flwd 1130 MCFGPD, chk (NR), 45 mins, TP 4375
Flwd 1559 MCFGPD, chk (NR), 45 mins, TP 3900
Flwd 2108 MCFGPD, chk (NR), 60 mins, TP 3300
Morrow Discovery, No Suggested Field Name
LOG TOPS: Lamar Lime 4706, Delaware Sand
4751, Cherry Canyon 5880, Bone Spring 8678,

4-20-81 Continued
Wolfcamp 11,521, Pennsylvanian 12,585,
Strawn 13,178, Atoka 13,311, Morrow 13,950
Morrow "D" 14,303, Barnett 14,847
LOGS RUN: BSL, GRL, CALP, CNL, FDC, DI,
DIPM, DILL, MICL, SONL, FOCL
Rig Released 12-14-80
TEMPORARY COMPLETION ISSUED
4-25-81 RE-ISSUE OF SUSPENDED COMPLETION

1-5-43 NM IC 30-025-70406-80