

STATE OF NEW MEXICO  
ENERGY AND MINERALS DEPARTMENT

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

IL CONSERVATION DIVISION  
P. O. BOX 2088  
SANTA FE, NEW MEXICO 87501

Form C-103  
Revised 10-1-79

5a. Indicate Type of Lease	
State <input checked="" type="checkbox"/>	Fee <input type="checkbox"/>
5. State Oil & Gas Lease No.	
A-1350-12	

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. <input type="checkbox"/> OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER		7. Unit Agreement Name
2. Name of Operator		8. Farm or Lease Name
Gulf Oil Corporation		Evans State
3. Address of Operator		9. Well No.
P. O. Box 670, Hobbs, NM 88240		6
4. Location of Well		10. Field and Pool, or Wildcat
UNIT LETTER <u>G</u> , <u>1980</u> FEET FROM THE <u>North</u> LINE AND <u>1980</u> FEET FROM		Eumont Gas
THE <u>East</u> LINE, SECTION <u>3</u> TOWNSHIP <u>21S</u> RANGE <u>36E</u> NMPM.		
15. Elevation (Show whether DF, RT, GR, etc.)		12. County
3506' GL		Lea

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data  
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>		COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	
OTHER <u>Add Eumont perfs</u> <input checked="" type="checkbox"/>		OTHER <input type="checkbox"/>	

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

POH with packer. Perf 3432-34', 3448-50', 3475-77', 3489-91' with (2) ½" JHPF. Straddle acidize each set of perfs with 250 gals 15% NEFE double inhibited HCL. Frac with 70 quality foam and 20/40 sand with RCNB's. GIH with packer, set at 3375-80'. Swab.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED R.D. Rite TITLE Area Engineer DATE 4-30-82

ORIGINAL SIGNED BY

APPROVED BY JERRY SEXTON

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY  
DISTRICT 1 SUPR.

100

RECEIVED

APR 30 1964

U.S. AIR FORCE  
HONOLULU OFFICE