		•			
Submit 3 Copies to Appropriate District Office	State of New Mexico Energy, Minerals and Natural Resources Department		Form C·103 Revised 1-1-89		
DISTRICT I P.O. Box 1980, Hobbs, NM 88240	OIL CONSERVATIO		WELL API NO.		
<u>DISTRICT II</u> P.O. Drawer DD, Artesia, NM 88210	Santa Fe, New Mexico 8		30-025-27135 5. Indicate Type of Lease STATE X FEE		
DISTRICT III 1000 Rio Brazos Rd., Aztec, NM 87410			6. State Oil & Gas Lesse No. V-3662		
(DO NOT USE THIS FORM FOR PRO DIFFERENT RESER	ICES AND REPORTS ON WELL OPOSALS TO DRILL OR TO DEEPEN (RVOIR. USE "APPLICATION FOR PER -101) FOR SUCH PROPOSALS.)	OR PLUG BACK TO A	7. Lease Name or Unit Agreement Name		
1. Type of Well: Oh. WELL X WELL	OTHER		Hunt APO State		
2. Name of Operator		<u></u>	8. Well No.		
YATES PETROLEUM CORPOR	RATION		1		
3. Address of Operator			9. Pool name or Wildcat		
105 South Fourth Stree	et - Artesia, NM 88210		Grama Ridge Bone Spring, North		
Unit Letter 2310 Feet From The South Line and 660 Feet From The West Line Section 4 Township 21S Range 34E NMPM Lea County V////////////////////////////////////					
<u> </u>	3730				
	Appropriate Box to Indicate N		SEQUENT REPORT OF:		
NOTICE OF IN	TENTION TO:	306			
	PLUG AND ABANDON	REMEDIAL WORK			
	CHANGE PLANS	COMMENCE DRILLIN	G OPNS. PLUG AND ABANDONMENT		
OTHER:		OTHER: Commence	e re-entry		
12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.					
9-26-95 - Cleaned loca hole marker. Weld on rigged up pulling unit collars. Tagged 1st p 1108'. Drilled out of Circulated casing clea Drilled out of 4th plu Drilling cement at 394 9-27-95 - Continue dri	starting head on 9-5/8" and reverse unit. Inst olug at 15'. Drilled out 2 2nd plug at 1210'. Dro an. Drilled out of 3rd p ag at 2156'. Tagged 5th 0'. NOTE: Spudded a 9 illing cement to 7" casin g unit caved in. Circula	casing and inst called BOP. TIH of 1st plug at opped down and t olug at 1926'. plug at 3736'. :30 AM 9-25-95. ng stub at 4000' ated casing clea	 but wellhead and cut off dry called cellar. Moved in and with 8-1/2" bit and drill 50'. Tagged 2nd plug at cagged 3rd plug at 1800'. Tagged 4th plug at 2040'. Circulated casing clean. Cellar and portion of an. Rigged down and moved and point TOOH with tubing. 		

pulling unit off to repair cellar and location. Rigged up pulling unit. TOOH with tubing, drill collars and 8-1/2" bit. TIH with 6-1/8" bit, drill collars and 2-7/8" tubing. Drilled into 7" casing stub and 4000'. Continue drilling cement plug. Drilled out of cement at 4056'. Dropped down and tagged cement at 5694'. Circulate mud out of hole and tested casing to 2000 psi for 6 minutes. Drilling cement at 5694'. I hereby cerufy that the information above is true and complete to the best of my knowledge and belief. SKONATURE TYPE OR FRINT NAME Rusty Klein TYPE OR FRINT NAME Rusty Klein

(This space for State Use) ORIGINAL SHOWED BY JEAN SEXTON DESTRICT 1 SAPROVISION

CCT	04	Inne
リレト	() 4	1035

⁻ DATE

1					_1
Submit 3 Copies to Appropriate District Office	State of New Mexico Energy, Minerais and Natural Resources Department			Form C-103 Revised 1-1-89	
DISTRICT I P.O. Box 1980, Hobbs, NM 88240	OIL CONSERVATION DIVISION P.O. Box 2088 Santa Fe, New Mexico 87504-2088		WELL API NO.		
DISTRICT II				025-27135	
P.O. Drawer DD, Artesia, NM 88210 DISTRICT III			5. Indicate Type o		
1000 Rio Brazos Rd., Aztec, NM 87410				6. State Oil & Ga	-3662
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)			7. Lease Name or Unit Agreement Name		
1. Type of Well: Oft. WELL X	· · ·	•		United	ADO. Chata
WELL X WELL 2. Name of Operator	OTHER			B. Well No.	APO State
YATES PETROLEUM CORPOR	RATION	•	• *	a. well No. 1	
3. Address of Operator	t Antonio NR(00	010		9. Pool name or Wildcat	
105 South Fourth Stree	$\frac{31}{31}$ - Artesia, NM 88	210	· · · · · · · · · · · · · · · · · · ·	Grama Ridge Bone Spring, North	
Unit Letter:23	10 Feet From The South	L	Line and 660	Fect From	a The <u>West</u> Line
	Appropriate Box to Indie TENTION TO:	vheiher 1 3730	Nature of Notice, R SUE	eport, or Other	
	PLUG AND ABANDON		REMEDIAL WORK		
	CHANGE PLANS				
PULL OR ALTER CASING			CASING TEST AND C		
OTHER:	<u></u>		OTHER: <u>Re-ent</u>	ry	K
12. Describe Proposed or Completed Opera work) SEE RULE 1103. 9-28-95 - Continue drii Dropped down and tagged Drilled out cement reta down and tagged cement	lling cement. Tagge d cement at 5865'. ainer and cement to	ed CI Dril 5888	BP at 5739'. D led out cement '. Dropped out	rilled out o to cement re of cement a	f CIBP at 5746'. tainer at 5869'.
					~ ,
			-		

I hereby certify that the information above is true and complete to the best of my knowle	adge and belief.	
SIGNATURE Kusty Klein	me Production Clerk	DATE Oct. 2, 1995
TYPE OR PRINT NAME Rusty Klein		505-748-1471 Telephone no.
(This space for State Use)		OCT 04 1935
ACTROVED BY		DATE

.



. •