

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPPLICATE
(Other instructions on
reverse side)

Form approved.
Budget Bureau No. 42-R1424.
LEASE DESIGNATION AND SERIAL NO.
NM - 14329

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

WELL ☐ GAS ☐ OTHER ☒ WELL

NAME OF OPERATOR
Franks Petroleum Inc.

ADDRESS OF OPERATOR
P. O. Box 7665, Shreveport, LA 71107

LOCATION OF WELL (Report location clearly and in accordance with any State requirements.
See also space 17 below.)
At surface

660' FNL & 660' FEL of Section 9-T21S-R32E

PERMIT AGREEMENT NAME

Union Federal

NAME OF LEASE

Union Federal

WELL NO.

1

WELL AND POOL, OR WILDCAT

Hat Mesa Morrow

11. SEC. T. R. M. OR S.E. AND
SURVEY OR AREA

Section 9-T21S-R32E

12. COUNTY OR PARISH 13. STATE

Lea

New Mexico

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

1. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any
proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones perti-
nent to this work.)

Went in hole w/tubing to 14,335' open ended. Displaced 5½" casing fluid w/2% KCl + 1
Gal Corrosion inhibitor per 1,000 gals water. Spotted 250 gallons 7½% Acetic acid w/Cla
Sta from 14,295' to 14,040'. Schlumberger perforated 5 1/8" casing w/7 0.40" holes at
1 SPF from 14,216-17', 14,274-76', 14,276-78', 14,278-80', 14,280-82' by GR. Set Baker
Model DB-RPP #44-26 Packer at 14,160'. Bottom tail pipe at 14,189.5'. Went in hole w/
2 3/8" EUE N-80 4.7# tubing with Mod. Cplgs. testing to 9000#. 460 joints tubing. Set
14,149' with 11' Baker #40-26 Seal Bore Assembly.

RECORDED
JAN 22 1982

U.S. GEOLOGICAL SURVEY
ROSWELL, NEW MEXICO

1. I hereby certify that the foregoing is true and correct

SIGNED W. L. CHAPMAN

TITLE Production Clerk

DATE 1/18/82

(This space for Federal or State office use)

FEB 2 1982

APPROVED BY
CONDITIONS OF APPROVAL, IF ANY:
U.S. GEOLOGICAL SURVEY
ROSWELL, NEW MEXICO

TITLE

DATE

*See Instructions on Reverse Side