

COUNTY LEA FIELD Hardy STATE NM
 OPR GULF OIL CORP. API 30-025-27504
 NO 4 LEASE Bell, R.R. (NCT-E) MAP
Sec 11, T21S, R36E CO-ORD
370 FNL, 2310 FWL of Sec 10-3-31 NM
2 mi E/Oil Center Re SPD 8-29-82 Re CMP 9-7-82

CSC	WELL CLASS: INIT DX FIN DO LSE. CODE			
13 3/8-352-350 sx	FORMATION	DATUM	FORMATION	DATUM
9 5/8-2565-800 sx				
5 1/2-5918-1400 sx				
2 3/8-6549				
	TD 6920 (DRKD)		PBD 6695	

IP (Drinkard) Perfs 6586-6605 F 3 BOPD + 1 EW. Pot based on 24 hr test thru 32/64 chk. GOR 35,000; gty (NR): CP Pkr; TP 15

CONTR OPRSELEV 3539 GL

F.R.C. 10-9-82 OWWO
 PD 6695 WO
 (Orig. Cmp. 1-21-82 thru (Drinkard)
 Perfs 6538-6759, OTD 6920, OPB 6892)
 10-11-82 TD 6920; PBD 6695; Complete
 CIBP @ 6695
 No other work performed
 10-16-82 COMPLETION ISSUED

10-3-31 NM
 IC 30-025-70796-82

COUNTY **LEA** FIELD **Hardy** STATE **NM**
 OPR **GULF OIL CORP.** API **30-025-27504**
 NO **4** LEASE **Bell, R. R. (NCT-E)** MAP
Sec 11, T21S, R36E CO-ORD
370 FNL, 2310 FWL of Sec **3-1-97 NM**
2 mi E/Oil Center SPD **10-2-81** CMP **1-21-82**

CSC	WELL CLASS: INIT D FIN DO LSE. CODE			
	FORMATION	DATUM	FORMATION	DATUM
13 3/8-352-350 sx				
9 5/8-2565-800 sx				
5 1/2-5918-1400 sx				
2 3/8-6549				
	ID 6920 (DRKD)		PBD	6892

IP (Drinkard) Perfs 6538-6759 F 8 BOPD + 54 BW. Pot based
 on 24 hr test thru 47/64 chk. GOR 51,625; gty 41; CP Pkr;
 TP 20

CONTR **Kenai #10** OPRSTLY **3539 GL, 3551 KB** sub-s

F.R. 8-3-81
 PD 6900 RT (Blaine & Drinkard)
 10-6-81 TD 352; SDR
 10-12-81 Drlg 2200 salt
 mud wt 10, vis 28
 10-19-81 TD 3536; Prep Core
 10-27-81 Drlg 3947 anhy & dolo
 Cored (Grayburg) 3536-96, rec 60 FT, no descr
 Cored (Grayburg) 3596-3656, rec 60 FT, no descr
 Cored (Grayburg) 3656-3714, rec 46 FT, no descr
 Cored (Grayburg) 3714-72, rec 52 FT, no descr
 Cored (Grayburg) 3772-85, rec 11 FT, no descr
 Cored (Grayburg) 3785-3820, rec 18 FT, no descr
 Cored (Grayburg) 3820-34, rec 14 FT, no descr
 Cored (Grayburg) 3834-69, rec 33 FT, no descr
 Cored (Grayburg) 3869-3906, rec 37 FT, no descr
 11-2-81 Drlg 5590 lm
 mud wt. 8.3, vis 28
 11- 9-81 Drlg 6430 lm & sh

3-1-97 NM

LEA
GULF OIL CORP.

Hardy
4 Bell, R. R. (NCT-E)
Sec 11, T21S, R36E

NM
Page 2

11-19-81 Continued
mw 8.4, vis 28
11-16-81 TD 6920; WOCU
DST-SP (Grayburg) 3710-3800, op 1 hr 5 mins,
GTS in 20 mins, rec 2740 FT GCFWTR, 1 hr
ISIP 1126, FP 965-1085, 2 hr FSIP 1150, HP
1482-1482, BHT 100 deg
DST-SP (Grayburg) 3600-90, op 1 hr 5 mins,
GTS in 45 mins, rec 2740 FT
GCFWTR, 1 hr 9 min ISIP 1124, IFP 1118-1091,
FFP & FSIP were undetermined, HP 1500-1496,
BHT 100 deg
12-4-81 TD 6920; PBD 6892; SI Eval Logs
1-4-82 TD 6920; PBD 6892; Flwg

3-1-97 NM

1-4-82 Continued
Perf (Drinkard) 6586-87, 6594-96, 6603-05,
6733-35, 6749-51, 6757-59 w/1 SPF & 6538-40,
6655-57, 6671-73 w/3 SPF
Acid (6538-6759) 4000 gals
Flwd 6 BO + 65 BW + 299 MCFGPD in 22 hrs thru
18/64 chk, TP 80 (6538-6759)
1-8-82 TD 6920; PBD 6892; Swbg
Frac (6538-6759) 37,500 gals + 73,080# sd
1-25-82 TD 6920; PBD 6892; WOSP
Flwd 8 BO + 54 BW + 413 MCFGPD in 24 hrs
thru 47/64 chk, TP 20 (6538-6759)
3-1-82 TD 6920; PBD 6892; Complete
LOG TOPS: Rustler 1124, Salt 1272, Base Salt
2480, Yates 2610, Seven Rivers 2871, Queen 3346,

3-1-97 NM

LEA
GULF OIL CORP.

Hardy
4 Bell, R. R. (NCT-E)
Sec 11, T21S, R36E

NM
Page 3

3-1-82 Continued
Penrose 3410, Grayburg 3640, San Andres 3940,
Glorieta 5195, Blinbry 5753, Tubb 6360, Drink-
ard 6542
LOGS RUN: TMPL, GRL, CCL
Rig Released 11-15-81
3-6-82 COMPLETION ISSUED

3-1-97 NM
IC 30-025-70394-81