INSTRUCTIONS

This form us to be filed with the appropriate District Office of the Commission not later the $\frac{1}{20}$ days after the completion of any newly-drilled or deepened well. It shall be accompleted is not copy of all electrical and ratio-activity logs. In the well and a summary of all special tests conducted, including drill steps tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 30 through 34 shall be reported for each zone. The form is to be filed in quintuplicate exception state land, where six copies are required. See Bule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

South	eastern New Mexico	Northwestern New Mexico			
T. Anhy 1,735 T. Salt 1,741 B. Salt 3,390 T. Yates 3,530 T. Yates 3,753 T. Queen	T. Canyon T. Strawn T. Atoka T. Atoka T. Miss 12,872 T. Miss 14,006 T. Devonian T. Silurian T. Montoya T. Simpson T. McKee T. Ellenburger T. Gr. Wash T. Delaware Sand 5,918 T. Bone Springs 8,710	T Ojo Alamo T. Kirtland-Fruitland T. Fictured Cliffs T. Cliff House T. Menefee T. Point Lookout T. Mancos T. Gallup Base Greenhorn T. Dakota T. Morrison T. Todilto	T. Penn. "B"		
m n 12 670	π U MOLLOW 13, JU4	T Domion	T T		
No. 1, from	01L OR GA	S SANDS OR ZONES No. 4, from	to		
No. 3, from	to	No. 6, from	to		
	IMPORTAN	NT WATER SANDS			
Include data on rate of water ir	flow and elevation to which water ros	e in hole.			
No. 1, from	to	feet.			
No. 2, from	to	fcet.			

FORMATION RECORD (Attach additional sheets if necessary)

From	То	Thickness in Feet	Formation	From	То	Thickness in Feet	
3,696 3,710	98 24	2 14	Yates Yates				

