

WRS COMPLETION REPORTCOMPLETIONS SEC 21 TWP 21S RGE 36E
PI# 30-T-0029 07/14/86 30-025-29584-0000 PAGE 1NMEX LEA * 2080FNL 2080FWL SEC SE NW
STATE COUNTY FOOTAGE SPOTCHEVRON USA D DO
OPERATOR WELL CLASS INIT FIN

442 EUNICE-MONUMENT SOUTH UNIT

WELL NO. LEASE NAME
3613KB 3600GR EUNICE-MONUMENTOPER ELEV FIELD/POOL AREA
API 30-025-29584-0000LEASE TYPE AC PERMIT OR WELL I.D. NO.
03/11/1986 05/18/1986 ROTARY OILSPUD DATE COMP. DATE TYPE TOO STATUS
4375 GRAYBURG SIERRA DRLG 5 RIG SUB 12PROJ. DEPTH PROJ. FORM CONTRACTOR
DTD 4203 PB 4157 FM/TD GRAYBURG

DRILLERS T.D. LOG T.D. PLUG BACK TO OLD T.D. FORM T.D.

LOCATION DESCRIPTION

6 MI NW EUNICE, NM

CASING/LINER DATA

CSG 11 3/4 @ 348 W/ 300 SACKS	01
CSG 8 5/8 @ 2861 W/ 625 SACKS	02
CSG 5 1/2 @ 4201	03

TUBING DATA

TBG 2 3/8 AT 4094

INITIAL POTENTIALIPP 45BOPD 136.0MCFD 238BW 24HRS
GRBG-SAD PERF 3880- 4110 GROSS 001
PERF 3880- 4110
FM - GRAYBURG

TYPE	FORMATION	LTH	TOP DEPTH/SUB	BSE DEPTH/SUB
LOG	RUSTLER		1410 2203	
LOG	SALT		1512 2101	2632 981
LOG	YATES		2872 741	
LOG	SVN RVRS		3048 565	
LOG	QUEEN		3560 53	
LOG	GRAYBURG		3870 -257	

CONTINUED IC# 300257002386

Copyrighted
Reproduction
ProhibitedPetroleum Information
CORPORATIONPI-WRS-GE
Form No 1B

COMPLETIONS SEC 21 TWP 21S RGE 36E
 PI# 30-T 0029 07/14/86 30-025-29584-0000 PAGE 2

CHEVRON USA EUNICE-MONUMENT SOUTH UNIT D DO
 442

PRODUCTION TEST DATA

PTS 1UR 70BW
 GRAYBURG PERF W/ 2/FT 4070- 4110 GROSS 004
 PERF 4070- 4072 4088- 4090 4108- 4110
 ACID 4070- 4110 2000GALS
 15% NEFE HCL
 SWBD W/TP OIL IN 4 HRS 30 MINS

PTF 36BCPD 151BW 24HRS
 GRAYBURG PERF W/ 44/IT 3880- 4040 GROSS 005
 PERF 3880- 3882 3902- 3904 3922- 3924 3941- 3943
 PERF 3957- 3959 3968- 3970 3980- 3982 3991- 3993
 PERF 4020- 4022 4028- 4030 4038- 4040
 ACID 3880- 4040 4000GALS
 15% NEFE HCL

PTP 52BC 758BW 72HRS
 GRAYBURG PERF 3880- 4110 GROSS 006

PTP 33BCPD 187BW 24HRS
 GRAYBURG PERF 3880- 4110 GROSS 007

PTP 43BCPD 211BW 24HRS
 GRAYBURG PERF 3880- 4110 GROSS 008

PTP 45BCPD 220BW 24HRS
 GRAYBURG PERF 3880- 4110 GROSS 009

PTP 38BCPD 216BW 24HRS
 GRAYBURG PERF 3880- 4110 GROSS 010

PTP 36BCPD 94.0MCFD 238BW 24HRS
 GRAYBURG PERF 3880- 4110 GROSS 011

PTP 32BCPD 95.0MCFD 187BW 20HRS
 GRAYBURG PERF 3880- 4110 GROSS 012

LOGS AND SURVEYS /INTERVAL,TYPE/

LOGS	CNL	LDT	DLL
LOGS	MSFL	EPT	RFT

CONTINUED

COMPLETIONS SEC 21 TWP 21S RGE 36E
PI# 30-T-0029 07/14/86 30-025-29584-0000 PAGE 3

CHEVRON USA
442

EUNICE-MONUMENT SOUTH UNIT

D DO

DRILLING PROGRESS DETAILS

CHEVRON USA
BOX 670
HOBBS, NM 88240
505-393-4121
01/23 LOC/1986/
03/17 DRLG 3717
03/25 4203 TD, WOCT
04/09 4203 TD, PB 4154, SWBG
04/14 4203 TD, PB 4157, TSTG
04/21 4203 TD, PB 4157, TOP
04/24 4203 TD, PB 4157, TOP
04/29 4203 TD, PB 4157, TOP
05/02 4203 TD, PB 4157, SI EVAL
05/12 4203 TD, PB 4157, TOP
05/14 4203 TD, PB 4157, TOP
05/15 4203 TD, PB 4157, TOP
06/20 4203 TD, PB 4157, SI PBU
07/08 TD REACHED 03/20/86 RIG REL 03/21/86
4203 TD, PB 4157
COMP 5/18/86, IPP 45 BO, 136 MCFGPD, 238
BWPD, (GOR) 3022, (GTY) 32.8
PROD ZONE - GRAYBURG-SAN ANDRES 3880-4110
NO CORES OR DSTS RPTD