

WRS COMPLETION REPORT

COMPLETIONS SEC 5 TWP 21S RGE 36E
PI# 30-T-0027 08/29/86 30-025-29682-0000 PAGE 1

NMEX LEA * 1791FNL 1980FEL SEC

STATE COUNTY FOOTAGE SPOT

CHEVRON USA

OPERATOR WELL CLASS INIT FIN

198 EUNICE-MONUMENT SOUTH UNIT

WELL NO. LEASE NAME

3573KB 3560GR EUNICE-MONUMENT

OPER ELEV FIELD POOL AREA

API 30-025-29682-0000

LEASE TYPE NO. PERMIT OR WELL I.D. NO.

05/22/1986 08/11/1986 ROTARY OIL

SPUD DATE COMP. DATE TYPE TOOL STATUS

4250 GRBG-SAD SIERRA DRLG 5 RIG SUB 12

PROJ. DEPTH PROJ. FORM CONTRACTOR

DTD 4075 PB 4015 FM/TD GRAYBURG

DRILLERS T.D. LOG T.D. PLUG BACK TO OLD T.D. FORM T.D.

LOCATION DESCRIPTION

IRREG SECTION
2 MI NW OIL CENTER, NM

WELL IDENTIFICATION/CHANGES

ZONE CHGD FROM GRAYBURG

CASING/LINER DATA

CSG 11 3/4 @ 368 W/ 425 SACKS	01
CSG 8 5/8 @ 2560 W/ 700 SACKS	02
CSG 5 1/2 @ 4074 W/ 575 SACKS	03

TUBING DATA

TBG 2 3/8 AT 3861

INITIAL POTENTIAL

IPP 8BOPD 8 MCFD 140BW 24HRS
GRBG-SAD PERF W/ 72/IT 3700- 3942 GROSS 009
GTY 32.3 GOR 1000
FM - GRAYBURG

TYPE	FORMATION	LTH	TOP DEPTH/SUB	BSE DEPTH/SUB
LOG	RUSTLER		1123 2450	
LOG	SALT		1208 2365	
LOG	YATES		2717 856	

CONTINUED IC# 300257014686

Copyrighted
Reproduction
Prohibited



Petroleum Information
CORPORATION

PI-WRS-GE
Form No 187

COMPLETIONS SEC 5 TWP 21S RGE 36E
 PI# 30-T-0027 08/29/86 30-025-29682-0000 PAGE 2

CHEVRON USA D DO
 198 EUNICE-MONUMENT SOUTH UNIT

TYPE	FORMATION	LTH	TOP DEPTH/SUB	BSE DEPTH/SUB
LOG	SVN RVRS		2928 645	
LOG	QUEEN		3346 227	
LOG	GRAYBURG		3650 -77	

PRODUCTION TEST DATA

PTS 95BW 6HRS
 GRAYBURG PERF W/ 44/IT 3874- 3990 GROSS 004
 PERF 3874- 3876 3883- 3885 3895- 3897 3910- 3912
 PERF 3914- 3916 3926- 3928 3934- 3936 3942- 3944
 PERF 3954- 3956 3976- 3978 3988- 3990
 ACID 3874- 3990 3000GALS
 15% NEFE HCL

PTP 392BW 24HRS
 GRAYBURG PERF 3874- 3990 GROSS 005
 PERF 3874- 3990
 SQZD 3874- 3990 W/ 300S
 RET @ 3833
 DOC & RET TO 4015

PTS 4BO 72BW 4HRS
 GRAYBURG REPERF W/ 28/IT 3883- 3942 GROSS 006
 PERF 3883- 3885 3895- 3897 3910- 3912 3914- 3916
 PERF 3926- 3928 3934- 3936 3940- 3942
 ACID 3883- 3942 1500GALS
 15% NEFE HCL

GRAYBURG PERF W/ 44/IT 3700- 3828 GROSS 007
 PERF 3700- 3702 3714- 3716 3723- 3725 3736- 3738
 PERF 3746- 3748 3757- 3759 3769- 3771 3780- 3782
 PERF 3793- 3795 3812- 3814 3826- 3828
 ACID 3700- 3828 2250GALS

PTP 8BOPD 12 MCFD 161BW 24HRS
 GRAYBURG PERF W/ 72/IT 3700- 3942 GROSS 008

LOGS AND SURVEYS /INTERVAL,TYPE/

LOGS 3072- 4072 LDT 0- 4072 CNL 3072- 4072 EPT
 LOGS 3000- 4072 DLL 3000- 4072 MSFL 3000- 4072 FRXL

CONTINUED

COMPLETIONS
PI# 30-T-0027 08/29/86 SEC 5 TWP 21S RGE 36E
30-025-29682-0000 PAGE 3

CHEVRON USA
198

EUNICE-MONUMENT SOUTH UNIT

D DO

DRILLING PROGRESS DETAILS

CHEVRON USA
BOX 670
HOBBS, NM 88240
505-393-4121
05/12 LOC/1986/
05/27 DRLG 3760
06/09 4075 TD, WOCT
06/17 4075 TD, PB 4024, PREP TEST
07/15 4075 TD, PB 4024, SI
07/25 4075 TD, PB 3833, DOC
08/05 4075 TD, PB 4015, TOP
08/05 DOC TO 4015
TD REACHED 05/27/86 RIG REL 05/29/86
08/27 4075 TD, PB 4015
COMP 8/11/86, IPP 8 BO, 8 MCFG, 140 BWPD,
GOR 1000, GTY 32.3
PROD ZONE - GRAYBURG-SAN ANDRES 3700-3942
NO CORES OR DSTS RPTD