

STATE OF NEW MEXICO  
ENERGY AND MINERALS DEPARTMENT

OIL CONSERVATION DIVISION  
P. O. BOX 2088  
SANTA FE, NEW MEXICO 87501

Form C-103  
Revised 10-1-78

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.O.S.	
LAND OFFICE	
OPERATOR	

5a. Indicate Type of Lease	
State <input type="checkbox"/>	Fee <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No. -----	

SUNDRY NOTICES AND REPORTS ON WELLS  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.  
USE "APPLICATION FOR PERMIT - 1" (FORM C-101) FOR SUCH PROPOSALS.)

1. <input checked="" type="checkbox"/> OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER-		7. Unit Agreement Name -----
2. Name of Operator Bravo Energy, Inc.		8. Farm or Lease Name Dauron
3. Address of Operator P. O. Box 2160, Hobbs, N. M. 88241		9. Well No. 2
4. Location of Well UNIT LETTER <u>J</u> <u>3555</u> <u>35</u> <u>35</u> FEET FROM THE <u>North</u> LINE AND <u>1980</u> FEET FROM THE <u>East</u> LINE, SECTION <u>1</u> TOWNSHIP <u>21S</u> RANGE <u>37E</u> NMPM.		10. Field and Pool, or Wildcat Wantz Abo
15. Elevation (Show whether DF, RT, GR, etc.) DF 3561'		12. County Lea

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data  
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOBS <input checked="" type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

1. Ran 188 Joints pf J-55 17# & 15.50# LT&C 5-1/2" csg. Set @ 7854'
2. Cemented with 500 sx. Halliburton Light Cement plus Additives plus 275 sx. 50-50 Poz with additives.
3. Had full circulation throughout job.
4. Top of Cement 3337' by Temperature Survey.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Ann K. Headstream TITLE Production Supervisor DATE 1-8-87

ORIGINAL SIGNED BY JERRY SEXTON  
DISTRICT I SUPERVISOR

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE JAN 12 1987

CONDITIONS OF APPROVAL, IF ANY: