

WRS COMPLETION REPORT

COMPLETIONS SEC 14 TWP 21S RGE 36E
PI# 30-T-0017 09/28/87 30-025-29821-0000 PAGE 1

NMEX LEA * 1780FSL 1780FWL SEC NE SW
STATE COUNTY FOOTAGE SPOT
CHEVRON USA D DO
OPERATOR WELL CLASS INIT FIN
395 EUNICE-MONUMENT SOUTH UNIT
WELL NO. LEASE NAME EUNICE-MONUMENT
3571GR FIELD/POOL AREA
OPER ELEV API 30-025-29821-0000

LEASE TYPE NO. PERMIT OR WELL I.D. NO. OIL
03/31/1987 09/09/1987 ROTARY STATUS
SPUD DATE COMP. DATE TYPE TOOL
4300 GRBG-SAD EXETER DRLG 74
PROJ. DEPTH PROJ. FORM CONTRACTOR FM/TD SN ANDRS
DTD 4100 PB 4062
DRILLERS T.D. LOG T.D. PLUG BACK TD OLD T.D. FORM T.D.

LOCATION DESCRIPTION

2 MI SE OIL CENTER, NM

WELL IDENTIFICATION/CHANGES

PROJ FM CHGD FROM GRAYBURG

CASING/LINER DATA

CSG 11 3/4 @ 380 W/ 375 SACKS
CSG 8 5/8 @ 2670 W/ 800 SACKS
CSG 5 1/2 @ 4100 W/ 325 SACKS

TUBING DATA

TBG 2 3/8 AT 3945

INITIAL POTENTIAL

IPP 1BOPD 429.0MCFD 7BW 24HRS
GRBG-SAD PERF W/ 56/IT 3834- 3918 GROSS
PERF 3834, 3848, 3852, 3862, 3864, 3882, 3904, 3918
ACID 3834- 3918 4500GALS
15% NEFE HCL
GTY 33.8 GOR 4000

TYPE	FORMATION	LTH	TOP DEPTH/SUB	BSE DEPTH/SUB
LOG	RUSTLER		1370 2201	
LOG	SALT		1550 2021	

CONTINUED IC# 300257036086

Petroleum Information

Copyrighted 1987
Petroleum
Information Corporation

DB a company of
The Dun & Bradstreet Corporation

PI-WRS-GET
Form No 167

COMPLETIONS
 PI# 30-T-0017 09/28/87 SEC 14 TWP 21S RGE 36E
 30-025-29821-0000 PAGE 2

CHEVRON USA
 395

EUNICE-MONUMENT SOUTH UNIT

D DO

TYPE	FORMATION	LTH	TOP	DEPTH/SUB	BSE	DEPTH/SUB
LOG	YATES		2630	941		
LOG	SVN RVRS		2935	636		
LOG	QUEEN		3482	89		
LOG	GRAYBURG		3786	-215		

CORES

CORE 1	3700-3760	REC 58.00FT	QUEEN	CONV	D
NO DESCRIPTION AVAILABLE					
CORE 2	3760-3850	REC 90.00FT	QUEEN	CONV	D
NO DESCRIPTION AVAILABLE					
CORE 3	3850-3935	REC . FT	GRAYBURG	CONV	D
NO DESCRIPTION AVAILABLE					
CORE 4	3935-3995	REC 60.00FT	SN ANDRS	CONV	D
NO DESCRIPTION AVAILABLE					
CORE 5	3995-4055	REC 60.00FT	SN ANDRS	CONV	D
NO DESCRIPTION AVAILABLE					

PRODUCTION TEST DATA

SN ANDRS PERF W/ 18/IT 3986- 4004
 PERF 3986- 4004
 ACID 3986- 4004 1300GALS
 15% NEFE HCL
 SQZD 3986- 4004 W/ 200S
 SWBD 30 BLW
 SQZD & DOC

LOGS AND SURVEYS /INTERVAL,TYPE/

LOGS 3100- 4062	GR	3100- 4062	CCL	3100- 4062	CBL
LOGS 3100- 4062	CET				

DRILLING MEDIA /TYPE,DEPTH/

3926 8.6

PPG

CONTINUED

COMPLETIONS SEC 14 TWP 21S RGE 36E
PI# 30-T-0017 09/28/87 30-025-29821-0000 PAGE 3

CHEVRON USA
395

EUNICE-MONUMENT SOUTH UNIT

D DO

DRILLING PROGRESS DETAILS

CHEVRON USA
BOX 670
HOBBS, NM 88240
505-393-4121
12/15 LOC/1986/
04/07 CRG 3926
04/13 4100 TD, WOCT
05/05 4100 TD, WOCT
06/01 4100 TD, WOCT
07/09 4100 TD, WOCT
08/07 4100 TD, WOCT
08/21 4100 TD, WOCT
09/02 4100 TD, PB 4062, SI WO ELEC
09/11 4100 TD, PB 4062, TOP
09/23 TD REACHED 04/07/87 RIG REL 04/08/87
4100 TD, PB 4062
COMP 9/9/87, IPP 1 BO, 429 MCFG, 7 BWP, D,
GOR 4000, GTY 33.8
PROD ZONE - GRAYBURG-SAN ANDRES 3834-3918
FIVE CORES, NO DSTS RPTD