

WRS COMPLETION REPORT

COMPLETIONS SEC 18 TWP 21S RGE 36E
PI# 30-T-0013 11/13/87 30-025-29837-0000 PAGE 1

NMEX LEA * 2130FNL 1780FEL SEC SW NE
STATE COUNTY FOOTAGE SPOT
CHEVRON USA D DO
OPERATOR WELL CLASS INIT FIN
375 EUNICE-MONUMENT SOUTH UNIT
WELL NO. LEASE NAME
3648GR EUNICE-MONUMENT
OPER ELEV FIELD POOL AREA
API 30-025-29837-0000

LEASE TYPE NO. PERMIT OR WELL I.D. NO.
03/01/1987 06/29/1987 ROTARY OIL
SPUD DATE COMP. DATE TYPE TOOL STATUS
4300 GRBG-SAD EXETER DRLG 74
PROJ. DEPTH PROJ. FORM CONTRACTOR
DTD 4385 PB 4259 FM/TD SN ANDRS
DRILLERS T.D. LOG T.D. PLUG BACK TD OLD T.D. FORM T.D.

LOCATION DESCRIPTION

9 MI NW EUNICE, NM

CASING/LINER DATA

CSG 11 3/4 @ 370 W/ 325 SACKS
CSG 8 5/8 @ 2854 W/ 500 SACKS
CSG 5 1/2 @ 4300 W/ 350 SACKS

INITIAL POTENTIAL

IPP 3BOPD 69.0MCFD 267BW 24HRS
GRAYBURG PERF W/ 125/IT 3855- 4114 GROSS
GTY 33.8 GOR 23000
RESV - GRAYBURG-SAN ANDRES

TYPE	FORMATION	LTH	TOP DEPTH/SUB	BSE DEPTH/SUB
LOG	RUSTLER		1333 2315	
LOG	SALT		1488 2160	
LOG	YATES		2805 843	
LOG	SVN RVRS		3240 408	
LOG	QUEEN		3542 106	
LOG	PENROSE		3685 -37	
LOG	GRAYBURG		3855 -207	

CORES

CORE 1 3760- 3820 REC . FT GRAYBURG CONV D
NO DESCRIPTION AVAILABLE

CONTINUED IC# 300257000587

Copyrighted 1987
Petroleum
Information Corporation

Petroleum Information

DB a company of
The Dun & Bradstreet Corporation

PI-WRS-GE
Form No 181

COMPLETIONS SEC 18 TWP 21S RGE 36E
PI# 30-T-0013 11/13/87 30-025-29837-0000 PAGE 2

CHEVRON USA D DO
375 EUNICE-MONUMENT SOUTH UNIT

CORES

CORE 2 3820- 3910 REC . FT GRAYBURG CONV D
NO DESCRIPTION AVAILABLE
CORE 3 3910- 4000 REC . FT GRAYBURG CONV D
NO DESCRIPTION AVAILABLE
CORE 4 4000- 4060 REC . FT GRAYBURG CONV D
NO DESCRIPTION AVAILABLE

PRODUCTION TEST DATA

GRAYBURG PERF W/ 4/IT 4294- 4296
PERF 4294- 4296
ACID 4294- 4296 600GALS
15% NE HCL
SQZD 4294- 4296 W/ 50S
CMT RET @ 4259

PTS 216BW
GRAYBURG PERF W/ 30/IT 4193- 4223
PERF 4193- 4223
ACID 4193- 4223 2500GALS
15% NEFE HCL
SQZD 4193- 4223 W/ 250S
SWBD 216 BW IN 32 RUNS
CMT RET @ 4175

PTS 8BO 252BW
GRAYBURG PERF W/ 42/IT 4074- 4156 GROSS
PERF 4074- 4114 4140- 4156
ACID 4074- 4156 3100GALS
15% NEFE HCL
RBP 4140- 4156 DEPTH 4130
SWBD 8 BO + 252 BW IN 28 RUNS

PTS 2BO 142BW 14HRS
GRAYBURG PERF 4074- 4114
PULLED RBP @ 4130
PKR @ 4052 (4074-4156) PKD OFF

PTP 1BOPD 22 MCFD 451BW 24HRS

CONTINUED

COMPLETIONS SEC 18 TWP 21S RGE 36E
PI# 30-T-0013 11/13/87 30-025-29837-0000 PAGE 3

CHEVRON USA
375

EUNICE-MONUMENT SOUTH UNIT

D DO

PRODUCTION TEST DATA

GRAYBURG PERF W/ 99/IT 3855- 4028 GROSS
PERF 3855- 3884 3908- 3940 3990- 4028

PTP 9BOPD 55.0MCFD1207BW 3855- 4028 GROSS 72HRS
GRAYBURG PERF W/ 300S
SQZD 4074- 4156
PULLED PKR @ 4052
CMT RET @ 4053
SQZD & DOC TO 4045

GRAYBURG REPERF W/ 26/IT 4074- 4114 GROSS
PERF 4074- 4090 4104- 4114
ACID 4074- 4114 2000GALS
15% NEFE HCL

PTP 2BOPD 251BW 3855- 4114 24HRS
GRAYBURG PERF

LOGS AND SURVEYS /INTERVAL,TYPE/

LOGS 3350- 4385 DLL 3350- 4385 MSFL 0- 4385 GR
LOGS 3350- 4385 CALP 3350- 4385 CNL 3350- 4385 LDT
LOGS 3350- 4385 EPT

DRILLING PROGRESS DETAILS

CHEVRON USA
BOX 670
HOBBS, NM 88240
01/05 LOC/1987/
03/03 DRLG 2401
03/08 CRG 4020
03/16 4385 TD, PB 4293, WOCT
03/23 4385 TD, PB 4293, WOCT
04/15 4385 TD, PB 4293, WOCT
05/05 4385 TD, PB 4293, WOCT
05/12 4385 TD, PB 4175, SWBG
05/12 DOC TO 4298
05/19 4385 TD, PB 4175, POP
05/27 4385 TD, PB 4175, TOP
06/01 4385 TD, PB 4175, SI
06/08 4385 TD, PB 4045, PREP TEST

CONTINUED

COMPLETIONS SEC 18 TWP 21S RGE 36E
PI# 30-T-0013 11/13/87 30-025-29837-0000 PAGE 4

CHEVRON USA D DO
375 EUNICE-MONUMENT SOUTH UNIT

DRILLING PROGRESS DETAILS

06/14 4385 TD, PB 4259, POP
06/14 DOC TO 4259
06/23 4385 TD, PB 4259, TOP
TD REACHED 03/10/87 RIG REL 03/12/87
11/09 4385 TD, PB 4259
COMP 6/29/87, IPP 3 BO, 69 MCFG, 267 BWPD,
GOR 23000, GTY 33.8
PROD ZONE - GRAYBURG-SAN ANDRES 3855-4114
FOUR CORES, NO DSTS RPTD