

Submit 3 Copies
to Appropriate
District Office

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-103
Revised 1-1-89

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

WELL API NO.

30 025 29991

5. Indicate Type of Lease

STATE ☒

FEE ☐

6. State Oil & Gas Lease No.

VA 606-1

7. Lease Name or Unit Agreement Name

Grama Ridge 35 State

8. Well No.

1

9. Pool name or Wildcat

WILDCAT

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:

OR
WELL ☐

GAS
WELL ☐

OTHER Dry Hole

2. Name of Operator

SOUTHWEST ROYALTIES, INC.

3. Address of Operator

P.O. BOX 11390; MIDLAND, TX

4. Well Location

Unit Letter I : 2310 Feet From The South Line and 990 Feet From The East Line

Section 35

Township 21S

Range 33E

NMPM

Lea

County

10. Elevation (Show whether DF, RKB, RT, GR, etc.)

3666' GR

11.

Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐

PLUG AND ABANDON ☒

TEMPORARILY ABANDON ☐

CHANGE PLANS ☐

PULL OR ALTER CASING ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐

ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐

PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☐

OTHER: ☐

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Propose to circulate hole w/9 ppg mud to fill hole & POOH w/2 3/8" tbg. Set 5 1/2" CIBP @ 12,000' & dump 35' of cmt on top. Cut off 5 1/2" csg @ ±10,900' & POOH w/csg. Spot 190' cmt plug (36 sx) @ 9000'. Tag plug. Spot 160' cmt plug (55 sx) across 7 5/8" csg cut @ 5794'. Tag plug. Spot 150' plug (62 sx) across 10 3/4" shoe @ 5183'. Tag plug. Spot 140' plug (58 sx) @ 3850'. Tag plug. Spot 110' plug (46 sx) across 13 3/8" shoe @ 670'. Tag plug. Cut off csg & spot 10 sx surf plug. Weld on cap and erect P&A marker.

*7T not added =
w/o prod rpt.
any. before
add. 3 spot
BS*

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

James Blount

James Blount

TITLE

Area Supervisor

DATE

9-11-97

TYPE OR PRINT NAME

TELEPHONE NO.

(This space for State Use)

ORIGINAL SIGNED BY CHRIS WILLIAMS
DISTRICT I SUPERVISOR

APPROVED BY

TITLE

DATE

OCT - 8 1997

CONDITIONS OF APPROVAL, IF ANY:

SOUTHWEST ROYALTIES

PROJECT GRAMA RIDGE 35 ST#1


PAGE _____

OF _____

BY JSB

DATE 6-26-97

CURRENT



SOUTHWEST ROYALTIES

PROJECT GRAMA RIDGE 35 ST #1

PAGE _____

OF _____

BY JSB

DATE 6-26-97

PROPOSED

10 SX SURF PLUG

46 SX 555-665'

58 SX 3710-3850'

62 SX 5090-5240'

55 SX 5690-5850'

36 SX 8810-9000'

CIBP @ 12000' w/35' CMT

PBTD: 13,150'

13 7/8" @ 615'

10 3/4" 40.5# @ 5183'

7 5/8" CUT OFF @ 5794'

2 3/4" N-80 @ ± 12,600'

TOC @ 10,935'

5 1/2" 17# S-95 @ 12,024'

7 5/8" 33.7# GR-95 @ 12,238'

ZONE OF INTEREST: 12,614-72'