

WRS COMPLETION REPORT

COMPLETIONS SEC 18 TWP 21S RGE 36E
PI# 30-T-0006 06/17/88 30-025-30281-0000 PAGE 1

NMEX LEA * 1860FSL 1980FEL SEC NW SE
STATE COUNTY FOOTAGE SPOT
CHEVRON USA IW IW
OPERATOR WELL CLASS INIT FIN
WI-410 EUNICE-MONUMENT SOUTH UNIT
WELL NO LEASE NAME
3644KB 3630GR EUNICE-MONUMENT
OPER ELEV FIELD POOL AREA
API 30-025-30281-0000

LEASE TYPE/NO. PERMIT OR WELL I.D. NO.
03/27/1988 05/03/1988 ROTARY W-INJ
SPUD DATE COMP DATE TYPE TOOL STATUS
4300 GRAYBURG MYERS W E DRLG 1 RIG SUB 13
PROJ. DEPTH PROJ. FORM CONTRACTOR
DTD 4208 PB 4150 FM/TD GRAYBURG
DRILLERS T.D. LOG T.D. PLUG BACK TD OLD T.D. FORM T.D.

LOCATION DESCRIPTION

3 MI SW OIL CENTER, NM

WELL IDENTIFICATION/CHANGES

WELL NO CHGD FROM 410
INIT CLASS CHGD FROM D
TARGET CHGD FROM 0
PROJ FM CHGD FROM GRAYBURG-SAN ANDRES

CASING/LINER DATA

CSG 8 5/8 @ 1385 W/ 900 SACKS
CSG 5 1/2 @ 4208 W/ 850 SACKS

TUBING DATA

TBG 2 3/8 AT 4050

TYPE	FORMATION	LTH	TOP DEPTH/SUB	BSE DEPTH/SUB
LOG	RUSTLER		1345	2285
LOG	SALT		1565	2065
LOG	YATES		2855	775
LOG	SVN RVRS		3090	540
LOG	QUEEN		3608	22
LOG	PENROSE		3765	-135
LOG	GRAYBURG		3951	-321
SUBSEA MEASUREMENTS FROM GR				

CONTINUED IC# 300257007988

Copyrighted 1988
Petroleum
Information Corporation

Petroleum Information

BB a company of
The Dun & Bradstreet Corporation

FI-WRS-GET
Form No187

COMPLETIONS
PI# 30-T-0006 06/17/88 SEC 18 TWP 21S RGE 36E
30-025-30281-0000 PAGE 2

CHEVRON USA
WI-410 EUNICE-MONUMENT SOUTH UNIT IW IW

CORES

CORE 1	3800-3824	REC 24.00FT	PENROSE	CONV	D
NO DESCRIPTION AVAILABLE					
CORE 2	3824-3884	REC 60.00FT	PENROSE	CONV	D
NO DESCRIPTION AVAILABLE					
CORE 3	3884-3920	REC 36.00FT	PENROSE	CONV	D
NO DESCRIPTION AVAILABLE					
CORE 4	4004-4097	REC 93.00FT	GRAYBURG	CONV	D
NO DESCRIPTION AVAILABLE					
CORE 5	4097-4145	REC 48.00FT	GRAYBURG	CONV	D
NO DESCRIPTION AVAILABLE					

PRODUCTION TEST DATA

GRAYBURG PERF
PERF 4068- 4080 4098- 4138 4068- 4138 GROSS
ACID 4068- 4138 2500GALS
15% NEFE HCL

GRAYBURG PERF
PERF 4020- 4042 W/ 22/IT 4020- 4042
ACID 4020- 4042 1100GALS
15% NEFE HCL

GRAYBURG PERF
PERF 3968- 4000 W/ 32/IT 3968- 4000
ACID 3968- 4000 1500GALS
15% NEFE HCL

LOGS AND SURVEYS /INTERVAL, TYPE/

LOGS 3000- 4142 GR 3000- 4142 CCL 3000- 4142 CBL
LOGS 3000- 4142 CET

DRILLING MEDIA /TYPE, DEPTH/

4004 10.0

PPG

CONTINUED

COMPLETIONS SEC 18 TWP 21S RGE 36E
PI# 30-T-0006 06/17/88 30-025-30281-0000 PAGE 3

CHEVRON USA
WI-410

EUNICE-MONUMENT SOUTH UNIT

IW IW

DRILLING PROGRESS DETAILS

CHEVRON USA
BOX 670
HOBBS, NM 88240
505-393-4121
02/12 WATER INJECTION WELL
04/07 LOC/1988/
04/13 DRLG 4004
04/28 4208 TD, WOCT
05/05 4208 TD, PB 4150, SWBG
4208 TD, PB 4150, WO INJ
06/16 TD REACHED 04/09/88 RIG REL 04/10/88
4208 TD, PB 4150
COMP 5/3/88, WIW
INJ ZONE - GRAYBURG 3968-4138
FIVE CORES, NO DSTS RPTD