

WRS COMPLETION REPORT

COMPLETIONS SEC 3 TWP 21S RGE 36E
PI# 30-T-0023 04/27/90 30-025-30651-0000 PAGE 1

NMEX LEA * 990FSL 990FWL SEC
STATE COUNTY FOOTAGE SPOT
ORYX ENERGY D DO
OPERATOR WELL CLASS INIT FIN
18 AKENS J A
WELL NO LEASE NAME
3586KB 3575GR HARDY
OPER ELEV FIELD POOL AREA
API 30-025-30651-0000
LEASE NO. PERMIT OR WELL I.D. NO.
01/20/1990 02/03/1990 ROTARY VERT OIL
SPUD DATE COMP. DATE TYPE TOOL HOLE TYPE STATUS
7200 DRINKARD PETERSON DRLG 3 RIG SUB 10
PROJ. DEPTH PROJ. FORM CONTRACTOR
DTD 7000 PB 6956 FM/TD DRINKARD
DRILLERS T.D. LOG T.D. PLUG BACK TD OLD T.D. FORM T.D.

LOCATION DESCRIPTION

IRREG SEC
8 MI NW EUNICE, NM

CASING/LINER DATA

CSG 13 3/8 @ 415 W/ 425 SACKS
CSG 8 5/8 @ 4000 W/ 1650 SACKS
CSG 5 1/2 @ 7000 W/ 700 SACKS

TUBING DATA

TBG 2 7/8 AT 6441

INITIAL POTENTIAL

IPP 36BOPD 104 MCFD 161BW 24HRS
TUBB PERF 6506- 6718 GROSS
DRINKARD PERF 6730- 6830 GROSS
GTY 42.0 GOR 2889
FIELD /RESERVOIR
/DRINKARD
PERF'D W/201 SHOTS
DHC HARDY (TUBB) & HARDY (DRINKARD) ZONES WITH
DRINKARD THE SURVIVING ZONE
COMMINGLED

TYPE FORMATION LTH TOP DEPTH/SUB BSE DEPTH/SUB
LOG GLORIETA 5220 -1645

CONTINUED IC# 300257020989

Copyrighted 1990
Reproduction
Prohibited

Petroleum Information

BB a company of
The Dun & Bradstreet Corporation

PI-WRS-CF
Form No 187

COMPLETIONS SEC 3 TWP 21S RGE 36E
 PI# 30-T-0023 04/27/90 30-025-30651-0000 PAGE 2

ORYX ENERGY
 18

AKENS J A

D DO

TYPE	FORMATION	LTH	TOP	DEPTH/SUB	BSE	DEPTH/SUB
LOG	BLINEBRY		5845	-2270		
LOG	TUBB		6428	-2853		
LOG	DRINKARD		6717	-3142		

SUBSEA MEASUREMENTS FROM GR

PRODUCTION TEST DATA

PTP	39BOPD	126	MCFD	222BW	6506- 6718 GROSS	24HRS
TUBB	PERF				6730- 6830 GROSS	
DRINKARD	PERF					
PERF	6506- 6528	6535- 6543	6573- 6600	6606- 6616		
PERF	6626- 6636	6644- 6654	6664- 6686	6696- 6718		
PERF	6730- 6736	6746- 6750	6755- 6774	6784- 6801		
PERF	6807- 6809	6818- 6820	6825- 6830			
ACID	6506- 6830	12000GALS				
20% NEFE HCL						
SFFR	6506- 6830	100000GALS	174000LBS	SAND		
MINI-MAX III		20/40				
42800 GALS CO2						
COMMINGLED						

PTP	37BOPD	104	MCFD	156BW	6506- 6718 GROSS	24HRS
TUBB	PERF				6730- 6830 GROSS	
DRINKARD	PERF					
COMMINGLED						

PTP	36BOPD	104	MCFD	161BW	6506- 6718 GROSS	24HRS
TUBB	PERF				6730- 6830 GROSS	
DRINKARD	PERF					
COMMINGLED						

LOGS AND SURVEYS /INTERVAL,TYPE/

LOGS	5000- 6994 DI	5000- 6994 GR	5000- 6994 CALP
LOGS	3996- 6994 CZDN	3996- 6994 GR	3996- 6994 CALP
LOGS	4945- 6945 GR	4945- 6945 CCL	

DRILLING PROGRESS DETAILS

ORYX ENERGY
 BOX 1861
 MIDLAND, TX 79702

CONTINUED

COMPLETIONS
PI# 30-T-0023 04/27/90 SEC 3 TWP 21S RGE 36E
30-025-30651-0000 PAGE 3

ORYX ENERGY
18

AKENS J A

D DO

DRILLING PROGRESS DETAILS

915-688-0300
08/04 LOC/1989/
01/23 DRLG 2350
01/30 DRLG 5930
02/07 7000 TD, WOCT
02/07 DEVIATION SURVEYS @ 415 (1/2 DEG), 907 (1/2
DEG), 1415 (3/4 DEG), 1904 (3/4 DEG), 2403 (1
1/2 DEG), 2501 (1 1/2 DEG), 2677 (1 1/2 DJEG),
3176 (1 1/2 DEG), 3632 (1 3/4 DEG), 4003 (1
DEG), 4495 (1 1/2 DEG), 4993 (1 3/4 DEG), 5439
(2 DEG), 5927 (2 DEG), 6036 (1 1/2 DEG), 6520
(3/4 DEG), 7000 (1 1/2 DEG)
02/12 7000 TD, PB 6956, PREP PERF
02/21 7000 TD, PB 6956, SWBG
03/05 7000 TD, PB 6956, TOP
03/20 7000 TD, PB 6956, TOP
04/03 7000 TD, PB 6956, WOPT
04/25 TD REACHED 02/02/90 RIG REL 02/03/90
7000 TD, PB 6956
COMP 2/3/90, IPP 36 BO, 104 MCFG, 161
BWP, GOR 2889, GTY 42
PROD ZONE - DRINKARD 6506-6830
(COMMINGLED)
NO CORES OR DSTS RPTD

