Form 3160-3 (November 1983) (formerly 9-331C)	DEPARIME	ITED STATES NT OF THE I OF LAND MANA	NTERIOR	(Other ' ' re'	TRIPLICATI etions on .de)	Budget Bures Expires Augu	ON AND SERIAL NO.	
	ON FOR PERMIT					NM-6301		
In. TIPE OF WORK	IN FOR PERMIT	TO DRILL, I	JEEPEN,	OK PLUC	BACK	. Is molan, albor	ILE OF TRIES NAME	
	DRILL X DEEP		N 🗌 🛛 PLUG BA			7. UNIT AGREEMENT	7. UNIT AGREEMENT NAME	
OFL	WELL X OTHER		SINGLE Zone			8. FARM OR LEASE !		
2. NAME OF OPERATOR					• •	Bilbrev 22	A Federal	
Santa Fe Ene	ergy Operating H	Partners, L.H	.			9. WELL NO.		
3. ADDRESS OF OPERATO	- 1							
500 W. Illin	500 W. Illinois, Suite 500, Midland, TX 79701							
4. LOCATION OF WELL (At surface	Beport location clearly an	id in accordance with	h any State rec	uirements.*)		Und. Bilbı	ev Morrow	
1980' FEL,	11. SEC., T., B., M., OB BLK. AND SURVEY OR AREA							
At proposed prod. so			o, k 522					
						=	-21S, R-32E	
	AND DIRECTION FROM NE	AREST TOWN OR POST	OFFICE*			12. COUNTY OR PARIS	H 13. STATE	
	/ of Jal, NM					Lea	NM	
LUCATION TO NEAREST			16. NO. OF AC	RES IN LEASE		OF ACRES ASSIGNED		
PROPERTY OR LEASE (Also to Dearest dr	ig. unit line, if any)	1980'	320			320		
1º DISTANCE FROM PRO TO NEAREST WELL.	FOSED LOCATION* Drilling, completed,		19. PROPOSED	DEPTH	20. ROTAR	T OR CABLE TOOLS		
OR APPLIED FOR, ON THIS LEASE, FT. N/A			15,000'			Rotary		
21. EIEVATIONS (Show wh	ether DF, RT, GR, etc.)					22. APPROX. DATE W	ORK WILL START*	
3759.2' GR						09-01-90		
23.		PROPOSED CASIN	G AND CEMEN	TING PROGR	AM Secr	etary's Potast	1	
SIZE OF HOLE	SIZE OF CASING			QUANTITY OF CEME	· · · · · · · · · · · · · · · · · · ·			
<u> 17 1/2'' </u>	13 3/8"	48.	0	650	1175	1175 cu.ft. circulated		
12 1/4"	9 5/8"	40.	0	4,600		cu.ft. circul		
8 1/2"	7"	26.0 & 29.	0	12,000		u.ft. circul		
6"	4 1/2"	13.	5 '11,50	0-15,000				

13 3/8" casing will be cemented with sufficient Class "C" cement containing 4% gel, 1/4#/sk cellofane flakes to circulate to surface when followed by 330 cu.ft. of Class "C" with 2% Calcium Chloride.

9 5/8" casing to be cemented with sufficient lite cement to circulate to surface when followed by 262 cu.ft. Class "C" containing 2% Calcium Chloride.

7" casing to be cemented with 50/50 Class "H" Poz containing 6# salt per sack and 0.6% fluid loss reducer to bring cement to 8000'.

4 1/2" casing to be cemented with sufficient Class "H" cement containing 0.6% fluid loss reducer, 0.4% friction reducer, 0.6% gas block agent and 5#/sk KCl to fill to 300' above liner top. All cement to weigh at least 1 ppg more than mud weight used to drill the interval.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive sone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any. 24.

BIGNED Danel Roberts		Senior Drilling Engineer	DATE 7-12-90		
(This space for Federal or State office use)		ر بر المعروب من الله المراجع المحكمة المعروب المعالم المعالم المعالم المعالم المعالم المعالم المعالم المعالم ا			
PERMIT NO		APPROVAL DATE			
Orig. Signed by Richard L. Manus	_ TITLE	AREA MANAGEN Carlshad Resource Pro-	DATE 8-15-40		
CONDITIONS OF APPROVAL, IF ANY : APPROVAL SUBJECT TO	_ 11128				
GENERAL REQUIREMENTS AND					
SPECIAL OTIDULATIONS	e Instruction	s On Reverse Side			

Title 18 UAUESection 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

RECEIVED

JUL 18 11 12 AM '90 CARE ALL AREA LINE AREA

ł

ACC 100A

Submit to Appropriate District Office State Lease - 4 copies Fee Lease - 3 copies

125630

DISTRICT | P.O. Box 1980, Habbs, NM \$8240

DISTRICT II P.O. Drawer DD, Artesia, NM \$8210

DISTRICT III 1000 Rio Brazos Rd., Aztec, NM 87410

State of New Mexico

Ť

OIL CONSERVATION DIVISION

P.O. Box 2088

Santa Fe, New Mexico 87504-2088

WELL LOCATION AND ACREAGE DEDICATION PLAT

All Distances must be from the outer boundaries of the section

Operator				Lease		· · · · · · · · · · · · · · · · · · ·		Well No.	· · · · ·
SANTA FE ENERGY OPERATING PARTNERS LP				Bilbrey 22A Federal					1
Unit Letter G	Section 22	Towaship 21	South	Range 32	East	NMPM	County]	Lea	
Actual Footage Local	tion of Well:	1	<u> </u>	<u> </u>			·		······
1980	feet from the	<u>North</u>	line and		980	feet from	be East	line	
Ground level Elev.		ucing Formation		Pool				Dedicated Acre	age:
3759.2		rrow			Bilbrey			320	Acres
I. Oithne	the acreage deduc	ated to the subject we	a by colored per	ICUI OF BACHURE III	ants on the pu	i delow.			
3. If more unitizati	than one lease of ion, force-pooling Yes	X No If an	s dedicated to the saver is "yes" typ	well, have the is	nterest of all on m <u>See</u>	where been connot below	-	• •	
		mers and tract descript	ions which have	actually been co	asolidated. (U	as reverse side of			
	f neccessary	ed to the well until all	interests have be	es consolidated	(by communiti	zation, unitization	forced-poolin	g, or otherwise)	
	-	eliminating such inter					•		
	<u>ingi</u>	<u></u>	T T			1	OPERAT	OR CERTIFI	CATION
Federal Le	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2018	1	1			l hereby	certify that th	u information
WI Owners:	•	5010						n in true and c	omplete to th
		aratina]	ļ		~	st of my know	ledge and belief.	
Santa Fe	Energy Op	.al 100%		ļ			Balure		
		.al 100%	086	1				2 Roberts	
Royalty Ow			<u> </u>				Mariel Name	2 voous	
U.S.A	12.57*			1			arrell 1	Dobowto	
*Subject	to Federa	1 Sliding	† - -					RODELLS	
Scale Ro				Í				rilling F	ngingar
	1			İ				rilling En ta Fe Ene:	
	i		3763.0 ₀						
	i				-—1980'-			g Partners	5, Ц.Г.
			3752.9				uly 11,	1990	
	1			1					
							SURVEY	OR CERTIFI	CATION
	i			i				that the well i	
	1			1			•	s plotted from	
	1		1		>		•	made by me that the same	-
	İ			PROFESS	10 N			best of my k	
	i			OND ST			lief.		•
	i		2	PROFESS	ENGINEE	σ	nte Surveyed	T. 1. 2 14	
						——— <u> </u>		July 2, 19	970
	1		REG	674 1	S. S.		gnature & Sea ofessional Sur		·········
				JOHN WI	NES		Las trificate No.		12 676
	<u>I</u>						RC	NALD L EIDSO	N, 3239
	F	P	F					· · · · · · · · · · · · · · · · · · ·	
330 660 95	90 1328 165	9 1988 2310 26	19 2000	1.500	1000 5	00 0			



.