

Submit 3 Copies
to Appropriate
District Office

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-103
Revised 1-1-89

DISTRICT I
P.O. Box 1980, Hobbs NM 88241-1980

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION

P.O. Box 2088
Santa Fe, New Mexico 87504-2088

| | |
|--|--|
| WELL API NO. | 30-025-31426 |
| 5. Indicate Type of Lease | STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/> |
| 6. State Oil & Gas Lease No. | |
| 7. Lease Name or Unit Agreement Name | EUNICE MONUMENT SOUTH UNIT |
| 8. Well No. | 638 |
| 9. Pool name or Wildcat | EUNICE MONUMENT; GRAYBURG-SAN ANDRES |
| 10. Elevation (Show whether DF, RKB, RT, GR, etc.) | 3581' |

| | |
|--|--|
| SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) | |
| 1. Type of Well: OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER | |
| 2. Name of Operator Chevron U.S.A. Inc. | |
| 3. Address of Operator P.O. Box 1150, Midland, TX 79702 | |
| 4. Well Location Unit Letter <u>X</u> : <u>1310</u> Feet From The <u>SOUTH</u> Line and <u>10</u> Feet From The <u>EAST</u> Line Section <u>5</u> Township <u>21S</u> Range <u>36E</u> NMPM LEA County | |
| 10. Elevation (Show whether DF, RKB, RT, GR, etc.) 3581' | |

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐
OTHER: ACZ, SQZ ☒

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐
CASING TEST AND CEMENT JOB ☐
OTHER: ☐

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

CHEVRON PROPOSES TO:
POH W/PROD EQPT. PERF 3820'-3866' W/3 JHPF. PICKLE TBG @ 3770' W/500 GALS 15% NEHCL. ACZ W/3000 GALS 15% RESISOL II. ESTAB CIRC. SPOT 500 GALS 15% NEHCL ACROSS PERFS TO BE SQZD. PLUG BACK W/SAND TO 3774'. SET CIBP @ 3770'. DUMP 1/2 SACK SAND ON CIBP. SET CIRC @ 3600'. ESTAB INJ RATE. CMT SQZ W/150 SX N2. WOC. DRILL CIRC & CMT TO 3764'. PRESS TST SQZ 500 PSI. DRILL CIBP & CLEAN OUT TO 3870'. RIH W/PROD EQPT & TBG. RETURN WELL TO PRODUCTION.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE J. K. Ripley TITLE TECHNICAL ASSISTANT DATE 9/9/97
TYPE OR PRINT NAME J. K. RIPLEY TELEPHONE NO. (915)687-7148

(This space for State Use)

APPROVED BY ORIGINAL SIGNED BY CHRIS WILLIAMS
DISTRICT I SUPERVISOR
CONDITIONS OF APPROVAL, IF ANY:

TITLE _____ DATE 9/9/97