

COMPANY	DISCNO	LOC.	LEASE	MEYER	SECTION	LINE	WELL NO.	TYPE	PC =	PC2 =	PC2 *	
UNIT					5020	5020	5020	5020	238.2	238.2	56.7 *	
					6002	6002	6002	6002	64.4	64.4	11.7 *	
					0.47	0.47	0.47	0.47	52.1	52.1	10.3 *	
					0.005	0.005	0.005	0.005	45.5	45.5	8.7 *	
					Fr	Fr	Fr	Fr	37.7	37.7	7.1 *	
					0.017994	0.017994	0.017994	0.017994				
Vol. 1 :	108	PSIA 1 :	233.2				RESV. TEMP	88.0	PC2-PW2:	2.1	PC2 :	54.5 *
Vol. 2 :	251	PSIA 2 :	223.2				SURFACE DEP.	138.1	PW2 :	0.9	PW2 :	51.3 *
Vol. 3 :	384	PSIA 3 :	115.2							9.6	47.2 *	
Vol. 4 :	517	PSIA 4 :	194.2							15.9	40.3 *	
		PCP :	664						R :	0.699		
		TIR :	373									
									PC2/ PC2-PW2 :	26.360		
										14.448		
LINEx	RATE 1	RATE 2	RATE 3	RATE 4						5.929		
	'1ST	'2ND	'1ST	'2ND	'1ST	'2ND	'1ST	'2ND		3.567		
1 QM	0.138	0.138	0.252	0.252	0.384	0.384	0.517	0.517				
2 TW	534	534	534	534	534	534	534	534	[PC2/PC2-PW2]n =	9.897		
3 Ts	548.0	548.0	548.0	548.0	548.0	548.0	548.0	548.0		6.466		
4 T	541.0	541.0	541.0	541.0	541.0	541.0	541.0	541.0		4.31		
5 P2 (est.)	0.35	0.34	0.32	0.32	0.29	0.29				2.433		
6 I (est)	0.937	0.936	0.938	0.937	0.941	0.939	0.944	0.942				
7 GH/TZ	4.004	4.011	4.001	4.008	3.990	3.998	3.977	3.985	AOF= Q	1.366		
8 eS	1.162	1.162	1.162	1.162	1.161	1.162	1.161	1.161		1.630		
9 i-e-S	0.139	0.140	0.139	0.140	0.139	0.139	0.139	0.139		1.058		
10 Pt	233.2	233.2	228.2	228.2	213.2	213.2	194.2	194.2				
11 Pt2 /1000	54.4	54.4	52.1	52.1	45.5	45.5	37.7	37.7				
12 Fr	0.017994	0.017994	0.017994	0.017994	0.017994	0.017994	0.017994	0.017994				
13 Fc=FtTZ	9.126	9.111	9.134	9.119	9.158	9.141	9.188	9.169				
14 FcQT	1.26	1.26	2.30	2.30	3.52	3.51	4.75	4.74				
15 L/H(FcQm)	1.6	1.6	5.3	5.3	12.4	12.3	22.5	22.5				
16 Fw	0.221150	0.220764	0.738135	0.736792	1.718740	1.715405	3.126518	3.1196982				
17 Pw2	54.6	54.6	52.8	52.8	47.2	47.2	40.8	40.8				
18 Ps2	63.5	63.5	61.4	61.4	54.8	54.8	47.4	47.4				
19 Ps	251.9	251.9	247.7	247.7	234.1	234.1	217.7	217.8				
20 P	242.5	242.6	238.0	238.0	225.6	225.6	206.0	206.0				
21 Pr	0.37	0.37	0.36	0.36	0.34	0.34	0.31	0.31				
22 Tr	1.45	1.45	1.45	1.45	1.45	1.45	1.45	1.45				
23 I	0.936	0.936	0.937	0.937	0.939	0.939	0.942	0.942				