

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

WELL API NO. 30-025-32997
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No. D - 1115
7. Lease Name or Unit Agreement Name STATE D COM (003103)
8. Well No. 19
9. Pool name or Wildcat EUMONT YATES 7 RVRS QN (76480)

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: OIL WELL ☐ GAS WELL ☒ OTHER ☐	
2. Name of Operator CONOCO INC. <005073>	
3. Address of Operator 10 Desta Drive Ste 100 W. Midland, TX 79705	
4. Well Location Unit Letter M : 990 Feet From The SOUTH Line and 760 Feet From The WEST Line Section 11 Township 21 S Range 36 E NMPM LEA County	
10. Elevation (Show whether DF, RKB, RT, GR, etc.) GL 3588	

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data	
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK ☐	REMEDIAL WORK ☐
TEMPORARILY ABANDON ☐	ALTERING CASING ☐
PULL OR ALTER CASING ☐	COMMENCE DRILLING OPNS. ☐
OTHER: ☐	PLUG AND ABANDONMENT ☐
	CASING TEST AND CEMENT JOB ☐
	OTHER: SET PROD. CSG ☒

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

7-13-95 DRILL 7 7/8" HOLE TO TD OF 3685'. GIH W/ 90 JTS 4 1/2" 11.6# K-55 LT&C CSG
SET @ 3685'. SHOE SET @ 3685'. COLLAR SET @ 3643'. LEAD SLURRY 675 SX CLASS 'C' LITE +
5 pps SALT + 0.2% SMS. TAIL SLURRY 410 SX CLASS 'C' + 1.1% FLO-BLOC + 0.2% SMS.
DISPLACED W/ 58 bbl 2% KCL & ACID. CEMENT RETURNS 73 SX.
BUMPED PLUG @ 3 am ON 7-13-95 W/ 1100 PSI. NOTIFIED NMOCD @ 9:08 pm
ON 7-12-95.
RELEASED RIG @ 6 am OF 7-13-95.
WAITING ON COMPLETION RIG.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Bill R. Keathly TITLE SR. REGULATORY SPEC. DATE 7-21-95
TYPE OR PRINT NAME BILL R. KEATHLY TELEPHONE NO. 915-686-5424

(This space for State Use)

ORIGINAL SIGNATURE Bill R. Keathly TITLE SR. REGULATORY SPEC. DATE JUL 25 1995
APPROVED BY Bill R. Keathly TITLE SR. REGULATORY SPEC. DATE JUL 25 1995
CONDITIONS OF APPROVAL, IF ANY:

RECEIVED

JUL 24

**OOD HOBBS
OFFICE**

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

WELL API NO. 30-025-32997
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No. D - 1115
7. Lease Name or Unit Agreement Name STATE D COM (003103)
8. Well No. 19
9. Pool name or Wildcat EUMONT YATES 7 RVRS QN (76480)

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: OIL WELL ☐ GAS WELL ☒ OTHER ☐
2. Name of Operator CONOCO INC. <005073>
3. Address of Operator 10 Desta Drive Ste 100 W. Midland, TX 79705
4. Well Location Unit Letter <u>M</u> : <u>990</u> Feet From The <u>SOUTH</u> Line and <u>760</u> Feet From The <u>WEST</u> Line Section <u>11</u> Township <u>21 S</u> Range <u>36 E</u> NMPM LEA County 10. Elevation (Show whether DF, RKB, RT, GR, etc.) GL 3588

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data	
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK ☐	REMEDIAL WORK ☐
TEMPORARILY ABANDON ☐	ALTERING CASING ☐
PULL OR ALTER CASING ☐	COMMENCE DRILLING OPNS. ☐
OTHER: ☐	PLUG AND ABANDONMENT ☐
	CASING TEST AND CEMENT JOB ☐
	OTHER: SPUD, SET SURFACE CSG ☒

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

7-5-95 SPUD 12 1/4" HOLE, DRILL TO A DEPTH OF 442', GIH W/ 11 JTS 8 5/8" 24# K-55 ST&C CSG SET @ 442'. SHOE SET @ 442', COLLAR SET @ 399'. LEAD SLURRY 225 SX CLASS 'C' + 4% GLE + 2% A-7P. TAIL SLURRY 100 SX CLASS 'C' + 2% A-7P. DISPLACED W/ 26 bbl WATER. CEMENT RETURNS 10 SX. BUMPED PLUG @ 6:10 pm ON 7-6-95 W/ 1500 PSI. NOTIFIED NMOCD @ 11:20 am ON 7-6-95. 7-7-95 CONTINUE DRILLING 7 7/8" HOLE.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE <u>Bill R. Keathly</u>	TITLE <u>SR. REGULATORY SPEC.</u>	DATE <u>7-10-95</u>
TYPE OR PRINT NAME <u>BILL R. KEATHLY</u>		TELEPHONE NO. <u>915-686-5424</u>

(This space for State Use)

ORIGINAL SIGNED BY JERRY SEXTON
DISTRICT I SUPERVISOR

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:

JUL 12 1995