

## INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

### INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

#### Southeastern New Mexico

T. Anhy 1240'  
T. Salt 1360'  
B. Salt 2614'  
T. Yates 2764'  
T. 7 Rivers 3020'  
T. Queen 3450'  
T. Grayburg NR  
T. San Andres  
T. Glorieta  
T. Paddock  
T. Blinberry  
T. Abo  
T. Wolfcamp  
T. Penn  
T. Cisco (Bough C)

T. Canyon  
T. Strawn  
T. Atoka  
T. Miss  
T. Devonian  
T. Silurian  
T. Montoya  
T. Simpson  
T. McKee  
T. Ellenburger  
T. Gr. Wash  
T. Delaware Sand  
T. Bone Springs  
T.  
T.  
T.  
T.

#### Northwestern New Mexico

T. Ojo Alamo  
T. Kirland-Fruitland  
T. Pictured Cliffs  
T. Cliff House  
T. Menefee  
T. Point Lookout  
T. Mancos  
T. Gallup  
Base Greenhorn  
T. Dakota  
T. Morrison  
T. Todilto  
T. Entrada  
T. Wingate  
T. Chinle  
T. Permian  
T. Penn "A"  
T. Penn "B"  
T. Penn "C"  
T. Penn "D"  
T. Leadville  
T. Madison  
T. Elbert  
T. McCracken  
T. Ignacio Otzie  
T. Granite  
T.  
T.  
T.  
T.  
T.  
T.  
T.  
T.

### OIL OR GAS SANDS OR ZONES

No. 1, from 2819 to 3160  
No. 2, from 3450 to 3624  
No. 3, from to  
No. 4, from to

### IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to feet  
No. 2, from to feet  
No. 3, from to feet

### LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness in Feet	Lithology	From	To	Thickness in Feet	Lithology
2764	3020	256	Anhydrite, dolomite, sand				
3020	3450	430	Anhydrite, dolomite, sand				
3450	3720	270	Sand, Dolomite				