

District I
PO Box 1988, Hobbs, NM 88241-1988
District II
811 S. 1st Street, Artesia, NM 88210-2834
District III
1000 Rio Bramos Rd., Aztec, NM 87410
District IV
PO Box 2088, Santa Fe, NM 87504-2088

State of New Mexico
Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, NM 87504-2088

Form C-101
Revised February 10, 1994
Instructions on back
Submit to Appropriate District Office
State Lease - 6 Copies
Fee Lease - 5 Copies

☐ AMENDED REPORT

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

¹ Operator name and Address Chevron U.S.A. Inc. P.O. Box 1150 Midland, TX 79702		² OGRID Number 4323
⁴ Property Code 23000 2616	⁵ Property Name EUNICE MONUMENT SOUTH UNIT	³ API Number 30-025-33189
		⁶ Well Number 641

Surface Location

UL or lot no.	Section	Township	Range	Lot. Idn	Feet from the	North/South Line	Feet from the	East/West line	County
7	5	21-S	36-E		1505	SOUTH	1155	WEST	LEA

Proposed Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot. Idn	Feet from the	North/South Line	Feet from the	East/West line	County
⁹ Proposed Pool 1 EUNICE MONUMENT					¹⁰ Proposed Pool 2				

¹¹ Work Type Code N	¹² Well Type Code O	¹³ Cable/Rotary ROTARY	¹⁴ Lease Type Code S	¹⁵ Ground Level Elevation 3579'
¹⁶ Multiple NO	¹⁷ Proposed Depth 4200	¹⁸ Formations GRAYBURG	¹⁹ Contractor UNKNOWN	²⁰ Spud Date 12-1-95

Proposed Casing and Cement Program

Hole Size	Casing Size	Casing weight/foot	Setting Depth	Sacks of Cement	Estimated TOC
12 1/4	8 5/8	24	1200	1200	SURFACE
7 7/8	5 1/2	15.5	4200	900	SURFACE

²² Describe the proposed program. If this application is to DEEPEN or PLUG BACK give the data on the present productive zone and proposed new productive zone. Describe the blowout prevention program, if any. Use additional sheets if necessary.



CHEVRON PROPOSES TO:
DRILL WITH 12 1/4" BIT TO 1200', RUN 8 5/8" CSG. CMT WITH CLASS "C" TO SURFACE.
NIPPLE UP BOPE & TEST. DRILL WITH 7 7/8" BIT TO 4200', RUN 5 1/2" CSG., CMT WITH CLASS "C".

MUD PROGRAM: SURFACE HOLE: 0' - 1200', FRESH WATER 8.4-9.2 PPG.
PRODUCTION HOLE: 1200' - 4200', BRINE WATER 10.0 PPG.
BOPE: SEE ATTACHED CHEVRON CLASS II BOPE.

*****PLEASE EXPEDITE*****

NSL-3579

²³ I hereby certify that the information given above is true and complete to the best of my knowledge and belief.

Signature: 	OIL CONSERVATION DIVISION	
Printed name: WENDI KINGSTON	Approved by: 	
Title: DRILLING TECH.	Title:	
Date: 11/16/95	Approval Date: NOV 27 1995	Expiration Date:
Phone: (915) 687-7826	Conditions of Approval:	Attached <input type="checkbox"/>