## OIL CONSERVATION DIVIS IN

Hobbs P.O. Box 1980 Hobbs, NM 88240	<b>Artesia</b> P.O. Drawer DD Artesia, NM 88210	<b>Aztec</b> 1000 Rio Brazos Aztec, NM 87410
··	L - CONNECTION / RECONNECT	
Connection	e Oil Conservation Division First Delivery <u>4/23/96</u> Date	of the following: 
<b>Disconnection</b>	First Delivery Date	Initial Potential
for delivery of gas f	from the <u>Conoco Inc.</u> Operato	or
_ 161_000769	Lockhart "B" Lease	
Meter Code Site Cod	e Well No. Unit Lette	
was made on <u>4/23/96</u> date		
AOF	Warren Petroleum Co <b>Transpo</b>	
OCD use only County <u>Leq</u> Land Type <u>Fodor</u> Liq. Transporter <u>Ma</u>	J. M. Collis Field Supervisor Representative (Please type	Name/Title or print)

Submit in duplicate to the appropriate district office.

~,

.

•

Conoco, In 10 Desta D Midland, T.	rive West				<b>A</b> .	Q1. 1/1) 0 660/11)
Lockhart B- Lea Co.	-12	Unit 1		14-21-	36 30	860/N 4 660/W 025-33210
435 948 1441 1940 2189 2434 2680 2900	4.35 5.13 4.93 4.99 2.49 2.49 2.45 2.46 2.20	3/4 1/2 3/4 1/2 2 1/4 2 1/2 2 1/2 2 1/2	1.31 0.88 1.31 0.88 3.94 4.38 4.38	5.71 4.49 6.47 4.37 9.80 10.72 10.76	5.71 10.20 16.67 21.04 30.84 41.56 52.32	
2500 3149	2.20 2.49	1 1/4 1 1/4	2.19 2.19	4.81 5.45	57.13 62.58	

James L. Brazeal - President

The attached instrument was acknowledged before me on the  $30^{-1}$  day of  $10^{-1}$ , 1996 by James L. Brazeal - President, Brazeal, Inc. d/h/a CapStar Drilling.

PAULA CARLISLE MY COMMISSION EXPIRES January 11, 1997

M

Notary Public

			V M. OIL	CONS. COMMI 1980 NEW MEXICO Budget Bureau No. 1004	88240
Form 3160-5	UNITED S	TATES	on 81.	NE MEXICO	D D
(June 1990)	DEPARTMENT OF T		ADDA	Budget Bureau No. 1004	L0135
	BUREAU OF LAND			Expires: March 31, 1	863
				5. Lease Designation and 5	
1	SUNDRY NOTICES AND R	EPORTS ON WELLS		LC 03209 6. If Indian, Allottee or Tribe	
Do not use this form for proposal					
	FOR PERMIT - " for such pro	-			
	SUBMIT IN TRIPL	ICATE		7. If Unit of CA, Agreement	Designation
Type of Well Oil X Gas					
Well Well Other 2. Name of Operator	- · · · · · · · · · · · · · · · · · · ·			8. Well Name and No. Lockhart I	В
			1	Well # 12 9. API Well No.	
Address and Telephone No.	· · · · · · · · · · · · · · · · · · ·		i		
10 DESTA DR. STE 100W, MI	684-638 IDLAND, TX. 79705 (915) 68			30-025-33 10. Field and Pool, or Expl	
Location of Well (Footage, Sec., T., R., N	A., or Survey Description)			Eumont Yates 7 Rv	•
SURFACE: 860 FNL & 660 FW TD: Same	/L,Sec 14, T21S,R36E			11. County or Parish, State	
i D. Saine			i	LEA, NM	
CHECK APPROPRIATE	E BOX(s) TO INDICATE	NATURE OF NOTICE, R	EPORT, OR C	THER DATA	
TYPE OF SUBMISSIO	N	TYPE	OF ACTION		
Notice of Intent		Abandonment	[	Change of Plans	
		Recompletion	[		
X Subsequent Report		Plugging Back	[	Non-Routine Fracturing	ł
<u> </u>		Casing Repair	[	Water Shut-Off	
Final Abandonment No	tice	Altering Casing	[	Conversion to Injection	
		X Other spud & set cas	t	Dispose Water Note: Report results of multiple completion on Well	
Describe Proposed or Completed Opera directionally drilled, give subsurface	itions (Clearly state all pertinent detail locations and measured and true ver	s, and give pertinent dates, including ical depths for all markers and zones	stimated date of sta	Completion or Recompletion Report a Ting any proposed work. If w	nd Log form.)
directionally drilled, give subsurface 4-4-96: Well spudded. 4-4-96: Ran 437', 8 5/8", 24#,	locations and measured and true ver	ical depths for all markers and zones ead 250 sx, Ci C + 4% gel + 29	stimated date of sta pertinent to this work	Completion or Recompletion Report e ting any proposed work. If w .)*	nd Log form.)
directionally drilled, give subsurface 4-4-96: Well spudded. 4-4-96: Ran 437', 8 5/8", 24#,	locations and measured and true ver K-55 casing. Cemented with I	ical depths for all markers and zones ead 250 sx, Ci C + 4% gel + 29	stimated date of sta pertinent to this work	Completion or Recompletion Report e ting any proposed work. If w .)*	nd Log form.) refl is
directionally drilled, give subsurface 4-4-96: Well spudded, 4-4-96: Ran 437', 8 5/8", 24#,	locations and measured and true ver K-55 casing. Cemented with I	ical depths for all markers and zones ead 250 sx, Ci C + 4% gel + 29	stimated date of sta pertinent to this work	Completion or Recompletion Report e ting any proposed work. If w .)*	nd Log form.)
directionally drilled, give subsurface 4-4-96: Well spudded, 4-4-96: Ran 437', 8 5/8", 24#,	locations and measured and true ver K-55 casing. Cemented with I	ical depths for all markers and zones ead 250 sx, Ci C + 4% gel + 29	stimated date of sta pertinent to this work	Completion or Recompletion Report e ting any proposed work. If w .)*	nd Log form.) refl is
directionally drilled, give subsurface 4-4-96: Well spudded. 4-4-96: Ran 437', 8 5/8", 24#,	locations and measured and true ver K-55 casing. Cemented with I	ical depths for all markers and zones ead 250 sx, Ci C + 4% gel + 29	stimated date of sta pertinent to this work	Completion or Recompletion Report e ting any proposed work. If w .)*	nd Log form.) refl is
directionally drilled, give subsurface 4-4-96: Well spudded, 4-4-96: Ran 437', 8 5/8", 24#,	locations and measured and true ver K-55 casing. Cemented with I	ical depths for all markers and zones ead 250 sx, Ci C + 4% gel + 29	stimated date of sta pertinent to this work	Completion or Recompletion Report e ting any proposed work. If w .)*	nd Log form.) refl is
directionally drilled, give subsurface 4-4-96: Well spudded, 4-4-96: Ran 437', 8 5/8", 24#,	locations and measured and true ver K-55 casing. Cemented with I	ical depths for all markers and zones ead 250 sx, Ci C + 4% gel + 29	stimated date of sta pertinent to this work	Completion or Recompletion Report e ting any proposed work. If w .)*	nd Log form.) refl is
directionally drilled, give subsurface 4-4-96: Well spudded. 4-4-96: Ran 437', 8 5/8", 24#,	locations and measured and true ver K-55 casing. Cemented with I	ical depths for all markers and zones ead 250 sx, Ci C + 4% gel + 29	stimated date of sta pertinent to this work	Completion or Recompletion Report e ting any proposed work. If w .)*	nd Log form.) refl is
directionally drilled, give subsurface 4-4-96: Well spudded. 4-4-96: Ran 437, 8 5/8*, 24#, + 2% CaCl. Circulated 2	locations and measured and true ver K-55 casing. Cemented with I	ical depths for all markers and zones ead 250 sx, Ci C + 4% gel + 29	stimated date of sta pertinent to this work	Completion or Recompletion Report e ting any proposed work. If w .)*	nd Log form.) refl is
directionally drilled, give subsurface 4-4-96: Well spudded. 4-4-96: Ran 437, 8 5/8*, 24#, + 2% CaCl. Circulated 2	kcations and measured and true ver K-55 casing. Cemented with i 25 sx to pit. Pressured to i500#	ical depths for all markers and zones ead 250 sx, Cl C + 4% gel + 29 , held okay.	stimated date of sta pertinent to this work	Completion or Recompletion Report e ting any proposed work. If w .)*	nd Log form.) refl is
directionally dniled, give subsurface 4-4-96: Well spudded. 4-4-96: Ran 437', 8 5/8", 24#, + 2% CaCl. Circulated 2 4. The ./	K-55 casing. Cemented with 1 25 sx to pit. Pressured to 1500ff	ical depths for all markers and zones ead 250 sx, CI C + 4% gel + 29 , held okay.	stimated date of sta pertinent to this work	Completion or Recompletion Report e ting any proposed work. If w .)*	nd Log form.) refl is
directionally drilled, give subsurface 4-4-96: Well spudded. 4-4-96: Ran 437, 8 5/8*, 24#, + 2% CaCl. Circulated 2 2 Signed (This space for Federal or State office use	K-55 casing. Cemented with 1 25 sx to pit. Pressured to 1500ff	ical depths for all markers and zones ead 250 sx, Cl C + 4% gel + 29 , held okay.	stimated date of sta pertinent to this work	Completion or Recompletion Report e ting any proposed work. If w )*	nd Log form.) refl is
4-4-96: Well spudded. 4-4-96: Ran 437, 8 5/8*, 24#, + 2% CaCl. Circulated 2	K-55 casing. Cemented with 1 25 sx to pit. Pressured to 1500ff	ical depths for all markers and zones ead 250 sx, Cl C + 4% gel + 29 , held okay.	stimated date of sta pertinent to this work	Completion or Recompletion Report e ting any proposed work. If w )*	nd Log form.) refl is