DISTRICT I

P.O. Box 1980, Hobbs, NM 88241-1980

DISTRICT II

P.O. Box Drawer DD, Artesia, NM 88211-0719

State of New Mexico Energy, Minerals and Natural Resources Department

Form C-101 Revised February 10,1994

Instructions on back

OIL CONSERVATION DIVISION

P.O. Box 2088

Santa Fe. New Mexico 87504-2088

State Lease - 6 Copies Fee Lease - 5 Copies

Submit to Appropriate District Office

DISTRICT IV

DISTRICT III

1000 Rio Brazos Rd., Aztec, NM 87410

MENDED PEDODT

1.0. 000	APPL	ICATION F	OR PER	MIT TO D	RILL, RE-ENT	ER, DEEPEN, P	LUGBACK, OF	R ADD A Z	ONE		
TEXACO EX	(PLORATIC	¹ Op ON & PRODU	erator Name CTION INC.	and Address)				OGRII	D Number 351	
P.O. Box 31	09, Midland	d Texas 79702						3 31 2	API Nu スち・	mber 333 . [
Property Code 11083			⁵ Property Name SKELLY 'B' STATE COM						⁸ Well No. 5		
					⁷ Surface Lo	ocation					
UI or lot no. D	Section 16	Township 21-S	Range 36-E	Lot.idn	Feet From The 660	North/South Line NORTH	Feet From The 990	East/West		County LEA	
	<u> </u>		⁸ Propos	sed Bottor	n Hole Locatio	n If Different Fro	m Surface				
Ul or lot no.	Section	Township	Range	Lot.idn	Feet From The	North/South Line	Feet From The	East/Wes	t Line	County	
	EUMON	⁹ Propose IT YATES SEVI		RO GAS)			¹⁰ Proposed Po	ol 2	1		
¹¹ Work Type Code		,	12 WellType Code		Rotary or C.T	7. 14 Lea	14 Lease Type Code S		16 Ground Level Elevation 3599'		
¹⁸ Multiple		1	17 Proposed Depth		18 Formation	19 C	19 Contractor		²⁰ Spud Date		
No		3750'		PENROSE	N/	NABORS		4/15/96			
				²¹ Propos	ed Casing and	l Cement Progra	m				
SIZE OF HOLE		SIZE OF	OF CASING WEIGH		T PER FOOT	SETTING DEPTH	SACKS O	SACKS OF CEMENT		EST. TOP	

SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	SACKS OF CEMENT	ES1. 10P
8 5/8	24#	450'	200 SACKS	SURFACE
5 1/2	15.5#	3750'	1100 SACKS	SURFACE
	8 5/8	8 5/8 24#	8 5/8 24# 450'	8 5/8 24# 450' 200 SACKS

²² Describe the proposed program. If this application is to DEEPEN or PLUG BACK give the data on the present productive zoneand proposed new productive zone. Describe the blowout prevention program, if any. Use additional shaets if necessary.

CEMENTING PROGRAM:

SURFACE CASING - 200 SACKS CLASS C w/ 2% CACL2 (14.8, 1.34 CF/S, 6.3 GW/S).

PRODUCTION CASING - 800 SACKS 35/65 POZ CLASS H W/ 6% GEL, 5% SALT, 1/4# FLOCELE (12.8 PPG, 1.94 CF/S, 10.4 GW/S). F/B 300 SACKS 50/50 POZ CLASS H w/ 2% GEL, 5% SALT, 1/4# FLOCELE (14.2 PPG, 1.35 CF/S, 7.7 GW/S).

NON-STANDARD GAS PRORATION UNIT - ORDER NSP-1516

CHEVRON OPERATES A WELL IN THIS QUARTER QUARTER SECTION AND HAS BEEN FURNISHED WITH A COPY OF THIS APPLICATION.

Permit Expires 1 Year From Approval **Date Unless Drilling Underway**

23 I hereby certify that the rules and regulations of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.	OIL CONSERVATION DIVISION ORIGINAL SIGNAD BY JERRY SEXTON DISTRICT I SUPERVISOR Approved By:				
Signature C. Wade Haward					
Printed Name C. Wade Howard	Title:				
Title Eng. Assistant	Approval Date PR 1 1996 Expiration Date:				
Date 3/28/96 Telephone 688-4606	Conditions of Approval:				

