Conoco, Inc. Attn: Narvie P.O. Box 953

Midland, Texas 79702

Lockhart B #13 Lea County NM

455	4.55	3/4	1.31	5.97	5.97
950	4.95	1/2	0.88	4.33	10.30
1450	5.00	1/2	0.88	4.38	14.68
1700	2.50	1	1.75	4.38	19.05
2200	5.00	2	3.50	17.50	36.55
2450	2.50	2 1/2	4.38	10.94	47.49
2700	2.50	2	3.50	8.75	56.24
2950	2.50	1	1.75	4.38	60.62
3450	5.00	1 1/4	2.19	10.94	71.55
3800	3.50	1 1/4	2.19	7.66	79.21

Michael Roghair - Drilling Superintendent

The attached instrument was acknowledged before me on the 18th day of day of 1998 by Michael Roghair - Drilling Superintendent, CapStar Drilling

SHERRI BIESHEUVEL
NOTARY PUBLIC
State of Texas
Comm. Exp. 07-02-2000

Notary Public

Form 3160-5 (June 1990)

ED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

N.M. Oil Cons Division
P.O. Box 1980 FORM APPROVED
Budget Bureau No. 1004-0135
Hobbs, NM 8824 Expires: March 31, 1983
5 Lease Designation and Serial No.

		NM 90162
SUNDRY NOTICES AN	6. If Indian, Allottee or Tribe Name	
On not use this form for proposals to drill or to deepen of Use "APPLICATION FOR PERMIT for such	or reentry to a different reservoir.	
SUBMIT IN TR	If Unit or CA, Agreement Designation C.A. NM 90999	
Type of Well		
Oil X Gas INJECTION Well Other		
Name of Operator	Lockhart "B"	
CONOCO, INC. Address and Telephone No.	Well #13 9. /API#	
·		30 025 34351
10 Desta Dr., Suite 100W, Midland, Texas 79705-4500,915 6 Location of Well (Footage, Sec., T., R., M., or Survey Description)	5 86-5424 915 684-6381	10. Field and Pool, or Exploratory Area
Surface: 990' FNL & I650' FWL, Unit C	Eumont Yates/7 Rvrs/queen/Pro Ga	
TD: Sec 13, T2IS, R36E		11. County or Parish, State
		Lea, NM
CHECK APPROPRIATE BOX(s) TO INDICA	TE NATURE OF NOTICE, REPORT, C	OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTION	
Notice of Intent	Abandonment	Change of Plans
	Recompletion	New Construction
X Subsequent Report	Pługging Back	Non-Routine Fracturing
	Casing Repair	Water Shut-Off
i First Abras dans and Market	Aftering Casing	Conversion to Injection
Final Abandonment Notice		= ;
Describe Proposed or Completed Operations (Clearly state all pertinent of directionally drilled, give subsurface locations and measured and true	X TD, cernent prod csg, release rig details, and give pertinent dates, including estimated dates evertical depths for all markers and zones pertinent to this	: wark.)*
Describe Proposed or Completed Operations (Clearly state all pertinent of directionally drilled, give subsurface locations and measured and true 5-25-98: Ran 3800', 4 1/2", II.6#, K-55 casing, tailed w/358 sx CI C + 2/10% CD-32 +	X TD, cernent prod csg, release rig details, and give pertinent dates, including estimated dates evertical depths for all markers and zones pertinent to this	(Note: Report results of multiple completion on West Completion or Recompletion Report and Log form.) of starting any proposed work. If well is: "work.)"
Describe Proposed or Completed Operations (Clearly state all pertinent of directionally drilled, give subsurface locations and measured and true 5-25-98: Ran 3800', 4 1/2", II.6#, K-55 casing,	TD, cement prod csg, release rig details, and give pertinent dates, including estimated date e vertical depths for all markers and zones pertinent to this cemented with lead slurry - 657 sx of 3	(Note: Report results of multiple completion on West Completion or Recompletion Report and Log form.) of starting any proposed work. If well is work.)*
Describe Proposed or Completed Operations (Clearly state all pertinent of directionally drilled, give subsurface locations and measured and true 5-25-98: Ran 3800', 4 1/2", II.6#, K-55 casing, tailed w/358 sx CI C + 2/10% CD-32 +	TD, cement prod csg, release rig details, and give pertinent dates, including estimated date e vertical depths for all markers and zones pertinent to this cemented with lead slurry - 657 sx of 3	(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) of starting any proposed work. If well is a work.)* 15:65 + 2/10% SM + 5#/sx salt, et slips, cut off,
Describe Proposed or Completed Operations (Clearly state all pertinent of directionally drilled, give subsurface locations and measured and true 5-25-98: Ran 3800', 4 1/2", II.6#, K-55 casing, tailed w/358 sx CI C + 2/10% CD-32 +	details, and give pertinent dates, including estimated date evertical depths for all markers and zones pertinent to this cemented with lead slurry - 657 sx of 3 I I/I0% FL-62 + 2/I0% SM + 5% salt, se	(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) of starting any proposed work. If well is a worte? 15:65 + 2/10% SM + 5#/sx salt, set slips, cut off,
Describe Proposed or Completed Operations (Clearly state all pertinent of directionally drilled, give subsurface locations and measured and true 5-25-98: Ran 3800', 4 1/2", II.6#, K-55 casing, tailed w/358 sx CI C + 2/10% CD-32 +	details, and give pertinent dates, including estimated date evertical depths for all markers and zones pertinent to this cemented with lead slurry - 657 sx of 3 I I/I0% FL-62 + 2/I0% SM + 5% salt, se	(Note: Report results of multiple completion on Weat Completion or Recompletion Report and Log form.) of starting any proposed work. If well is a worth? 15:65 + 2/10% SM + 5#/sx salt, ext slips, cut off,
Describe Proposed or Completed Operations (Clearly state all pertinent of directionally drilled, give subsurface locations and measured and true 5-25-98: Ran 3800', 4 1/2", II.6#, K-55 casing, tailed w/358 sx Cl C + 2/10% CD-32 + rig released 5-25-98.	details, and give pertinent dates, including estimated date is vertical depths for all markers and zones pertinent to this cemented with lead slurry - 657 sx of 3 1 I/10% FL-62 + 2/10% SM + 5% salt, se	(Note: Report results of multiple completion on Weat Completion or Recompletion Report and Log form.) of starting any proposed work. If well is a worth? 15:65 + 2/10% SM + 5#/sx salt, ext slips, cut off,
Describe Proposed or Completed Operations (Clearly state all pertinent of directionally drilled, give subsurface locations and measured and true 5-25-98: Ran 3800', 4 1/2", II.6#, K-55 casing, tailed w/358 sx CI C + 2/10% CD-32 + rig released 5-25-98. Thereby certify that the foregoing of true and correct Arms Signed May 200 May 10 May 200	details, and give pertinent dates, including estimated date is vertical depths for all markers and zones pertinent to this cemented with lead slurry - 657 sx of 3 1 I/10% FL-62 + 2/10% SM + 5% salt, se	(Note: Report results of multiple completion on Weat Completion or Recompletion Report and Log form.) of starting any proposed work. If well is a worth? 15:65 + 2/10% SM + 5#/sx salt, ext slips, cut off,
Describe Proposed or Completed Operations (Clearly state all pertinent of directionally drilled, give subsurface locations and measured and true 5-25-98: Ran 3800', 4 1/2", II.6#, K-55 casing, tailed w/358 sx CI C + 2/10% CD-32 + rig released 5-25-98.	details, and give pertinent dates, including estimated date is vertical depths for all markers and zones pertinent to this cemented with lead slurry - 657 sx of 3 1 1/10% FL-62 + 2/10% SM + 5% salt, set JUL 0 1	(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) of starting any proposed work. If well is a work.)* 15:65 + 2/10% SM + 5#/sx salt, et slips, cut off,
Describe Proposed or Completed Operations (Clearly state all pertinent of directionally drilled, give subsurface locations and measured and true 5-25-98: Ran 3800', 4 1/2", II.6#, K-55 casing, tailed w/358 sx CI C + 2/10% CD-32 + rig released 5-25-98. Thereby certify that the foregoing of true and correct Arms Signed May 200 May 10 May 200	details, and give pertinent dates, including estimated date is vertical depths for all markers and zones pertinent to this cemented with lead slurry - 657 sx of 3 1 1/10% FL-62 + 2/10% SM + 5% salt, set JUL 0 1	(Note: Report results of multiple completion on Weat Completion or Recompletion Report and Log form.) of starting any proposed work. If well is a work.) 15:65 + 2/10% SM + 5#/sx salt, et slips, cut off,



FIGURINED SE 25