

DISTRICT I

1625 N. French Dr., Hobbs, NM 88240

DISTRICT II

P.O. Drawer DD, Artesia, NM 88210

DISTRICT III

1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION

P.O. Box 2088

Santa Fe, New Mexico 87504-2088

WELL API NO.

30-025-34597

5. Indicate Type of Lease

☒ STATE☐ FEE

6. State Oil & Gas Lease No.

22503

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well:

☒ OIL WELL☐ GAS WELL☐ DRY☐ OTHER

b. Type of Completion:

☒ New Well☐ Workover☐ Deepen☐ Plug Back☐ Diff. Resrvr.☐ Other

7. Lease Name or Unit Agreement Name

Northeast Drinkard Unit

2. Name of Operator

Apache Corporation

8. Well No.

825

3. Address of Operator

2000 Post Oak Blvd., Ste. 100, Houston, Texas 77056-4400

9. Pool name or Wildcat

Eunice N., Blinebry-Tubb-Drinkard

4. Well Location

Unit Letter A 1307 Feet From The North Line and 130 Feet From The East Line
 Section 22 Township 21S Range 37E NMPN Lea County

10. Date Spudded

6/6/99

11. Date T.D. Reached

6/19/99

12. Date Compl. (Ready to Prod.)

7/7/99

13. Elevations (DF& RKB, RT, GR, etc.)

3405'

14. Elev. Casinghead

GR

15. Total Depth

6770

16. Plug Back T.D.

6689

17. If Multiple Compl. How

Many Zones?

18. Intervals

Drilled By

Rotary Tools

X

Cable Tools

19. Producing Interval(s), of this completion - Top, Bottom, Name

Blinebry 5494 - 5772 Tubb 5930 - 6246 Drinkard 6402 - 6642

20. Was Directional Survey Made

NO

21. Type Electric and Other Logs Run

GR-CNL / CBL

22. Was Well Cored

NO

CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8-5/8	24#	1224	12-1/4	410 sx / Circulated 115 sx	
5-1/2	17#	6770	7-7/8	1325 sx / Circulated 55 sx	

24. LINER RECORD

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN

25. TUBING RECORD

SIZE	DEPTH SET	PACKER SET
2-7/8	6668	

26. Perforation record (interval, size, and number)

Blinebry 5494-5504, 22-28, 34-83, 86-5614, 20-24, 54-66, 74-92,
 5718-24, 30-54, 58-72 - 4" - 500 Holes

Tubb 5930-43, 50-54, 94-6000, 10-26, 34-56, 71-79, 6170-82,
 88-6202, 34-46 - 4" - 299 Holes

Drinkard 6402, 08, 13, 23, 27, 34, 39, 44, 6506-34, 38-42,
 52-60, 68-74, 82-6642 - 4" - 437 Holes

27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.

DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED
5494 - 5772	Acidize w / 7100 gals 15% HCL
	Frac w / 21125 gals gel & 121200# 16/30 sand
5930 - 6246	Acidize w / 5586 gals 15% HCL
	Frac w / 29148 gals gel & 81300# 16/30 sand
6402 - 6642	Acidize w / 5600 gals 15% HCL
	Frac w / 48342 gals gel & 80240# 16/30 sand

28. PRODUCTION

Date First Production 7/9/99		Production Method (Flowing, gas lift, pumping - Size and type pump) Pumping - 1.5" Rod Insert				Well Status (Prod. or Shut-in) Producing	
Date of Test 7/27/99	Hours Tested 24	Choke Size	Prod'n For Test Period	Oil - Bbl. 46	Gas - MCF 453	Water - Bbl. 86	Gas - Oil Ratio 9848
Flow Tubing Press.	Casing Pressure	Calculated 24- Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.) 37.2	

29. Disposition of Gas (Sold, used for fuel, vented, etc.)

Sold

Test Witnessed By

Apache Corporation

30. List Attachments

Log

31. I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief

Signature

Printed
Name

Debra J. Anderson

Title

Sr. Engr. Tech.

Date

8/3/99

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

Northwestern New Mexico

T. Anhy		T. Canyon		T. Ojo Alamo		T. Penn. "B"	
T. Salt		T. Strawn		T. Kirtland-Fruitland		T. Penn. "C"	
B. Salt		T. Atoka		T. Pictured Cliffs		T. Penn. "D"	
T. Yates	2530	T. Miss		T. Cliff House		T. Leadville	
T. 7 Rivers		T. Devonian		T. Menefee		T. Madison	
T. Queen		T. Silurian		T. Point Lookout		T. Elbert	
T. Grayburg		T. Montoya		T. Mancos		T. McCracken	
T. San Andres	3728	T. Simpson		T. Gallup		T. Ignacio Otzte	
T. Glorieta	5115	T. McKee		Base Greenhorn		T. Granite	
T. Paddock	5184	T. Ellenburger		T. Dakota		T.	
T. Blinebry	5536	T. Gr. Wash		T. Morrison		T.	
T. Tubb	6059	T. Delaware Sand		T. Todilto		T.	
T. Drinkard	6398	T. Bone Springs		T. Entrada		T.	
T. Abo	6659	T. Rustler	1236	T. Wingate		T.	
T. Wolfcamp		T.		T. Chinle		T.	
T. Penn		T.		T. Permian		T.	
T. Cisco (Bough C)		T.		T. Penn "A"		T.	

OIL OR GAS SANDS OR ZONES

No. 1, from _____ to _____ No. 3, from _____ to _____
No. 2, from _____ to _____ No. 4, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from _____ to _____ feet _____

No. 2, from _____ to _____ feet _____

No. 3, from _____ to _____ feet _____

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness in Feet	Lithology