

DISTRICT I

1625 N. French Dr., Hobbs, NM 88240

DISTRICT II

811 South First, Artesia, NM 88210

DISTRICT III

1000 Rio Arizos Rd., Aztec, NM 87410

DISTRICT IV

2040 South Pacheco, Santa Fe, NM 87505

OIL CONSERVATION DIVISION
2040 South Pacheco
Santa Fe, NM 87505

WELL API NO.

30-025-34799

5. Indicate Type of Lease

☐ STATE☒ FEE

6. State Oil & Gas Lease No.

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well:

☒ OIL WELL☐ GAS WELL☐ DRY☐ OTHER

b. Type of Completion:

☒ New Well☐ Workover☐ Deepen☐ Plug Back☐ Diff. Resrv.☐ Other

7. Lease Name or Unit Agreement Name

Northeast Drinkard Unit

2. Name of Operator

Apache Corporation

8. Well No.

523

3. Address of Operator

2000 Post Oak Blvd., Ste. 100, Houston, Texas 77056-4400

9. Pool name or Wildcat

Eunice N., Blinebry-Tubb-Drinkard

4. Well Location

Unit Letter L : 1420 Feet From The South Line and 1300 Feet From The West Line
Section 10 Township 21S Range 37E NMPM Lea County

10. Date Spudded

3/17/00

11. Date T.D. Reached

3/29/00

12. Date Compl. (Ready to Prod.)

4/25/00

13. Elevations (DF & RKB, RT, GR, etc.)

3458'

GR

14. Elev. Casinghead

15. Total Depth

6860

16. Plug Back T.D.

6773

17. If Multiple Compl. How

Many Zones?

18. Intervals

Drilled By

Rotary Tools

Cable Tools

X

19. Producing Interval(s), of this completion - Top, Bottom, Name

Blinebry 5589 - 5896

Tubb 6118 - 6328

Drinkard 6521 - 6638

20. Was Directional Survey Made

NO

21. Type Electric and Other Logs Run

GR-CNL / GR-AZL

22. Was Well Cored

NO

23.

CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8-5/8	24#	1203	12-1/4	460 sx / Circulated 122 sx	
5-1/2	17#	6860	7-7/8	1375 sx / Circulated 46 sx	

24.

LINER RECORD

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN

25. TUBING RECORD

SIZE	DEPTH SET	PACKER SET
2-7/8	6682	

26. Perforation record (interval, size, and number)

Blinebry 5589-95, 5616-28, 42-78, 5708-12, 16-21, 26-46, 60-65,

84-5837, 40 48, 66-68, 85-96 - 4" - 483 Holes

Tubb 6118-23, 48-54, 6257-64, 72-98, 6321-28 - 4" - 209 Holes

Drinkard 6521-28, 31-68, 6620-38 - 4" - 251 Holes

27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.

DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED
5589 - 5896	Acidize w/ 8000 gals 15% HCL
	Frac w/ 64932 gals gel & 120540# 16/30 sand
6118 - 6328	Acidize w/ 3000 gals 15% HCL
	Frac w/ 21000 gals gel & 40000# 16/30 sand
6521 - 6638	Acidize w/ 3500 gals 15% HCL
	Frac w/ 21042 gals gel & 40100# 16/30 sand

28.

PRODUCTION

Date First Production 4/25/00		Production Method (Flowing, gas lift, pumping - Size and type pump) Pumping - 1.5" Rod Insert				Well Status (Prod. or Shut-in) Producing	
Date of Test 4/30/00	Hours Tested 24	Choke Size	Prod'n For Test Period	Oil - Bbl. 72	Gas - MCF 362	Water - Bbl. 24	Gas - Oil Ratio 5028
Flow Tubing Press.	Casing Pressure	Calculated 24- Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.) 38.4	

29. Disposition of Gas (Sold, used for fuel, vented, etc.)

Sold

Test Witnessed By

Apache Corporation

30. List Attachments

Logs, Deviation Report, C-104

31. I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief

Signature

Printed
Name

Debra J. Anderson

Title

Sr. Engr. Tech

Date

5/3/00

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division Office not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

Northwestern New Mexico

T. Anhy		T. Canyon		T. Ojo Alamo		T. Penn. "B"	
T. Salt		T. Strawn		T. Kirtland-Fruitland		T. Penn. "C"	
B. Salt		T. Atoka		T. Pictured Cliffs		T. Penn. "D"	
T. Yates	2603	T. Miss		T. Cliff House		T. Leadville	
T. 7 Rivers		T. Devonian		T. Menefee		T. Madison	
T. Queen		T. Silurian		T. Point Lookout		T. Elbert	
T. Grayburg		T. Montoya		T. Mancos		T. McCracken	
T. San Andres	3720	T. Simpson		T. Gallup		T. Ignacio Otzte	
T. Glorieta	5165	T. McKee		Base Greenhorn		T. Granite	
T. Paddock	5228	T. Ellenburger		T. Dakota		T.	
T. Blinbry	5562	T. Gr. Wash		T. Morrison		T.	
T. Tubb	6134	T. Delaware Sand		T. Todilto		T.	
T. Drinkard	6508	T. Bone Springs		T. Entrada		T.	
T. Abo	6812	T. Rustler	1274	T. Wingate		T.	
T. Wolfcamp		T.		T. Chinle		T.	
T. Penn		T.		T. Permian		T.	
T. Cisco (Bough C)		T.		T. Penn "A"		T.	

OIL OR GAS SANDS OR ZONES

No. 1, from to No. 3, from to
No. 2, from to No. 4, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to feet

No. 2, from to feet

No. 3, from to feet

LITHOLOGY RECORD (Attach additional sheet if necessary)

LITHOLOGY RECORD (Attach additional sheet if necessary)							
From	To	Thickness in Feet	Lithology	From	To	Thickness in Feet	Lithology

Received
 Hobbs
 OCP

Received
Hobbs
OCH