

DISTRICT I

1625 N. French Dr., Hobbs, NM 88240

DISTRICT II

811 South First, Artesia, NM 88210

DISTRICT III

1000 Rio Brazos Rd., Aztec, NM 87410

DISTRICT IV

1220 South St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-105

Revised March 25, 1999

OIL CONSERVATION DIVISION
1220 South St. Francis Drive
Santa Fe, NM 87505

WELL API NO.

30-025-35274

5. Indicate Type of Lease

☐ STATE☒ FEE

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name

Northeast Drinkard Unit

8. Well No.

717

9. Pool name or Wildcat

Eunice N., Blinebry-Tubb-Drinkard

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well:

☒ OIL WELL☐ GAS WELL☐ DRY☐ OTHER

b. Type of Completion:

☒ New Well☐ Workover☐ Deepen☐ Plug Back☐ Diff. Resvr.☐ Other

2. Name of Operator

Apache Corporation

3. Address of Operator

2000 Post Oak Blvd., Ste. 100, Houston, Texas 77056-4400 / 713-296-6000

4. Well Location

Unit Letter N : 44 Feet From The South Line and 2415 Feet From The West Line
Section 15 Township 21S Range 37E NMPM Lea County

10. Date Spudded

4/29/01

11. Date T.D. Reached

5/12/01

12. Date Compl. (Ready to Prod.)

6/01/01

13. Elevations (DF & RKB, RT, GR, etc.)

3415'

14. Elev. Casinghead

GR

15. Total Depth

6780

16. Plug Back T.D.

6684

17. If Multiple Compl. How

Many Zones?

18. Intervals

Drilled By

Rotary Tools

X

Cable Tools

19. Producing Interval(s), of this completion - Top, Bottom, Name

Blinebry 5550 - 5786

Tubb 5934 - 6268

Drinkard 6386 - 6602

20. Was Directional Survey Made

NO

21. Type Electric and Other Logs Run

GR-CNL / GR-DLL / CBL

22. Was Well Cored

NO

23.

CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8-5/8	24#	1265	12-1/4	460 sx / Circulated 49 sx	
5-1/2	17#	6780	7-7/8	1075 sx / TOC @ 150' (CBL)	

24. LINER RECORD

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN

25. TUBING RECORD

SIZE	DEPTH SET	PACKER SET
2-7/8	6654	

26. Perforation record (interval, size, and number)

Blinebry 5550-74, 5604-36, 56-65, 74-77, 84-92, 5700-28, 32-37,
42-86 - 4" - 620 HolesTubb 5934-38, 79-85, 6028-31, 48-52, 60-64, 72-86, 6173-76, 80-84,
91-6204, 23-27, 31-44, 62-68 - 4" - 226 HolesDrinkard 6386, 6400, 10, 17, 35, 47, 58, 6500-28, 32-40, 45-54,
68-6602 - 4" - 327 Holes

27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.

DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED
5550 - 5786	Acidize w/ 6000 gals 15% HCL
	Frac w/ 48000 gals gel & 101280# 16/30 sand
5934 - 6268	Acidize w/ 4500 gals 15% HCL
	Frac w/ 30492 gals gel & 60145# 16/30 sand
6386 - 6602	Acidize w/ 4300 gals 15% HCL
	Frac w/ 21252 gals gel & 40540# 16/30 sand

28.

PRODUCTION

Date First Production	Production Method (Flowing, gas lift, pumping - Size and type pump)				Well Status (Prod. or Shut-in)	
6/1/01	Pumping - 1.5" Rod Insert				Producing	
Date of Test	Hours Tested	Choke Size	Prod'n For	Oil - Bbl.	Gas - MCF	Water - Bbl.
6/9/01	24		Test Period	31	660	146
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)
						37.5

29. Disposition of Gas (Sold, used for fuel, vented, etc.)

Sold

Test Witnessed By

Apache Corporation

30. List Attachments

Logs, Deviation Report, C-104

31. I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief

Signature

Printed Name

Debra J. Anderson

Title

Sr. Engineering Technician

Date 06/15/01

JC

80 K2

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division Office not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

Northwestern New Mexico

T. Anyh		T. Canyon		T. Ojo Alamo		T. Penn. "B"	
T. Salt		T. Strawn		T. Kirtland-Fruitland		T. Penn. "C"	
B. Salt		T. Atoka		T. Pictured Cliffs		T. Penn. "D"	
T. Yates	2578	T. Miss		T. Cliff House		T. Leadville	
T. 7 Rivers		T. Devonian		T. Menefee		T. Madison	
T. Queen		T. Silurian		T. Point Lookout		T. Elbert	
T. Grayburg		T. Montoya		T. Mancos		T. McCracken	
T. San Andres	3922	T. Simpson		T. Gallup		T. Ignacio Oztze	
T. Glorieta	5110	T. McKee		Base Greenhorn		T. Granite	
T. Paddock	5160	T. Ellenburger		T. Dakota		T.	
T. Blinebry	5540	T. Gr. Wash		T. Morrison		T.	
T. Tubb	6077	T. Delaware Sand		T. Todilto		T.	
T. Drinkard	6396	T. Bone Springs		T. Entrada		T.	
T. Abo	6676	T. Rustler	1240	T. Wingate		T.	
T. Wolfcamp		T.		T. Chinle		T.	
T. Penn		T.		T. Permian		T.	
T. Cisco (Bough C)		T.		T. Penn "A"		T.	

OIL OR GAS SANDS OR ZONES

No. 1, from to No. 3, from to
No. 2, from to No. 4, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from	to	feet
No. 2, from	to	feet
No. 3, from	to	feet

LITHOLOGY RECORD (Attach additional sheet if necessary)

LITHOLOG RECORD (Attach additional sheet if necessary)				LITHOLOG RECORD (Attach additional sheet if necessary)			
From	To	Thickness in Feet	Lithology	From	To	Thickness in Feet	Lithology

NO 2024
RECEIVED
Hobbs
OCD


RECEIVED
Hobbs
OCC

Deviation survey taken on Apache Corporation's NEDU #717 well in Lea County, New Mexico:


N-15-215-37e 44/s & 2415/w 30-025-35274

<u>Depth</u>	<u>Degree</u>
303	.50
621	.75
888	.25
1265	1.00
1513	1.00
1763	1.00
2013	1.00
2261	2.25
2510	2.00
2760	1.50
3011	1.25
3514	.50
4016	.25
4577	.75
5076	2.25
5325	1.50
5573	1.25
5821	1.25
6041	1.50
6259	1.25
6738	1.25


I hereby certify that I have personal knowledge of the facts placed on this sheet and that such information given above is true and complete.



Before me, the undersigned authority, on this day personally appeared Henry McElroy, known to me to be the person whose name is subscribed hereto, who, after being duly sworn, on oath states that he is the drilling contractor of the well identified in this instrument and that such well was not intentionally deviated from the vertical whatsoever.



SWORN AND SUBSCRIBED TO before me this 14th day of MAY, 2001.





Ka