

Submit to Appropriate District Office

State Lease-6 copies

Fee Lease-5 copies

DISTRICT I

1625 N. French Dr., Hobbs, NM 88240

DISTRICT II

811 South First, Artesia, NM 88210

DISTRICT III

1000 Rio Brazos Rd., Aztec, NM 87410

DISTRICT IV

1220 South St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-105  
Revised March 25, 1999

OIL CONSERVATION DIVISION  
1220 South St. Francis Drive  
Santa Fe, NM 87505

WELL API NO.

30-025-35470

5. Indicate Type of Lease

☒ STATE

☐ FEE

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name

Northeast Drinkard Unit

8. Well No.

142

9. Pool name or Wildcat

Eunice N., Blinebry-Tubb-Drinkard

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well:

☒ OIL WELL

☐ GAS WELL

☐ DRY

☐ OTHER

b. Type of Completion:

☒ New Well

☐ Workover

☐ Deepen

☐ Plug Back

☐ Diff. Resvr.

☐ Other

2. Name of Operator

Apache Corporation

3. Address of Operator

2000 Post Oak Blvd., Ste. 100, Houston, Texas 77056-4400 / 713-296-6000

4. Well Location

Unit Letter Lot 3 : 330 Feet From The North Line and 2200 Feet From The West Line  
Section 2 Township 21S Range 37E NMPM Lea County

10. Date Spudded

5/23/01

11. Date T.D. Reached

6/3/01

12. Date Compl. (Ready to Prod.)

6/15/01

13. Elevations (DF& RKB, RT, GR, etc.)

3509'

14. Elev. Casinghead

GR

15. Total Depth

6850

16. Plug Back T.D.

6757

17. If Multiple Compl. How

Many Zones?

18. Intervals

Drilled By

Rotary Tools

X

Cable Tools

19. Producing Interval(s), of this completion - Top, Bottom, Name

Blinebry 5808 - 6022

20. Was Directional Survey Made

NO

21. Type Electric and Other Logs Run

GR-CNL / GR-DLL

22. Was Well Cored

NO

23.

CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8-5/8	24#	1448	12-1/4	460 sx / Circulated 72 sx	
5-1/2	17#	6850	7-7/8	1175 sx / Circulated 44 sx	

24. LINER RECORD

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN

25. TUBING RECORD

SIZE	DEPTH SET	PACKER SET
2-7/8	6070	

26. Perforation record (interval, size, and number)

Blinebry 5808-28, 48-60, 70-5902, 32-48, 98-6022 - 4" - 421 Holes

27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.

DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED
5808 - 6022	Acidize w/ 5500 gals 15% HCL
	Frac w/ 28266 gals gel & 60180# 16/30 sand

28. PRODUCTION

Date First Production 6/15/01	Production Method (Flowing, gas lift, pumping - Size and type pump) Pumping - 1.5" Rod Insert				Well Status (Prod. or Shut-in) Producing	
Date of Test 6/27/01	Hours Tested 24	Choke Size	Prod'n For Test Period	Oil - Bbl. 42	Gas - MCF 33	Water - Bbl. 188
Flow Taking Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.) 37.5

29. Disposition of Gas (Sold, used for fuel, vented, etc.)

Sold

Test Witnessed By


Apache Corporation

30. List Attachments

Logs, Deviation Report, C-104

31. I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief

Signature



Printed Name

Debra J. Anderson

Title

Sr. Engineering Technician

Date

7/3/2001

## INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division Office not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

## Southeastern New Mexico

Northwestern New Mexico

T. Anhy	
T. Salt	
B. Salt	
T. Yates	2610
T. 7 Rivers	
T. Queen	
T. Grayburg	
T. San Andres	4170
T. Glorieta	5400
T. Paddock	5455
T. Blinebry	5490
T. Tubb	6364
T. Drinkard	6660
T. Abo	
T. Wolfcamp	
T. Penn	
T. Cisco (Bough C)	

T. Canyon	
T. Strawn	
T. Atoka	
T. Miss	
T. Devonian	
T. Silurian	
T. Montoya	
T. Simpson	
T. McKee	
T. Ellenburger	
T. Gr. Wash	
T. Delaware Sand	
T. Bone Springs	
T. Rustler	1467
T.	
T.	
T.	

T. Ojo Alamo	_____
T. Kirtland-Fruitland	_____
T. Pictured Cliffs	_____
T. Cliff House	_____
T. Menefee	_____
T. Point Lookout	_____
T. Mancos	_____
T. Gallup	_____
Base Greenhorn	_____
T. Dakota	_____
T. Morrison	_____
T. Todilto	_____
T. Entrada	_____
T. Wingate	_____
T. Chinle	_____
T. Permian	_____
T. Penn "A"	_____

[illegible]

## OIL OR GAS SANDS OR ZONES

No. 1, from ..... to ..... No. 3, from ..... to .....  
No. 2, from ..... to ..... No. 4, from ..... to .....

## IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from ..... to ..... feet .....

No. 2, from ..... to ..... feet .....

No. 3, from ..... to ..... feet .....

## LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness in Feet	Lithology	From	To	Thickness in Feet	Lithology

RECEIVED  
JUN 15 1964